

EUROPEAN COMMISSION

> Brussels, 14.7.2021 COM(2021) 559 final

2021/0223 (COD)

Proposal for a

REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

(Text with EEA relevance)

 $\{ SEC(2021) \ 560 \ final \} - \{ SWD(2021) \ 631 \ final \} - \{ SWD(2021) \ 632 \ final \} - \{ SWD(2021) \ 637 \ final \} - \{ SWD(2021) \ 638 \ final \} \}$

EXPLANATORY MEMORANDUM

1. CONTEXT OF THEPROPOSAL

This proposal concerns the creation of a new Regulation for the deployment of alternative fuels infrastructure. The new Regulation will repeal Directive 2014/94/EU of the European Parliament and of the Council on the deployment of alternative fuels infrastructure¹.

1.1. Reasons for and objectives of the proposal

Mobility and transport are essential for everyone living in Europe and for the European economy as a whole. Free movement of people and goods across the internal borders of the European Union is a fundamental freedom of the EU and its single market. Mobility brings many socio-economic benefits to the European public and businesses, but also has a growing impact on the environment, including in the form of increased greenhouse gas emissions and local air pollution, which affect human health and well-being.

In December 2019, the Commission adopted the *European Green Deal* communication². The European Green Deal calls for a 90% reduction in greenhouse gas (GHG) emissions in transport. The aim is for the EU to become a climate-neutral economy by 2050, while also working towards a zero-pollution ambition. In September 2020, the Commission adopted its proposal for a European Climate Law to reduce net emissions of greenhouse gases by at least 55% by 2030 compared to 1990 and to put Europe on a responsible path to becoming climate-neutral by 2050^3 . The *Stepping up Europe's 2030 Climate Ambition* communication⁴ notes the relevance of a holistic approach to large-scale and local infrastructure planning and the need for an appropriate rollout of alternative fuels infrastructure to support the transition to a nearly zero-emission car fleet by 2050. On 21 April 2021, the Council and Parliament reached provisional political agreement on the European Climate Law.

In December 2020, the Commission adopted the *Sustainable and Smart Mobility Strategy* communication⁵). The strategy lays the foundation for how the EU transport system can achieve this transformation and sets concrete milestones to keep the transport system's journey towards a smart and sustainable future on track. The transport sector is still vastly reliant on fossil fuels. Boosting the uptake of zero- and low-emission vehicles, vessels and aeroplanes and of renewable and low-carbon fuels in all modes of transport is a priority objective in the quest to make all transport modes more sustainable.

The increased deployment and use of renewable and low-carbon fuels must go hand in hand with the creation of a comprehensive network of recharging and refuelling infrastructure based on a geographically fair manner to enable the widespread uptake of low- and zeroemission vehicles in all transport modes. In the passenger car markets particularly, the broad mass of consumers will only switch to zero- emission vehicles once they are sure they can recharge or refuel their vehicles anywhere in the EU and as easily as is currently the case for conventionally fuelled vehicles. It is important that no EU region or territory is left behind and that regional disparities in the deployment of the infrastructure for alternative fuels are well-addressed in the formulation and implementation of national policy frameworks.

Directive 2014/94/EU on the deployment of alternative fuels infrastructure ('the Directive')

¹ OJ L 307, 28.10.2014, p. 1.

² COM(2019) 640 final.

³ COM(2020)563 final.

⁴ COM(2020)562 final.

⁵ COM(2020)789 final.

sets out a framework of common measures for the deployment of such infrastructure in the EU. It requires Member States to set up national policy frameworks to establish markets for alternative fuels and ensure that an appropriate number of publicly accessible recharging and refuelling points is put in place, particularly also to enable free cross-border circulation of such vehicles and vessels on the TEN-T network. In its recent report on the application of Directive 2014/94/EU on the deployment of alternative fuels infrastructure, the Commission noted some progress in the Directive's implementation⁶. However, the shortcomings of the current policy framework are also clearly visible: as there is no detailed and binding methodology for Member States to calculate targets and adopt measures, their level of ambition in target setting and supporting policies in place varies greatly. A comprehensive and complete network of alternative fuels infrastructure does not exist across the EU, the report concludes. Likewise, the European Court of Auditors noted in its special report on recharging infrastructure that obstacles to travelling across the EU in electric vehicles remain and that the deployment of recharging infrastructure in the Union needs to accelerate⁷.

The Commission carried out an *ex post* evaluation of this Directive⁸. The evaluation found that the Directive is not well-adapted to the purpose of serving the increased climate ambition for 2030. The main problems include that Member States' infrastructure planning on average lacks the level of ambition, consistency and coherence needed, leading to insufficient, unevenly distributed infrastructure. Further interoperability issues with physical connections persist, while new issues have emerged over communication standards, including data exchange among the different actors in the electro-mobility ecosystem. Finally, there is a lack of transparent consumer information and common payment systems, which limits user acceptance. Without further EU action, this lack of interoperable, easy-to use recharging and refuelling infrastructure is likely to become a barrier to the needed market growth of low- and zero-emission vehicles, vessels and – in the future – aircraft.

This proposal is part of the overall set of interlinked policy initiatives under the 'Fit for 55' package. These policy initiatives correspond to the actions needed across all sectors of the economy to complement national efforts to achieve the increased climate ambition for 2030, as described in the Commission's 2021 work programme⁹.

This initiative seeks to ensure the availability and usability of a dense, widespread network of alternative fuels infrastructure throughout the EU. All users of alternative fuel vehicles (including vessels and aircraft) need to be able to move through the EU at ease, enabled by key infrastructure such as motorways, ports and airports. The specific objectives are: (i) ensuring minimum infrastructure to support the required uptake of alternative fuel vehicles across all transport modes and in all Member States to meet the EU's climate objectives; (ii) ensuring the infrastructure's full interoperability; and (iii) ensuring full user information and adequate payment options.

Meeting the European Green Deal goal on the reduction of greenhouse gas emissions from transport and developing a common EU transport market require full connectivity and a seamless user experience along the European transport network for low- and zero-emission vehicles, vessels and aircraft. This in turn requires sufficient quantity and full

⁶ COM(2021)103 final

⁷ European Court of Auditors (2021): Special Report 05/2021: Infrastructure for charging electric vehicles: more charging stations but uneven deployment makes travel across the EU complicated.

 ⁸ SWD(2021) 637, 'Evaluation of Directive 2014/94/EU of the European Parliament and of the Council on the deployment of alternative fuels infrastructure'.

⁹ COM(2020) 690 final.

interoperability of infrastructure across borders. Only a common European legislative framework can reach these objectives. This initiative will contribute to coherent and consistent development and rollout of vehicle fleets, recharging and refuelling infrastructure and user information and services.

1.2. Consistency with existing policy provisions in the policy area

This initiative is consistent with the other policy initiatives of the 'Fit for 55' package. This initiative complements in particular: (i) the regulations setting CO_2 emission performance standards for new passenger cars and new light commercial vehicles¹⁰ and heavy-duty vehicles¹¹; and (ii) the legislative proposal for setting new CO_2 emission performance standards for new cars and new light commercial vehicles post-2020, also part of the 'Fit for 55' package¹². The CO_2 emission performance standards provide a strong push for deployment of zero- and low-emission vehicles, thus also creating demand for alternative fuels infrastructure. This initiative will enable this transition by ensuring that sufficient publicly available recharging and refuelling infrastructure is in place for light- and heavy-duty road transport vehicles.

This initiative also acts in strong synergy with the revision of the Renewable Energy Directive¹³, the Regulation of the European Parliament and of the Council on ensuring a level playing field for sustainable air transport (RefuelEU Aviation initiative)¹⁴ and the proposal for a Regulation of the European Parliament and of the Council on the use of renewable and low-carbon-fuels in maritime transport (FuelEU Maritime initiative)¹⁵, which set obligations on the supply of, and demand for, renewable and low-carbon transport fuels. Each of those instruments promotes an increase in the supply or demand of sustainable alternative fuels in one or more transport modes.

For waterborne transport, this initiative delivers on the clear requirement of the European Green Deal to oblige docked ships to use shore-side electricity. It is fully complementary to Fuel EU maritime initiative by ensuring that sufficient shore-side electricity supply is installed in ports to provide electricity while passenger ships (including ro-ro passenger ships, high speed passenger craft and cruise ships) and container vessels are at berth and accommodating the demand for decarbonised gases (i.e. bio-LNG and synthetic gaseous fuels (e-gas). For the case of passenger ships, the different ship categories vary in their power demand characteristics while at berth, which leads to different investment needs at port. This needs to be combined with the different operational characteristics of ports, including layouts and terminals. For this reason a further distinction is made on passenger ships compared to the FuelEU maritime initiative in identifying two categories, that of ro-ro

Regulation (EU) 2019/631 of the European Parliament and of the Council setting CO₂ performance standards for new passenger cars and for new light commercial vehicles and repealing Regulations (EC) No 443/2009 and (EU) No 510/2011, OJ L111, 25.4.2019, p. 13.

 ¹¹ Regulation (EU) 2019/1242 of the European Parliament and of the Council setting CO₂ performance standards for new heavy-duty vehicles and amending Regulations (EC) No 595/2009 and (EU) No 2018/956 of the European Parliament and of the Council and Council Directive 96/53/EC, OJ L 198, 25.7.2019, p.202.
 ¹² COULT (2021) 555 Council and Council Directive 1 of the Council and Council Directive 96/53/EC, OJ L 198, 25.7.2019, p.202.

¹² COM (2021) 556. Proposal for a regulation of the European Parliament and of the Council amending Regulation (EU) 2019/631 as regards strengthening the CO2 emission performance standards for new passenger cars and new light commercial vehicles in line with the Union's increased climate ambition.

¹³ Directive (EU) 2018/2001.

¹⁴ COM(2021) 561, proposal for a regulation of the European Parliament and of the Council on ensuring a level playing field for sustainable air transport.

¹⁵ COM(2021) 562, proposal for a regulation of the European Parliament and of the Council on the use of renewable and low-carbon fuels in maritime transport.

passenger ships and high speed passenger vessels, and that of other passenger ships, notably cruise ships. Together with the FuelEU maritime initiative it therefore contributes to overcoming the current "chicken-and-egg" issue, which has meant that the very low demand for ship operators to connect to the electric grid while at berth has made it less attractive for ports to invest in short-side electricity. Limited introduction of On-shore power supply OPS in ports risks disturbing the level playing between ports, in particular for early investors, as not OPS equipped vessels could shift their traffic. It is therefore important that minimum requirements be set for maritime ports across the whole TEN-T network.

The initiative is also complementary to the ReFuelEU aviation initiative. It supplements that initiative's push for sustainable aviation fuels that largely do not require a distinct refuelling infrastructure with provisions for electricity supply for all stationary aircraft and thus supporting the decarbonisation of the aviation sector.

Next to the legislative proposal, the Commission will address the need for additional research and innovation (R&I) activities, in particular through the co-programmed Zero Emissions Waterborne Transport partnership proposed by the Waterborne Technology Platform under Horizon Europe, the Clan Sky 2 Joint Undertaking and the Clean Hydrogen Joint Undertaking which works in synergy with these two transport partnerships.

This initiative is also consistent with the revision of the Renewable Energy Directive. It seeks to ensure that lack of recharging and refuelling infrastructure does not hamper the overall ramp-up of renewable and low-carbon fuels in the transport sector, where they require distinct infrastructure. At Union level, there is no policy instrument equivalent to the Directive on the deployment of alternative fuels infrastructure able to ensure deployment of publicly accessible recharging and refuelling infrastructure across all modes of transport in a similar manner. This initiative is also closely linked to the upcoming proposal to revise the Regulation on the Guidelines for the Trans-European Transport Network¹⁶. The planned revision of that Regulation will build upon and complement the alternative fuels infrastructure already deployed through individual projects on the TEN-T network corridors. By consistently cross-referencing the provisions of this initiative, the revision of the Regulation will ensure sufficient coverage on the TEN-T core and comprehensive network.

By ensuring that the necessary infrastructure for zero- and low-emission vehicles and vessels is in place, this initiative will also complement a set of other policy initiatives under the 'Fit for 55' package that stimulate demand for such vehicles by setting price signals that incorporate the climate and environmental externalities of fossil fuels; such initiatives include the revision of the Emissions Trading System¹⁷, and the revision of the EU Energy Taxation Directive¹⁸.

1.3. Consistency with other Union policies

This initiative needs to work in synergy with the Energy Performance of Buildings Directive¹⁹ (EPBD), which addresses private recharging infrastructure by stipulating requirements for rollout of recharging infrastructure in buildings. The relationship between public and private recharging infrastructure has been thoroughly addressed in the impact assessment supporting this policy initiative.

By ensuring that the necessary infrastructure for zero- and low-emission vehicles and

¹⁶ Regulation (EU) No1315/2013.

¹⁷ Directive 2003/87/EC.

¹⁸ Directive 2003/96/EC.

¹⁹ Directive 2010/31/EU.

vessels is in place, this initiative will also complement policy efforts on road charging, which are also intended to stimulate demand for such vehicles. The aim here is to better incorporate the climate and environmental externalities of fossil fuels, as intended by the Eurovignette Directive²⁰, currently also under revision.

Another policy instrument aimed at accelerating the deployment of low- and zero-emission vehicles is the Clean Vehicles Directive²¹. A broader availability of infrastructure and a faster rollout of zero- and low- emission vehicles will indirectly facilitate the deployment of clean vehicles in public fleets. However, public fleets (bus fleets especially) typically rely on their own recharging and refuelling points rather than on publicly accessible infrastructure. Interaction with the Directive is mainly through standardisation to ensure interoperability.

Deploying more hydrogen and battery electric vehicles in the EU fleet is also an important part of the Commission's hydrogen strategy²² and strategy for smart energy system integration²³; insufficient availability of the corresponding infrastructure for vehicles would risk jeopardising these ambitions.

By facilitating the deployment of growing numbers of zero- and low-emission vehicles, this initiative also contributes to the zero-pollution ambition in the European Green Deal, complementing the Euro 6 (for cars and vans)²⁴ and Euro VI (for buses and lorries)²⁵ pollutant emission standards, that set emission limits for all vehicles.

Finally, this initiative works in conjunction with the Intelligent Transport Systems Directive²⁶, for which the Commission intends to present a proposal for review later this year, and its delegated acts, in particular the Delegated Regulation on Union-wide real-time traffic information services²⁷. The fast-evolving data environment for alternative fuels requires this initiative to specify the relevant data types to be made available, in synergy with the general framework established in the Intelligent Transport Systems Directive.

Horizon Europe is the EU's key funding programme for research and innovation²⁸. It tackles climate change, helps to achieve the UN's Sustainable Development Goals and boosts the EU's competitiveness and growth. Cluster 5: Climate, Energy and Mobility aims to fight climate change by making the energy and transport sectors more climate and environment-friendly, more efficient and competitive, smarter, safer and more resilient. European research and innovation can drive, navigate and accelerate the transformative Green Deal agenda, by setting the direction, testing and demonstrating solutions, addressing trade-offs, and ensuring that policy is coherent, innovation friendly, and evidence-informed. The partnerships on Zero-emission Road Transport (2Zero), on Connected, Cooperative and Automated Mobility (CCAM), on the European Industrial Battery Value Chain (Batt4EU), on Clean Hydrogen, on Clean Energy Transition and on Driving Urban Transitions to a Sustainable Future will play a key role in delivering a climate-neutral and environmentally friendly mobility. The Horizon Europe Mission on climate-neutral and

²² COM(2020) 301 final.

²⁰ Directive 1999/62/EC.

²¹ Directive (EU) 2019/1161.

²³ COM/2020/299.

²⁴ Regulation (EC) 715/2007.

²⁵ Regulation (EC) 595/2009.

²⁶ Directive 2010/40/EU.

²⁷ Delegated Regulation (EU) 2015/962.

²⁸ https://ec.europa.eu/info/research-and-innovation/funding/funding-opportunities/funding-programmesand-open-calls/horizon-europe/european-partnerships-horizon-europe_en.

smart cities²⁹ aims to support, promote and showcase 100 European cities in their systemic transformation towards climate neutrality by 2030.

Cohesion policy will play a central role in helping all regions in their transition towards a greener, climate neutral Europe. The European Regional Development Fund and the Cohesion Fund are available to support investment in innovation and deployment, in particular in the less developed Member States and regions. Cohesion policy will offer support to a sustainable, smart and resilient transport system, covering all transport modes and all levels of the transport system in line with the specific requirements and priorities identified in the national and regional programmes.

2. LEGAL BASIS, SUBSIDIARITY AND PROPORTIONALITY

2.1. Legal basis

To ensure the correct functioning of the internal market, the Treaty on the Functioning of the European Union (TFEU) establishes the Union's prerogative to lay down provisions for the common transport policy, Title VI (Articles 90-91), and for the trans-European networks, Title XVI (Articles 170-171). With this legal framework in mind, Union action enables better coordination for the even and widespread deployment of alternative fuels infrastructure, instead of relying on Member States only. This facilitates travel across the Union in alternative fuel vehicles for both personal users and businesses. It also helps prevent a lack of, or patchy deployment of, alternative fuels infrastructure from becoming a potential barrier to the completion of the internal market and from discouraging the automotive industry's production of zero- and low-emission vehicles.

Meeting the European Green Deal's transport emission reduction objectives (as corroborated by the sustainable and smart mobility strategy) requires a substantial increase in zero- and low-emission vehicles and vessels. This will not take place without the deployment of a coherent and complete network of fully interoperable alternative fuels infrastructure making it possible to travel across the Union in an alternative fuel vehicle. As noted when the current Directive was adopted, such a network cannot be adequately developed by Member States individually; instead, Union intervention is required.

2.2. Subsidiarity (for non-exclusive competence)

The Union added value of this intervention in terms of effectiveness, efficiency and synergies is underlined in the evaluation of the current Directive, in conjunction with the assessment of national implementation reports submitted by Member States. The evaluation showed that developing a common EU framework has to some extent helped avoid fragmentation. Such a framework has supported the development of national policies to develop alternative fuels infrastructure in all Member States and has supported the creation of a more level playing field within the industry. By encouraging interoperability, relevant technical standards and setting of targets on similar timescales, Union-level action has provided some cost savings and better value for money by facilitating economies of scale, avoiding duplication of effort and resources, and providing funding investments for infrastructure. The Directive's implementation (and its supporting activities) have facilitated cooperation and information exchange on alternative fuels between the relevant industry and public actors. Without the Directive, such cooperation would likely not exist.

²⁹ https://ec.europa.eu/info/research-and-innovation/funding/funding-opportunities/funding-programmesand-open-calls/horizon-europe/missions-horizon-europe/climate-neutral-and-smart-cities_en.

Without Union intervention, it would be very unlikely that a coherent and complete network of fully interoperable alternative fuels infrastructure would develop across all Member States, thus ensuring that it is possible to travel across the Union in an alternative fuel vehicle. This in turn is a prerequisite for the uptake of such vehicles across the Union, which is vitally important for the EU to meet its 2030 increased climate ambition.

2.3. Proportionality

In accordance with the principle of proportionality, this proposal does not go beyond what is necessary to achieve the objectives set. All measures are considered to be proportionate in terms of their impacts, as demonstrated in the impact assessment that accompanies this initiative³⁰. The proposed intervention sets more binding requirements on Member States to ensure the uptake of sufficient publicly accessible infrastructure for recharging and refuelling of alternative fuels vehicles in the Union. This is necessary for the EU to deliver on the increased climate and energy ambition for 2030 and meet the overall objective of reaching climate neutrality by 2050, an objective reflected in, among others, the CO₂ standards for cars and vans and the cross-border connectivity for such vehicles in the TEN-T core and comprehensive network.

The experience of implementing the current Directive shows the need for this revised intervention. Implementation of the current Directive is leading to uneven rollout of infrastructure in Member States, not adding up to the dense, widely needed network of alternative fuels infrastructure that is needed. This has been fully demonstrated in the Commission report to the European Parliament and Council on the application of the Directive 2014/94/EU on deployment of alternative fuels infrastructure³¹ and in the impact assessment supporting the current initiative. The nature and scope of the problem is similar across Member States and there is evidence of the need and value added of ensuring cross-border connectivity for alternative fuels vehicles in the Union, which duly justifies Union action.

This initiative creates a stable and transparent policy framework to help create open and competitive markets, thus stimulating investment in recharging and refuelling infrastructure in all modes of transport. It establishes a common minimum on which markets can build and start to deliver further infrastructure in response to vehicle demand from markets, based on a clear and transparent target mechanism that applies throughout the Union.

2.4. Choice of the instrument

While the Impact Assessment resulted in a Directive as the preferred policy option, the Commission made the choice to propose a Regulation. The choice of a Regulation ensures a rapid and coherent development towards a dense, widely-spread network of fully interoperable recharging infrastructure in all Member States. The decision is particularly justified in view of the needed swift and coherent implementation of the national fleet-based minimum deployment targets set at Member State level and the mandatory distance-based targets along the TEN-T network, as the first proposed targets would have to be reached by 2025 already. With this timescale, building up a sufficiently dense, wide-spread network of recharging and refuelling infrastructure for zero- and low-emission vehicles throughout the Union at the same pace and under the same conditions is now of strong relevance to support the highly necessary accelerated market uptake of zero- and low-emission vehicles. This requires already in the years before 2025, the design and

³⁰ SWD(2021) 631, 'Impact Assessment accompanying the proposal for a regulation of the European Parliament and of the Council on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU'.

³¹ COM/2021/103 final.

development of Member State plans and measures to deliver on the targets. A new Regulation establishes clearly binding and directly applicable obligations for Member States at national level, and ensuring their EU-wide coherent and timely application and implementation at the same time. It avoids the risk of delays and inconsistencies in national transposition processes, thus also creating a clear level-playing field for markets, which will help the Union-wide roll-out of recharging and refuelling infrastructure. The Regulation will establish a more robust governance mechanism that tracks Member State progress in achieving the targets and that enables Member States to set the right incentives so that competitive recharging markets can develop. Clear timelines for the design and development of Member States' national policy frameworks to achieve the targets, robust monitoring and reporting mechanisms, as well as provisions for corrective measures by Member States to achieve the targets. This initiative guarantees such an approach.

3. RESULTS OF EXPOST EVALUATIONS, STAKEHOLDER CONSULTATIONS AND IMPACT ASSESSMENTS

3.1. *Ex post* evaluations/fitness checks of existing legislation

A 'REFIT' *ex post* evaluation showed that the Directive has supported the development of policies and measures for the rollout of alternative fuels infrastructure in Member States, particularly through the requirement to develop national policy frameworks (NPFs)³².

However, shortcomings in the current policy framework have also been pointed out in the evaluation. Moreover, the Directive's key objective, namely to ensure coherent market development in the EU, has not been met. Shortcomings arise in particular in the following three areas: (i) the lack of a complete network of infrastructure allowing seamless travel across the EU; (ii) the need for further common technical specifications to ensure interoperability in light of emerging technologies; and (iii) the lack of full user information, uniform and easy-to-use payment methods and full price transparency across the Union.

The evaluation concluded that 6 years after the Directive's adoption, the overall European market for alternative fuels infrastructure is still in a rather early development phase, though markets are maturing in some parts of the EU. Given the overall relevance of ensuring sufficient infrastructure to support the needed uptake of vehicles and vessels in light of the increased climate ambition for 2030, the evaluation of the Directive recommended retaining the legislation but revising it.

3.2. Stakeholder consultations

As part of the impact assessment, stakeholders were consulted in different formats.

A public consultation on the inception impact assessment $(IIA)^{33}$ for this initiative, running from 6 April to 4 May 2020. The Commission received 86 responses, mostly (61) from companies and business associations. NGOs and citizens also replied to the IIA, as did one network of cities.

An open public consultation organised by the Commission, running from 6 April 2020 to 29 June 2020. The consultation invited all members of the public and organisations to

³² SWD(2021) 637.

³³ https://ec.europa.eu/info/law/better-regulation/have-your-say/initiatives/12251-Revision-of-Alternative-Fuels-Infrastructure-Directive.

provide input on both the evaluation and the impact assessment³⁴. In total, 324 responses were received.

Targeted stakeholder interviews and surveys between October 2020 and January 2021: the Commission held exploratory interviews with EU-level representatives of key stakeholders, particularly to support and refine the overall problem definition and possible policy options. Further interviews were conducted and an online survey was distributed among relevant stakeholders representing public authorities and other public bodies (national, regional and local authorities, EU bodies), industry representatives (including relevant associations), and members of civil society (NGOs, consumer groups).

A targeted stakeholder consultation, organised by the consultant in charge of the external support study to the impact assessment, running from December 2020 to February 2021. The consultation included targeted surveys among key stakeholders and targeted interviews and data requests to fill specific information requests, particularly to support the development of a methodology to determine sufficient infrastructure deployment and to support the assessment of impacts of possible policy measures.

3.3. Collection and use of expertise

In preparing this initiative, the Commission used the findings of the *ex post* evaluation of the Directive³⁵. Stakeholders provided a lot of information in the consultation activities, supplemented by information they supplied to the Commission on an ad hoc basis. The impact assessment relies to a considerable extent on an accompanying external support study carried out by a consultant³⁶. The Commission also drew on a broad consultation with the Sustainable Transport Forum, the Commission's expert group on alternative fuels. The consultation with the Sustainable Transport Forum ran from October 2018 to November 2019, focusing on problems and future policy needs in the field of alternative fuels infrastructure³⁷. Overall, the sources used to draft the impact assessment report were numerous, largely exhaustive and representative of the various stakeholder groups.

3.4. Impact assessment

The Regulatory Scrutiny Board received the draft version of the impact assessment report on 7 April 2021 and issued a positive opinion on 7 May 2021. The Board considered that the report could be further improved by: (a) better describing the difference between the options and how they link to the identified problems; and (b) nuancing the report to clarify whether the expected impacts stem from this specific initiative or from other policies, or from a combination of the two'.

The final impact assessment report includes a comprehensive description and assessment of the initiative's value added and its links with other policy initiatives. These can be found in Sections 1.3, 3.3 and 8.1 of the assessment report. A detailed description of the policy options is included in Section 5, while a comprehensive analysis of the impacts of all options is presented in Section 6. The analysed policy options can be summarised as follows:

³⁴ The input from the evaluation was analysed in the stakeholder consultation report supporting the final report of the evaluation.

³⁵ SWD(2021) 637.

³⁶ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

³⁷ The findings of this exercise were compiled in a comprehensive report by the plenary of the Sustainable Transport Forum in November 2019: https://ec.europa.eu/transport/sites/transport/files/2019-stfconsultation-analysis.pdf.

- *Policy option 1:* **substantive changes to the Directive**. The national target setting and reporting under the national policy framework would remain an important pillar, strengthened by mandatory fleet-based targets for electric recharging points for light-duty vehicles (LDVs). For heavy-duty vehicles (HDVs), mandatory distance-based targets would be introduced along the TEN-T network for electric recharging points and hydrogen refuelling points, including limited provisions for hydrogen refuelling in urban nodes. Mandatory targets would also be introduced for stationary aircraft and shore-side electricity supply in maritime and inland waterway ports. In addition, some quality aspects of the infrastructure would be addressed to improve interoperability and user information.
- *Policy option 2:* more substantive changes to the Directive than in option 1. In addition to the mandatory fleet-based targets for electric recharging points for LDVs, distance-based targets would be set for all road vehicles infrastructure for the TEN-T network, including for urban nodes for heavy-duty vehicle infrastructure. This option would also include more detailed provisions for ports and airports on the TEN-T network and greater harmonisation on payment options, physical and communication standards and consumers' rights while charging. It would strengthen provisions on price transparency and other user information, including physical signposting of recharging and refuelling infrastructure.
- *Policy option 3:* changing the Directive to a Regulation (thus going furthest in terms of binding legal instruments). In addition to the mandatory fleet-based and distance-based targets under option 2, this option would add further location-based targets for electric LDVs and add further targets for HDVs. The option would also add considerable ambition for ports infrastructure, and make mandatory terminal payment at new fast-chargers the sole payment option.

Because it strikes the best balance between the achieved objectives and the implementation cost, option 2 was identified as the best policy option. However, policy option 2 lends itself as well to a Regulation, with an accelerated impact on the implementation of provisions in this case. The impact assessment includes a detailed description of the regulatory measures included under the different policy options.

3.5. Regulatory fitness and simplification

Much greater policy ambition for the supply of sufficient and fully interoperable recharging and refuelling infrastructure is necessary to support the needed market take-up of zero- and low-emission vehicles, in line with the overall policy ambition of the 'Fit for 55' package and its related policy initiatives. Regulatory fitness is achieved by setting out necessary minimum requirements for public authorities and market actors. The related higher cost to public authorities for supporting infrastructure rollout, particularly in parts of the transport network where demand is low, have to be seen against the backdrop of significantly increased user demand and large-scale opportunities for market growth. The review of policies under the 'Fit for 55' policy package will enable the market take-up of zeroemission vehicles and the servicing of vessels equipped with shore-side electricity supply. The impact assessment provides a detailed analysis of costs and benefits, including a summary in Annex 3.

While the review increases the overall policy ambition, it does also include some important simplification aspects. This simplification primarily affects charge point operators and mobility service providers. Setting clear and common minimum requirements will simplify their business operations, as they will face similar minimum requirements in all Member

States. Such requirements will simplify the use of the infrastructure by private and corporate consumers (who currently face a plethora of use approaches) and enable better business service innovation. Consumer trust in the robustness of a Pan-EU network of recharging and refuelling infrastructure will increase, which will support the overall profitability of recharging and refuelling points and support a stable business case. All market actors and user groups will benefit from lower information costs and, in the case of market actors, lower legal compliance costs in the medium term, as the requirements for infrastructure provisioning under the Regulation will be better harmonised. Public authorities can also benefit from a coherent EU-wide framework that will simplify coordination with public and private market actors.

The impact assessment did not identify any area where this initiative's planned provisions would create a significant and disproportionate cost for SMEs, in comparison to all enterprises. This initiative creates long-term market certainty for investment in recharging and refuelling infrastructure and lays down the foundation for the development of an open data ecosystem that enterprises can use to develop new market services, which will benefit innovative SMEs. The initiative has an overall positive impact on the competitiveness of enterprises that install and operate recharging and refuelling infrastructure, as well as on the competitiveness of the automotive sector itself. This is because the provision of sufficient infrastructure has an impact on the market uptake of zero-emission vehicles, which is a key aspect of the automotive sector's future competitiveness, as explained in detail in the impact assessment underpinning the proposal for the revision of CO_2 standards for cars and vans³⁸.

3.6. Fundamental rights

The proposal has no impact on fundamental rights.

4. BUDGETARY IMPLICATIONS

The proposal has no impact on the European Union budget.

5. OTHER ELEMENTS

5.1. Implementation plans and monitoring, evaluation and reporting arrangements

The revised Regulation's implementation will be monitored using indicators for the physical rollout of recharging and refuelling infrastructure in the EU. Well-established monitoring instruments will be used to follow deployment.

Member States will have to adopt a revised national policy framework to develop the market for alternative fuels in the transport sector and deploy the relevant infrastructure in line with the proposed strengthened provisions. This will enable the Member States to report to the Commission on implementation in a coherent and consistent manner. Data provision to the Member States' national and common access points will follow commonly agreed data quality standards³⁹. In addition, the European Alternative Fuels Observatory

³⁸ SWD(2021) 614, Impact Assessment accompanying the proposal for a regulation of the European Parliament and of the Council amending Regulation (EU) 2019/631 as regards strengthening the CO2 emission performance standards for new passenger cars and new light commercial vehicles in line with the Union's increased climate ambition.

³⁹ IT development and procurement choices will be subject to pre-approval by the European Commission Information Technology and Cybersecurity Board

will be upgraded and continue to gather and frequently update vehicle uptake and infrastructure deployment in all Member States⁴⁰. The Commission will also continue to work together with its expert group, the Sustainable Transport Forum (and dedicated subgroups), to monitor market developments and identify related policy needs.

A full review of the Regulation is scheduled for the end of 2026 to identify any possible shortcomings and identify future needs for legislative action on emerging technologies. For an overview of operational objectives, indicators and data sources, see Annex 9 to the staff working document on the impact assessment accompanying this initiative.

5.2. Detailed explanation of the specific provisions of the proposal

This proposal sets up a new Regulation repealing the current Directive 2014/94/EU on the deployment of alternative fuels infrastructure. The structure of the new Regulation is as follows:

- Article 1 defines the subject matter of the Regulation, making specific, but no substantive, changes to the subject matter of the current Directive.
- Article 2 sets out a list of definitions, building on the list of definitions of the current Directive, and extending those where necessary and as appropriate in view of the overall changes in the scope and provisions of the new Regulation.
- Articles 3-12 contain provisions for the rollout of certain recharging and refuelling infrastructure for light- and heavy-duty road transport vehicles, vessels and aircraft.
- Articles 3 and 4 contain provisions for Member States to ensure minimum coverage of publicly accessible recharging points dedicated to light- and heavy-duty road transport vehicles on their territory, including on the TEN-T core and comprehensive network.
- Article 5 provides further provisions for ensuring user-friendliness of recharging infrastructure. This includes provisions on payment options, price transparency and consumer information, non-discriminatory practices, smart recharging, and signposting rules for electricity supply to recharging points.
- Article 6 contains provisions for Member States to ensure minimum coverage of publicly accessible refuelling points for hydrogen dedicated to heavy- and light-duty vehicles on the TEN-T core and comprehensive network.
- Article 7 provides further provisions for ensuring user-friendliness of refuelling infrastructure for hydrogen, including through minimum requirements on payment options, price transparency and contractual choice.
- Article 8 contains provisions for Member States to ensure until 1 January 2025 minimum coverage of publicly accessible refuelling points for liquefied natural gas dedicated to heavy-duty vehicles on the TEN-T core and comprehensive network.
- Articles 9 and 10 set out provisions for Member States to ensure installation of a minimum shore-side electricity supply for certain seagoing ships in maritime ports and for inland waterway vessels. The articles also define further the criteria for exempting certain ports and set requirements to ensure a minimum shore-side electricity supply.

40

www.eafo.eu.

- Article 11 requires Member States to ensure an appropriate number of LNG refuelling points in maritime TEN-T ports and to identify relevant ports through their national policy frameworks.
- Article 12 concerns minimum provisions for electricity supply to all stationary aircraft in TEN-T core and comprehensive network airports.
- Article 13 reformulates provisions for Member States' national policy frameworks. It makes provision for an iterative process between Member States and the Commission to develop concise planning to deploy infrastructure and meet the targets as laid down in the Regulation. It also includes new provisions on formulating a strategy for the deployment of alternative fuels in other modes of transport together with key sectoral and regional/local stakeholders. This would apply where the Regulation does not set mandatory requirements, but where emerging policy needs connected to the development of alternative fuel technologies need consideration.
- Article 14, 15 and 16 set out the governance approach. This includes reporting obligations corresponding to provisions for Member States on national policy frameworks and national progress reports in an interactive process with the Commission. It also sets requirements for the Commission to report on Member States' national policy frameworks and progress reports.
- Article 17 covers user information requirements in the form of fuel labels and information requirements on fuel price comparison.
- Article 18 sets up data provision requirements for operators or owners of publicly accessible recharging or refuelling points on the availability and accessibility of certain static and dynamic data types, including the establishing of an identification registration organisation (IDRO) for the issuing of ID codes. This article also empowers the Commission to adopt further delegated acts to specify further elements as required.
- Article 19 specifies provisions for common technical specifications, complementing the existing common technical specifications with a set of new areas for which the Commission will be entitled to adopt new delegated acts. These will build, as deemed necessary, on standards developed by the European standardisation organisations (ESOs).
- Article 20 concerns the use of delegations as regards the provisions on data provision and common technical specifications.
- Article 21 concerns the continuation of the committee procedure under the new Regulation.
- Articles 22, 23 and 24 specify the conditions for review and entry into force of this Regulation.

The proposal includes annexes:

- Annex I includes detailed provisions on national reporting by Member States, ensuring consistent and comparable reporting to support the implementation of this Regulation.
- Annex II concerns the listing of areas where common technical specifications under this Regulation apply to the internal market or will need be adopted under this Regulation by means of delegated acts in areas where new technology developments require the setting of common technical specifications.

- Annex III specifies requirements for Member States that will categorise their reporting on deployment of electric vehicles and recharging infrastructure.
- Annex IV contains the correlation table.

2021/0223 (COD)

Proposal for a

REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

(Text with EEA relevance)

THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 91 thereof,

Having regard to the proposal from the European Commission,

After transmission of the draft legislative act to the national parliaments,

Having regard to the opinion of the European Economic and Social Committee¹,

Having regard to the opinion of the Committee of the Regions²,

Acting in accordance with the ordinary legislative procedure,

Whereas:

- (1) Directive 2014/94/EU of the European Parliament and of the Council³ laid down a framework for the deployment of alternative fuels infrastructure. The Commission Communication on the application of that Directive⁴ points to the uneven development of recharging and refuelling infrastructure across the Union and the lack of interoperability and user friendliness. It notes that the absence of a clear common methodology for setting targets and adopting measures under the National Policy Frameworks required by Directive 2014/94/EU has led to a situation whereby the level of ambition in target setting and supporting policies varies greatly among Member States.
- (2) Various instruments of Union law already set targets for renewable fuels. Directive 2018/2001/EU of the European Parliament and of the Council⁵ for instance set a market share target of 14 % of renewables in transport fuels.
- (3) Regulation (EU) 2019/631 of the European Parliament and of the Council⁶ and Regulation (EU) 2019/1242 of the European Parliament and of the Council⁷ already

¹ OJ C , , p. .

² OJ C , , p. .

³ Directive 2014/94/EU of the European Parliament and of the Council of 22 October 2014 on the deployment of alternative fuels infrastructure (OJ L 307, 28.10.2014, p. 1).

⁴ COM(2020) 789 final.

⁵ Directive (EU) 2018/2001 of the European Parliament and of the Council of 11 December 2018 on the promotion of the use of energy from renewable sources (OJ L 328, 21.12.2018, p. 82).

set CO_2 emission performance standards for new passenger cars and for new light commercial vehicles as well as for certain heavy-duty vehicles. Those instruments should accelerate the uptake in particular of zero-emission vehicles and thereby create demand for recharging and refuelling infrastructure.

- (4) The initiatives on ReFuelEU aviation⁸ and FuelEU maritime⁹ should boost the production and uptake of sustainable alternative fuels in aviation and maritime transport. While the fuel use requirements for the sustainable aviation fuels can largely rely on the existing refuelling infrastructure, investments are needed for the electricity supply of stationary aircraft. The FuelEU maritime initiative sets requirements in particular for the use of on shore power that can only be fulfilled if an adequate level of on shore power supply is deployed in TEN-T ports. However those initiatives do not contain any provisions on the required fuel infrastructure which are a prerequisite that the targets can be met.
- (5) Therefore all modes of transport should be addressed in one instrument which should take into account a variety of alternative fuels. The use of zero-emission powertrain technologies is at different stages of maturity in the different modes of transport. In particular, in the road sector, a rapid uptake of battery-electric and plug-in hybrid vehicles is taking place. Hydrogen fuel-cell road vehicles are available to markets, as well. In addition, smaller hydrogen and battery electric vessels and hydrogen fuel-cell trains are currently being deployed in different projects and in first commercial operations, with full commercial roll out expected in the next years. In contrast, the aviation and waterborne sectors continue to be dependent on liquid and gaseous fuels, as zero- and low-emission powertrain solutions are expected to enter the market only around 2030 and in particular for the aviation sector even later, with full commercialisation taking its time. The use of fossil gaseous or liquid fuels is only possible if it is clearly embedded into a clear decarbonisation pathway that is in line with the long-term objective of climate neutrality in the Union, requiring increasing blending with or replacement by renewable fuels such as bio-methane, advanced biofuels or renewable and low-carbon synthetic gaseous and liquid fuels.
- (6) Such biofuels and synthetic fuels, substituting diesel, petrol and jet fuel, can be produced from different feedstock and can be blended into fossil fuels at very high blending ratios. They can be technically used with the current vehicle technology with minor adaptations. Renewable methanol can also be used for inland navigation and short-sea shipping. Synthetic and paraffinic fuels have a potential to reduce the use of fossil fuel sources in the energy supply to transport. All of these fuels can be distributed, stored and used with the existing infrastructure or where necessary with infrastructure of the same kind.
- (7) LNG is likely to play a continued role in maritime transport, where there is currently no economically viable zero-emission powertrain technology available. The Communication on the Smart and Sustainable Mobility Strategy points to zero-

⁶ Regulation (EU) 2019/631 of the European Parliament and of the Council of 17 April 2019 setting CO₂ emission performance standards for new passenger cars and for new light commercial vehicles, and repealing Regulations (EC) No 443/2009 and (EU) No 510/2011 (OJ L 111, 25.4.2019, p. 13).

 ⁷ Regulation (EU) 2019/1242 of the European Parliament and of the Council of 20 June 2019 setting CO₂ emission performance standards for new heavy-duty vehicles and amending Regulations (EC) No 595/2009 and (EU) 2018/956 of the European Parliament and of the Council and Council Directive 96/53/EC (OJ L 198, 25.7.2019, p. 202).

⁸ COM(2021) 561.

⁹ COM(2021) 562.

emission seagoing ships becoming market ready by 2030. Fleet conversion should take place gradually due to the long lifetime of the ships. Contrary to maritime transport, for inland waterways, with normally smaller vessels and shorter distances, zeroemission powertrain technologies, such as hydrogen and electricity, should enter the markets more quickly. LNG is expected to no longer play a significant role in that sector. Transport fuels such as LNG need increasingly to be decarbonised by blending/substituting with liquefied biomethane (bio-LNG) or renewable and lowcarbon synthetic gaseous e-fuels (e-gas) for instance. Those decarbonised fuels can be used in the same infrastructure as gaseous fossil fuels thereby allowing for a gradual shift towards decarbonised fuels.

- (8) In the heavy-duty road transport sector, LNG trucks are fully mature. On the one hand, the common scenarios underpinning the Sustainable and Smart Mobility Strategy and the Climate Target Plan as well as the revised "Fit for 55" modelling scenarios suggest some limited role of gaseous fuels that will increasingly be decarbonised in heavy-duty road transport especially in the long haul segment. Furthermore, LPG and CNG vehicles for which already a sufficient infrastructure network exists across the Union are expected to gradually be replaced by zero emission drivetrains and therefore only a limited targeted policy for LNG infrastructure deployment that can equally supply decarbonised fuels is considered necessary to close remaining gaps in the main networks.
- (9) The deployment of publicly accessible recharging infrastructure for light-duty electric vehicles has been uneven across the Union. Continued uneven distribution would jeopardize the uptake of such vehicles, limiting connectivity across the Union. Continuing divergence in policy ambitions and approaches at national level will not create the long-term certainty needed for substantive market investment. Mandatory minimum targets for Member States at national level should therefore provide policy orientations and complement National Policy Frameworks. That approach should combine national fleet based targets with distance-based targets for the trans-European network for transport (TEN-T). National fleet based targets should ensure that vehicle uptake in each Member State is matched with the deployment of sufficient publicly accessible recharging infrastructure. Distance-based targets for the TEN-T network should ensure full coverage of electric recharging points along the Union's main road networks and thereby ensure easy and seamless travel throughout the Union.
- (10) National fleet based targets should be established on the basis of the total number of registered electric vehicles in that Member State following a common methodology that accounts for technological developments such as the increased driving range of electric vehicles or the increasing market penetration of fast-charging points which can recharge a greater number of vehicles per recharging point than at a normal recharging point. The methodology also has to take into account the different recharging patterns of battery electric and plug-in hybrid vehicles. A methodology that norms national fleet based targets on the total maximum power output of the publicly accessible recharging infrastructure should allow flexibility for the implementation of different recharging technologies in Member States.
- (11) Implementation in Member States should ensure that a sufficient number of publicly accessible recharging points is installed, in particular at public transport stations, such as port passenger terminals, airports or railway stations. A sufficient number of publicly accessible fast recharging points dedicated to light-duty vehicles should also be deployed to increase consumer convenience in particular across the TEN-T network

to ensure full cross-border connectivity and allow electric vehicles to circulate throughout the Union.

- (12) Owners of electric vehicles should make use to a large extent of recharging points at their own premises or in collective parking lots in residential and non-residential buildings. While the deployment of ducting infrastructure and of recharging points in those buildings is regulated through Directive 2010/31/EU of the European Parliament and of the Council¹⁰, Member States should take into account the availability of such private infrastructure when planning the deployment of publicly accessible recharging points.
- (13) Electric heavy-duty vehicles need a distinctively different recharging infrastructure than light-duty vehicles. Public accessible infrastructure for electric heavy-duty vehicles is however currently almost nowhere available in the Union. A combined approach of distance-based targets along the TEN-T network, targets for overnight recharging infrastructure and targets at urban nodes should ensure that a sufficient publicly accessible infrastructure coverage for electric heavy-duty vehicles is established throughout the Union to support the expected market uptake of battery electric heavy-duty vehicles.
- (14) A sufficient number of publicly accessible fast recharging points dedicated to heavyduty vehicles should also be deployed along the TEN-T network to ensure full connectivity throughout the Union. That infrastructure should have sufficient power output to allow the recharge of the vehicle within the driver's legal break time. In addition to fast recharging points along the network, heavy-duty vehicles should also be able to use publicly accessible recharging infrastructure for overnight recharging along the main transport network to specifically support the electrification of the long haul sector.
- (15) Recharging infrastructure along the TEN-T network should be complemented with fast publicly accessible recharging infrastructure in urban nodes. That infrastructure is required in particular for providing charging opportunities for delivery trucks and for destination charging for long haul trucks, whereas the national fleet-based target should provide recharging points for light-duty vehicles also in urban areas.
- (16) The deployment of recharging infrastructure is equally important in private locations, such as in private depots and at logistic centres to ensure overnight and destination charging. Public authorities should take measures in the context of setting up their revised national policy frameworks to ensure that the appropriate infrastructure is provided for that overnight and destination charging.
- (17) Publicly accessible recharging or refuelling points include, for example, privately owned recharging or refuelling points accessible to the public that are located on public or private properties, such as public parkings or parkings of supermarkets. A recharging or refuelling point located on a private property that is accessible to the general public should be considered as publicly accessible also in cases where access is restricted to a certain general group of users, for example to clients. Recharging or refuelling points for car-sharing schemes should only be considered accessible to the public if they explicitly allow access for third party users. Recharging or refuelling points located on private properties, access to which is restricted to a limited, determinate circle of persons, such as parking lots in office buildings to which only

¹⁰ Directive 2010/31/EU of the European Parliament and of the Council of 19 May 2010 on the energy performance of buildings (OJ L 153, 18.6.2010, p. 13).

employees or authorised persons have access, should not be considered as publicly accessible recharging or refuelling points.

- (18) A recharging station is the single physical installation for the recharging of electric vehicles. Every station has a theoretical maximum power output, expressed in kW. Every station has at least one recharging point that can serve only one vehicle at a time. The number of recharging points at a recharging station determine the number of vehicles that can be recharged at that station at any given time. Where more than one vehicle recharges at that recharging station at a given time, the maximum power output is distributed to the different recharging points, such that the power provided at each individual recharging point is lower than the power output of that station. A recharging pool consists of one or more recharging stations at a specific location, including, as the case may be, the dedicated parking lots adjacent to them. For the targets set in this Regulation for recharging pools, the minimum power output required for those recharging pools could be provided by one or more recharging stations.
- (19) The possibility to develop advanced digital services, including contract-based payment solutions, and to ensure transparent user information by digital means depends on the deployment of digitally connected and smart recharging points that support the creation of a digitally connected and interoperable infrastructure¹¹. Those smart recharging points should comprise a set of physical attributes and technical specifications (hardware and software) that are necessary to send and receive data in real time, enabling the flow of information between market actors that are dependent on these data for fully developing the recharging experience, including charging point operators, mobility service providers, e-roaming platforms, distribution systems operators and, ultimately, end consumers.
- (20) Smart metering systems as defined in Directive (EU) 2019/944 of the European Parliament and of the Council¹² enable real-time data to be produced, which is needed to ensure the stability of the grid and to encourage rational use of recharging services. By providing energy metering in real time and accurate and transparent information on the cost, they encourage, in combination with smart recharging points, recharging at times of low general electricity demand and low energy prices. The use of smart metering systems in combination with smart recharging points can optimise recharging, with benefits for the electricity system and for the end user. Member States should encourage the use of smart metering systems for the recharging of electric vehicles at publicly accessible recharging stations, where technically feasible and economically reasonable, and ensure that these systems comply with the requirements laid down in Article 20 of Directive (EU) 2019/444.
- (21) The increasing number of electric vehicles in road, rail, maritime and other transport modes will require that recharging operations are optimised and managed in a way that does not cause congestion and takes full advantage of the availability of renewable electricity and low electricity prices in the system. Smart recharging in particular can facilitate the integration of electric vehicles into the electricity system further as it enables demand response through aggregation and through price based demand response. System integration can further be facilitated through bi-directional

¹¹ In line with the principles laid down in the European Interoperability Framework – Implementation Strategy, COM/2017/0134 final.

¹² Directive (EU) 2019/944 of the European Parliament and of the Council of 5 June 2019 on common rules for the internal market for electricity and amending Directive 2012/27/EU (OJ L 158, 14.6.2019, p. 125).

recharging (vehicle-to-grid). All normal recharging points at which vehicles are typically parked for a longer period should therefore support smart recharging.

- (22) The development of infrastructure for electric vehicles, the interaction of that infrastructure with the electricity system, and the rights and responsibilities assigned to the different actors in the electric mobility market, have to be consistent with the principles established under Directive (EU) 2019/944. In that sense, distribution system operators should cooperate on a non-discriminatory basis with any person establishing or operating publicly accessible recharging points and Member States should ensure that the electricity supply for a recharging point can be the subject of a contract with a supplier other than the entity supplying electricity to the household or premises where this recharging point is located. The access of Union electricity suppliers to recharging points should be without prejudice to the derogations under Article 66 of Directive (EU) 2019/944.
- (23) The establishment and operation of recharging points for electric vehicles should be developed as a competitive market with open access to all parties interested in rollingout or operating recharging infrastructures. In view of the limited alternative locations on highways, existing highway concessions such as for conventional refuelling stations or rest areas are a particular cause for concern, since they can run over very long periods and sometimes even lack a specified end date altogether. Member States should seek, to the extent possible and in compliance with Directive (EU) 2014/23 of the European Parliament and of the Council¹³, to competitively award new concessions specifically for recharging stations on or adjacent to existing highway rest areas in order to limit deployment cost and enable new market entrants.
- (24) Price transparency is crucial to ensure seamless and easy recharging and refuelling. Users of alternative fuel vehicles should be given accurate price information before the start of the recharging or refuelling service. The price should be communicated in a clearly structured manner to allow end users to identify the different cost components.
- (25) New services emerge, particularly in support of the use of electric vehicles. Entities offering those services, such as mobility service providers, should be able to operate under fair market conditions. In particular, operators of recharging points should not give unduly preferential treatment to any of those service providers, for instance through unjustified price differentiation that may impede competition and ultimately lead to higher prices for consumers. The Commission should monitor the development of the recharging market. When reviewing the Regulation, the Commission will take actions where required by market developments such as limitations of services for end users or business practices that may limit competition.
- (26) Hydrogen-powered motor vehicles have at present very low market penetration rates. However, a build-up of sufficient hydrogen refuelling infrastructure is essential in order to make large-scale hydrogen-powered motor vehicle deployment possible as envisaged in the Commission's hydrogen strategy for a climate-neutral Europe¹⁴. Currently, hydrogen refuelling points are only deployed in a few Member States and are largely not suitable for heavy-duty vehicles, not allowing for a circulation of hydrogen vehicles across the Union. Mandatory deployment targets for publicly accessible hydrogen refuelling points should ensure that a sufficiently dense network of hydrogen refuelling points is deployed across the TEN-T core network to allow for

¹³ Directive 2014/23/EU of the European Parliament and of the Council of 26 February 2014 on the award of concession contracts (OJ L 94, 28.3.2014, p. 1).

¹⁴ COM(2020) 301 final.

the seamless travel of hydrogen fuelled light-duty and heavy-duty vehicles throughout the Union.

- (27) Hydrogen fuelled vehicles should be able to refuel at or close to the destination, which is usually located in an urban area. To ensure that publicly accessible destination refuelling is possible at least in the main urban areas, all urban nodes as defined in Regulation (EU) No 1315/2013 of the European Parliament and of the Council¹⁵ should provide such refuelling stations. Within the urban nodes, public authorities should consider to deploy the stations within multimodal freight centres as those are not only the typical destination for heavy-duty vehicles but could also serve hydrogen to other transport modes, such as rail and inland shipping.
- (28) At the early stage of market deployment there is still a degree of uncertainty with regard to the kind of vehicles that will come into the market and to the kind of technologies that are going to be widely used. As outlined in the Commission's communication 'A hydrogen strategy for a climate-neutral Europe'¹⁶ the heavy-duty segment was identified as the most likely segment for the early mass deployment of hydrogen vehicles. Therefore, hydrogen refuelling infrastructure should preliminarily focus on that segment while also allowing light-duty vehicles to fuel at publicly accessible hydrogen refuelling stations. To ensure interoperability, all publicly accessible hydrogen stations should at least serve gaseous hydrogen at 700 bar. The infrastructure roll out should also take into account the emergence of new technologies, such as liquid hydrogen, that allow a larger range for heavy-duty vehicles and are the preferred technology choice of some vehicle manufacturers. To that end, a minimum number of hydrogen at 700 bar.
- (29) A number of LNG refuelling points are established in the Union, already providing a backbone for the circulation of LNG driven heavy-duty vehicles. The TEN-T core network should remain the basis for the deployment of LNG infrastructure, and progressively for bio-LNG, as it covers the main traffic flows and allows cross border connectivity throughout the Union. It had been recommended in Directive 2014/94/EU that such refuelling points be installed every 400 km on the TEN-T core network, but certain limited gaps in the network remain to reach that objective. Member States should by 2025 reach that objective and fill the remaining gaps, after which the target should cease to apply.
- (30) Users of alternative fuel vehicles should be able to pay easily and conveniently at all publicly accessible recharging and refuelling points, without the need to enter into a contract with the operator of the recharging or refuelling point or a mobility service provider. Therefore, for recharging or refuelling on an ad hoc basis, all publicly accessible recharging and refuelling points should accept payment instruments that are widely used in the Union, and in particular electronic payments through terminals and devices used for payment services. That ad hoc payment method should always be available to consumers, even when contract-based payments are offered at the recharging or refuelling point.
- (31) Transport infrastructure should allow seamless mobility and accessibility for all users, including persons with disabilities and older persons. In principle, the location of all

Regulation (EU) No 1315/2013 of the European Parliament and of the Council of 11 December 2013 on Union guidelines for the development of the trans-European transport network and repealing Decision No 661/2010/EU (OJ L 348, 20.12.2013, p. 1).

¹⁶ COM(2020) 301 final

recharging and refuelling stations as well as the recharging and refuelling stations themselves should be designed in such a way that they can be used by as much of the public as possible, in particular by older persons, persons with reduced mobility and persons with disabilities. This should include for example providing sufficient space around the parking lot, ensuring that the recharging station is not installed on a kerbed surface, ensuring that the buttons or screen of the recharging station are at an appropriate height and the weight of the recharging and refuelling cables is such that persons with limited strength can handle them with ease. In addition the user interface of the related recharging stations should be accessible. In that sense, the accessibility requirements in Annexes I and III to Directive 2019/882¹⁷ should be applicable to recharging and refuelling infrastructure.

- (32) Shore-side electricity facilities can serve maritime and inland waterway transport as clean power supply and contribute to reducing the environmental impact of seagoing ships and inland waterway vessels. Under the FuelEU maritime initiative, ship operators of container and passenger ships need to comply with provisions to reduce emissions at berth. Mandatory deployment targets should ensure that the sector finds sufficient shore-side electricity supply in TEN-T core and comprehensive maritime ports to comply with those requirements. The application of these targets to all TEN-T maritime ports should ensure the level playing field between ports.
- (33) Container ships and passenger ships, being the ship categories which are producing the highest amount of emissions per ship at berth, should as a priority be provided with shore-side electricity supply. In order to take into account power demand characteristics while at berth of different passenger ships, as well as port operational characteristics, it is necessary to distinguish between the passenger ship requirements for ro-ro passenger ships and high speed passenger vessels, and those for other passenger ships.
- (34) These targets should take into account the types of vessels served and their respective traffic volumes. Maritime ports with low traffic volumes of certain ship categories, should be exempted from the mandatory requirements for the corresponding ship categories based on a minimum level of traffic volume, so as to avoid underused capacity being installed. Similarly, the mandatory targets should not aim to target maximum demand, but a sufficiently high volume, in order to avoid underused capacity and to take account of port operational characteristics. Maritime transport is an important link for the cohesion and economic development of islands in the Union. Energy production capacity in these islands may not always be sufficient to account for the power demand required to support the provision of shore-side electricity supply. In such a case islands should be exempted from this requirement unless and until such an electrical connection with the mainland has been completed or there is a sufficient locally generated capacity from clean energy sources.
- (35) A core network of refuelling points for LNG at maritime ports should be available by 2025. Refuelling points for LNG include LNG terminals, tanks, mobile containers, bunker vessels and barges.
- (36) Electricity supply to stationary aircraft at airports should replace the consumption of liquid fuel with a cleaner power source by aircraft (use of Auxiliary Power Unit) or ground power units (GPUs). This should reduce pollutant and noise emissions, improve air quality and reduce the impact on climate change. Therefore, all

¹⁷ Directive (EU) 2019/882 of the European Parliament and of the Council of 17 April 2019 on the accessibility requirements for products and services (OJ L 151, 7.6.2019, p. 70).

commercial transport operation should be able to make use of external electricity supply while parked at gates or at outfield positions at TEN-T airports.

- (37) In accordance with Article 3 of Directive 2014/94/EU, Member States have established national policy frameworks outlining their plans and objectives to ensure that those objectives would be met. Both the assessment of the national policy framework and the evaluation of Directive 2014/94/EU have highlighted the need for higher ambition and a better coordinated approach across Member States in view of the expected acceleration in the uptake of alternative fuel vehicles, in particular of electric vehicles. Furthermore, alternatives to fossil fuel will be needed in all transport modes to meet the ambitions of the European Green Deal. The existing National Policy Frameworks should be revised to clearly describe how the much greater need for publicly accessible recharging and refuelling infrastructure as expressed in the mandatory targets is going to be met by the Member States. The revised frameworks should equally address all transport modes including those for which no mandatory deployment targets exists.
- (38) The revised national policy frameworks should include supporting actions for the development of the market as regards alternative fuels, including the deployment of the necessary infrastructure to be put into place, in close cooperation with regional and local authorities and with the industry concerned, while taking into account the needs of small and medium-sized enterprises. Additionally, the revised frameworks should describe the overall national framework for planning, permitting and procuring of such infrastructure, including the identified obstacles and actions to remove them so shat a faster rollout of infrastructure can be achieved.
- (39) The development and implementation of the revised national policy frameworks of the Member States should be facilitated by the Commission by means of exchanges of information and best practices between the Member States.
- (40) In order to promote alternative fuels and develop the relevant infrastructure, the national policy frameworks should consist of detailed strategies to promote alternative fuels in sectors that are difficult to decarbonise such as aviation, maritime transport, inland waterway transport as well as rail transport on network segments that cannot be electrified. In particular, Member States should develop clear strategies for the decarbonisation of inland waterway transport along the TEN-T network in close cooperation with those Member States concerned. Long term decarbonisation strategies should also be developed for TEN-T ports and TEN-T airports, in particular with a focus on the deployment of infrastructure for low and zero emission vessels and aircraft as well as for railway lines that are not going to be electrified. On the basis of those strategies the Commission should review this Regulation with a view to setting more mandatory targets for those sectors.
- (41) Member States should make use of a wide range of regulatory and non-regulatory incentives and measures to reach the mandatory targets and implement their national policy frameworks, in close cooperation with private sector actors, who should play a key role in supporting the development of alternative fuels infrastructure.
- (42) Pursuant to Directive 2009/33/EC of the European Parliament and of the Council¹⁸, minimum national shares of public procurement are reserved for clean and zeroemission buses, where a clean bus uses alternative fuels as defined in Article 2, point

¹⁸ Directive 2009/33/EC of the European Parliament and of the Council of 23 April 2009 on the promotion of clean and energy-efficient road transport vehicles (OJ L 120, 15.5.2009, p. 5).

(3) of this Regulation. With ever more public transport authorities and operators switching to clean and zero-emission buses in order to reach those targets, Member States should include the targeted promotion and development of the necessary bus infrastructure as a key element in their National Policy Frameworks. Member States should establish and maintain appropriate instruments to promote the deployment of charging and refuelling infrastructure also for captive fleets, in particular for clean and zero-emission buses at local level.

- (43) In light of the increasing diversity in the type of fuels for motorised vehicles coupled with on-going growth in the road mobility of citizens across the Union, it is necessary to provide vehicle users with clear and easy-to-understand information on the fuels available at refuelling stations and on the compatibility of their vehicle with different fuels or recharging points on the Union market. Member States should be able to decide to implement such information measures also in respect of vehicles placed on the market before 18 November 2016.
- (44) Simple and easy-to-compare information on the prices of different fuels could play an important role in enabling vehicle users to better evaluate the relative cost of individual fuels available on the market. Therefore, a unit price comparison of certain alternative fuels and conventional fuels, expressed as 'fuel price per 100km', should be displayed for information purposes at all relevant fuel stations.
- (45) It is necessary to provide consumers with sufficient information regarding the geographic location, characteristics and services offered at the publicly accessible recharging and refuelling points of alternative fuels covered by this Regulation. Therefore, Member States should ensure that operators or owners of publicly accessible recharging and refuelling points make relevant static and dynamic data available. Requirements on data types regarding availability of and accessibility to relevant recharging and refuelling-related data should be laid down, building on the outcomes of the Programme Support Action on "Data collection related to recharging/refuelling points for alternative fuels and the unique identification codes related to e-mobility actors" ('IDACS').
- (46) Data should play a fundamental role in the adequate functioning of recharging and refuelling infrastructure. The format, the frequency and the quality in which these data should be made available and accessible should determine the overall quality of an alternative fuels infrastructure ecosystem that meets user needs. Moreover, those data should be accessible in a coherent manner in all Member States. Therefore, data should be provided in accordance with the requirements set in Directive 2010/40/EU of the European Parliament and the Council¹⁹ for national access points (NAPs).
- (47) It is crucial that all actors in the electric mobility ecosystem can interact easily through digital means to provide the best service quality to the end user. This requires unique identifiers of relevant actors in the value chain. To that end, Member States should appoint an Identification Registration Organisation ('IDRO') for issuing and managing unique identification ('ID') codes to identify, at least, operators of recharging points and mobility service providers. The IDRO should collect information on e-mobility ID codes that are already in use in the respective Member State; issue new e-mobility codes, where needed, to recharging point operators and mobility service providers under an Union-wide common agreed logic in which electro-mobility ID codes are

¹⁹ Directive 2010/40/EU of the European Parliament and of the Council of 7 July 2010 on the framework for the deployment of Intelligent Transport Systems in the field of road transport and for interfaces with other modes of transport (OJ L 207, 6.8.2010, p. 1).

formatted; allow to exchange and verify the uniqueness of these e-mobility codes via a possible future common Identification Registration Repository ('IDRR'). The Commission should issue technical guidance on the set up of such organisation, drawing on the Programme Support Action on "Data collection related to recharging/refuelling points for alternative fuels and the unique identification codes related to e-mobility actors" ('IDACS').

- (48) Maritime transport and inland navigation need new standards to facilitate and consolidate the entry into the market of alternative fuels, in relation to electricity supply and hydrogen, methanol and ammonia bunkering, but also standards for communication exchange between vessels and infrastructure.
- (49) The International Maritime Organization ('IMO') develops uniform and internationally recognised safety and environmental standards for maritime transport. Conflicts with international standards should be avoided in view of the global nature of maritime transport. Therefore, the European Union should ensure that technical specifications for maritime transport adopted pursuant to this Regulation are consistent with international rules adopted by the IMO.
- (50) Technical specifications for interoperability of recharging and refuelling points should be specified in European or international standards. The European standardisation organisations ('ESOs') should adopt European standards in accordance with Article 10 of Regulation (EU) No 1025/2012 of the European Parliament and of the Council²⁰. Those standards should be based on current international standards or ongoing international standardisation work, where applicable.
- (51) Technical specifications as specified in Annex II to Directive 2014/94/EU of the European Parliament and of the Council are to remain applicable as specified in that Directive.
- (52) In the application of this Regulation, the Commission should consult relevant expert groups, and in particular the Sustainable Transport Forum ('STF') and the European Sustainable Shipping Forum ('ESSF'). Such expert consultation is of particular importance when the Commission intends to adopt delegated or implementing acts under this Regulation.
- (53) Alternative fuels infrastructure is a fast developing area. The lack of common technical specification constitutes a barrier for the creation of a single market of alternative fuels infrastructure. Therefore, the power to adopt acts in accordance with Article 290 TFEU should be delegated to the Commission to norm technical specifications for areas where common technical specifications are outstanding but necessary. In particular, this should include the communication between the electric vehicle and the recharging point, the communication between the recharging point and the recharging software management system (back-end); the communication related to the electric vehicle roaming service and the communication with the electricity grid. It is also necessary to define the suitable governance framework and roles of the different actors involved in the vehicle-to-grid communication ecosystem. Moreover, emerging technological developments, such as electric road systems ('ERS') have to

Regulation (EU) No 1025/2012 of the European Parliament and of the Council of 25 October 2012 on European standardisation, amending Council Directives 89/686/EEC and 93/15/EEC and Directives 94/9/EC, 94/25/EC, 95/16/EC, 97/23/EC, 98/34/EC, 2004/22/EC, 2007/23/EC, 2009/23/EC and 2009/105/EC of the European Parliament and of the Council and repealing Council Decision 87/95/EEC and Decision No 1673/2006/EC of the European Parliament and of the Council (OJ L 316, 14.11.2012, p. 12).

be accounted for. As concerns data provision, it is necessary to provide for additional data types and technical specifications related to the format, the frequency and the quality in which these data should be made available and accessible.

- (54) The market for alternative fuels and in particular for zero emission fuels is still in the early stages of development and technology is evolving fast. This should likely affect the demand for alternative fuels and consequently for alternative fuels infrastructure across the modes. The Commission should therefore review this Regulation by the end of 2026 in particular as regards the targets setting for electric recharging points for HDV as well as targets for infrastructure for alternative fuels for zero-emission vessels and aircraft in waterborne transport and aviation.
- (55) Since the objective of this Regulation, namely to promote a broad market development of alternative fuels, cannot be sufficiently achieved by the Member States individually, but can rather, by reason of the need for action to meet the demand for a critical mass of alternative fuel vehicles and for cost-efficient developments by European industry, and to allow Union-wide mobility of alternative fuel vehicles, be better achieved at Union level, the Union may adopt measures, in accordance with the principle of subsidiarity as set out in Article 5 of the Treaty on European Union. In accordance with the principle of proportionality, as set out in that Article, this Regulation does not go beyond what is necessary in order to achieve that objective.
- (56) Directive 2014/94/EU should therefore be repealed,

HAVE ADOPTED THIS REGULATION:

Article 1

Subject matter

- 1. This Regulation sets out mandatory national targets for the deployment of sufficient alternative fuels infrastructure in the Union, for road vehicles, vessels and stationary aircraft. It lays down common technical specifications and requirements on user information, data provision and payment requirements for alternative fuels infrastructure.
- 2. This Regulation sets out rules for the national policy frameworks to be adopted by the Member States, including the deployment of alternative fuels infrastructure in areas where no mandatory Union wide targets are set and the reporting on the deployment of such infrastructure.
- 3. This Regulation establishes a reporting mechanism to stimulate cooperation and ensures a robust tracking of progress. The mechanism shall comprise a structured, transparent, iterative process between the Commission and Member States for the purpose of the finalisation of the national policy frameworks and their subsequent implementation and corresponding Commission action.

Article 2

Definitions

For the purposes of this Regulation, the following definitions apply:

- (1) 'accessibility of data' means a possibility to request and obtain the data at any time in a machine readable format, as defined in Article 2, point (5) of Commission Delegated Regulation (EU) 2015/962²¹;
- (2) 'ad hoc price' means the price charged by an operator of a recharging or refuelling point to an end user for recharging or refuelling on an ad hoc basis;
- (3) 'alternative fuels' means fuels or power sources which serve, at least partly, as a substitute for fossil oil sources in the energy supply to transport and which have the potential to contribute to its decarbonisation and enhance the environmental performance of the transport sector, including:
 - (a) 'alternative fuels for zero-emission vehicles':
 - electricity,
 - hydrogen,
 - ammonia,
 - (b) 'renewable fuels':
 - biomass fuels and biofuels as defined in Article 2, points (27) and (33) of Directive (EU) 2018/2001,
 - synthetic and paraffinic fuels, including ammonia, produced from renewable energy,
 - (c) 'alternative fossil fuels' for a transitional phase:
 - natural gas, in gaseous form (compressed natural gas (CNG)) and liquefied form (liquefied natural gas (LNG)),
 - liquefied petroleum gas (LPG),
 - synthetic and paraffinic fuels produced from non-renewable energy;
- (4) 'airport of the TEN-T core and TEN-T comprehensive network' means an airport as listed and categorised in Annex II to Regulation (EU) No 1315/2013;
- (5) 'airport managing body' as defined in Article 2, point (2) of Directive 2009/12/EC of the European Parliament and of the Council²²;
- (6) 'automatic authentication' means the authentication of a vehicle at a recharging point through the recharging connector or telematics;
- (7) 'availability of data' means the existence of data in a digital machine-readable format.

²¹ Commission Delegated Regulation (EU) 2015/962 of 18 December 2014 supplementing Directive 2010/40/EU of the European Parliament and of the Council with regard to the provision of EU-wide real-time traffic information services (OJ L 157, 23.6.2015, p. 21).

²² Directive 2009/12/EC of the European Parliament and of the Council of 11 March 2009 on airport charges, (OJ L 70, 14.3.2009, p. 11).

- (8) 'battery electric vehicle' means an electric vehicle that exclusively runs on the electric motor, with no secondary source of propulsion;
- (9) 'bi-directional recharging' means a smart recharging operation where the direction of the electricity flow may be reversed, allowing that electricity flows from the battery to the recharging point it is connected to;
- (10) 'connector' means the physical interface between the recharging point and the electric vehicle through which the electric energy is exchanged;
- (11) 'commercial air transport' means air transport as defined in Article 3, point (24) of Regulation (EU) 2018/1139 of the European Parliament and of the Council²³;
- (12) 'container ship' means a ship designed exclusively for the carriage of containers in holds and on deck;
- (13) 'contract-based payment' means a payment for a recharging or refuelling service from the end user to a mobility service provider on the basis of a contract between the end user and the mobility service provider;
- (14) 'digitally-connected recharging point' means a recharging point that can send and receive information in real time, communicate bi-directionally with the electricity grid and the electric vehicle, and that can be remotely monitored and controlled, including to start and stop the recharging session and to measure electricity flows;
- (15) 'distribution system operator' means an operator as defined in Article 2, point (29) of Directive (EU) 2019/944;
- (16) 'dynamic data' means data that do change often or on a regular basis;
- (17) 'electric road system' means a physical installation along a road that allows for the transfer of electricity to an electric vehicle while the vehicle is in motion;
- (18) 'electric vehicle' means a motor vehicle equipped with a powertrain containing at least one non-peripheral electric machine as energy converter with an electric rechargeable energy storage system, which can be recharged externally;
- (19) 'electricity supply to stationary aircraft' means the supply of electricity through a standardised fixed or mobile interface to aircraft when stationed at the gate or at an airport outfield position;
- (20) 'end user' means a physical or legal person purchasing an alternative fuel for direct use in a vehicle;
- (21) 'e-roaming' means the exchange of data and payments between the operator of a recharging or refuelling point and a mobility service provider from which an end user purchases a recharging service;
- (22) 'e-roaming platform' means a platform connecting market actors, notably mobility service providers and operators of recharging or refuelling points, to enable services between them, including e-roaming;

Regulation (EU) 2018/1139 of the European Parliament and of the Council of 4 July 2018 on common rules in the field of civil aviation and establishing a European Union Aviation Safety Agency, and amending Regulations (EC) No 2111/2005, (EC) No 1008/2008, (EU) No 996/2010, (EU) No 376/2014 and Directives 2014/30/EU and 2014/53/EU of the European Parliament and of the Council, and repealing Regulations (EC) No 552/2004 and (EC) No 216/2008 of the European Parliament and of the Council and Council Regulation (EEC) (OJ L 212, 22.8.2018, p. 1).

- (23) 'European standard' means a standard as defined in Article 2, point (1)(b) of Regulation (EU) No 1025/2012.
- (24) 'freight terminal' means a freight terminal as defined in in Article 3 point (s) of Regulation (EU) No 1315/2013;
- (25) 'gross tonnage' (GT) means gross tonnage as defined in Article 3, point (e) of Regulation (EU) 2015/757 of the European Parliament and the Council ²⁴;
- (26) 'heavy-duty vehicle' means a motor vehicle of categories M2, M3, N2 or N3 as defined in Annex II to Directive 2007/46/EC²⁵;
- (27) 'high power recharging point' means a recharging point that allows for a transfer of electricity to an electric vehicle with a power output of more than 22 kW;
- (28) 'high-speed passenger craft' means a craft as defined in Regulation 1 of Chapter X of SOLAS 74, and carrying more than 12 passengers;
- (29) 'light-duty vehicle' means a motor vehicle of categories M1 or N1 as defined in Annex II to Directive 2007/46/EC;
- (30) 'mobility service provider' means a legal person who provides services in return for remuneration to an end user, including the sale of a recharging service;
- (31) 'normal power recharging point' means a recharging point that allows for a transfer of electricity to an electric vehicle with a power output less than or equal to 22 kW;
- (32) 'national access point' means a digital interface where certain static and dynamic data are made accessible for re-use to data users, as implemented by Member States in compliance with Article 3 of Commission Delegated Regulation (EU) 2015/962;
- (33) 'operator of a recharging point' means the entity responsible for the management and operation of a recharging point, which provides a recharging service to end users, including in the name and on behalf of a mobility service provider;
- (34) 'operator of a refuelling point' means the entity responsible for the management and operation of a refuelling point, which provides a refuelling service to end users, including in the name and on behalf of a mobility service provider;
- (35) 'passenger ship' means a ship that carries more than 12 passengers, including cruise ships, high-speed passenger crafts and ships with facilities to enable road or rail vehicles to roll on and roll off the vessel ('ro-ro passenger ships');
- (36) 'plug-in hybrid vehicle' means an electric vehicle constituted by a conventional combustion engine combined with an electric propulsion system, which can be recharged from an external electric power source;
- (37) 'power output' means the theoretical maximum power, expressed in kW, that can be provided by a recharging point, station, or pool or a shore-side electricity supply installation to a vehicle or vessel connected to that recharging point, station, pool or installation;

Regulation (EU) 2015/757 of the European Parliament and of the Council of 29 April 2015 on the monitoring, reporting and verification of carbon dioxide emissions from maritime transport, and amending Directive 2009/16/EC (OJ L 123, 19.5.2015, p. 55).

²⁵ Directive 2007/46/EC of the European Parliament and of the Council of 5 September 2007 establishing a framework for the approval of motor vehicles and their trailers, and of systems, components and separate technical units intended for such vehicles (Framework Directive) (OJ L 263, 9.10.2007, p. 1).

- (38) 'publicly accessible' alternative fuels infrastructure, means an alternative fuels infrastructure which is located at a site or premise that is open to the general public, irrespective of whether the alternative fuels infrastructure is located on public or on private property, whether limitations or conditions apply in terms of access to the site or premise and irrespective of the applicable use conditions of the alternative fuels infrastructure;
- (39) 'Quick Response code' (QR code) means an ISO 18004-compliant encoding and visualization of data;
- (40) 'recharge on an ad hoc basis' means a recharging service purchased by an end user without the need for that end user to register, conclude a written agreement, or enter into a longer-lasting commercial relationship with the operator of that recharging point beyond the mere purchase of the service;
- (41) 'recharging point' means a fixed or mobile interface that allows for the transfer of electricity to an electric vehicle, which, whilst it may have one or several connectors to accommodate different connector types, is capable of recharging only one electric vehicle at a time, and excludes devices with a power output less than or equal to 3,7 kW the primary purpose of which is not recharging electric vehicles.
- (42) 'recharging point, station or pool dedicated to light-duty vehicles' means a recharging point, station or pool intended for recharging light-duty vehicles, either due to the specific design of the connectors/plugs or the design of the parking space adjacent to the recharging point, station or pool, or both;
- (43) 'recharging point, station or pool dedicated to heavy-duty vehicles' means a recharging point, station or pool intended for recharging heavy-duty vehicles, either due to the specific design of the connectors/plugs or to the design of the parking space adjacent to the recharging point, station or pool, or both;
- (44) 'recharging pool' means one or more recharging stations at a specific location;
- (45) 'recharging station' means a single physical installation at a specific location, consisting of one or more recharging points;
- (46) 'recharging service' means the sale or provision of electricity, including related services, through a publicly accessible recharging point;
- (47) 'recharging session' means the full process of recharging a vehicle at a publicly accessible recharging point from the moment the vehicle is connected to the moment the vehicle is disconnected;
- (48) 'refuel on an ad hoc basis' means a refuelling service purchased by an end user without the need for that end user to register, conclude a written agreement, or enter into a longer-lasting commercial relationship with the operator of that refuelling point beyond the mere purchase of the service;
- (49) 'refuelling point' means a refuelling facility for the provision of any liquid or gaseous alternative fuel, through a fixed or a mobile installation, which is capable of refuelling only one vehicle at a time;
- (50) 'refuelling service' means the sale or provision of any liquid or gaseous alternative fuel through a publicly accessible refuelling point;
- (51) 'refuelling session' means the full process of refuelling a vehicle at a publicly accessible refuelling point from the moment the vehicle is connected to the moment the vehicle is disconnected;

- (52) 'refuelling station' means a single physical installation at a specific location, consisting of one or more refuelling points;
- (53) 'regulatory authority' means a regulatory authority designated by each Member State pursuant to Article 57(1) of Directive (EU) 2019/944;
- (54) 'renewable energy' means energy from renewable non-fossil sources as defined in Article 2, point (1) of Directive (EU) 2018/2001;
- (55) 'ro-ro passenger ship' means a ship with facilities to enable road or rail vehicles to roll on and roll off the vessel, and carrying more than 12 passengers;
- (56) 'safe and secure parking' means a parking and rest area as referenced in Article 17, point(1)(b) that is dedicated to heavy-duty vehicles overnight parking;
- (57) 'ship at berth' means ship at berth as defined in Article 3, point (n) of Regulation (EU) 2015/757;
- (58) 'shore-side electricity supply' means the provision of shore-side electrical power through a standardised interface to seagoing ships or inland waterway vessels at berth;
- (59) 'smart recharging' means a recharging operation in which the intensity of electricity delivered to the battery is adjusted in real-time, based on information received through electronic communication;
- (60) 'static data' means data that do not change often or on a regular basis;
- (61) 'TEN-T comprehensive network' means a network as defined in Article 9 of Regulation (EU) No 1315/2013;
- (62) 'TEN-T core network' means a network as defined in Article 38 of Regulation (EU) No 1315/2013;
- (63) 'TEN-T core inland waterway port and TEN-T comprehensive inland waterway port' means an inland waterway port of the TENT-T core or comprehensive networks, as listed and categorised in Annex II of Regulation (EU) No 1315/2013;
- (64) 'TEN-T core maritime port and TEN-T comprehensive maritime port' means a maritime port of the TENT-T core or comprehensive networks, as listed and categorised in Annex II of Regulation (EU) No 1315/2013;
- (65) 'transmission system operator' means a system operator as defined in Art 2, point (35) of Directive (EU) 2019/944;
- (66) 'urban node' means an urban node as defined in Article 3, point (p) of Regulation (EU No) 1315/2013.

Article 3

Targets for electric recharging infrastructure dedicated to light-duty vehicles

- 1. Member States shall ensure that:
 - publicly accessible recharging stations for light-duty vehicles are deployed commensurate to the uptake of light-duty electric vehicles;

- in their territory, publicly accessible recharging stations dedicated to light-duty vehicles are deployed that provide sufficient power output for those vehicles.

To that end Member States shall ensure that, at the end of each year, starting from the year referred to in Article 24, the following power output targets are met cumulatively:

- (a) for each battery electric light-duty vehicle registered in their territory, a total power output of at least 1 kW is provided through publicly accessible recharging stations; and
- (b) for each plug-in hybrid light-duty vehicle registered in their territory, a total power output of at least 0.66 kW is provided through publicly accessible recharging stations.
- 2. Member States shall ensure a minimum coverage of publicly accessible recharging points dedicated to light-duty vehicles on the road network in their territory. To that end, Member States shall ensure that:
 - (a) along the TEN-T core network, publicly accessible recharging pools dedicated to light-duty vehicles and meeting the following requirements are deployed in each direction of travel with a maximum distance of 60 km in-between them:
 - (i) by 31 December 2025, each recharging pool shall offer a power output of at least 300 kW and include at least one recharging station with an individual power output of at least 150 kW;
 - (ii) by 31 December 2030, each recharging pool shall offer a power output of at least 600 kW and include at least two recharging stations with an individual power output of at least 150 kW;
 - (b) along the TEN-T comprehensive network, publicly accessible recharging pools dedicated to light-duty vehicles and meeting the following requirements are deployed in each direction of travel with a maximum distance of 60 km inbetween them:
 - (i) by 31 December 2030, each recharging pool shall offer a power output of at least 300 kW and include at least one recharging station with an individual power output of at least 150 kW;
 - (ii) by 31 December 2035, each recharging pool shall offer a power output of at least 600 kW and include at least two recharging stations with an individual power output of at least 150 kW.
- 3. Neighbouring Member States shall ensure that the maximum distances referred to in points (a) and (b) are not exceeded for cross-border sections of the TEN-T core and the TEN-T comprehensive network.

Article 4

Targets for electric recharging infrastructure dedicated to heavy-duty vehicles

1. Member States shall ensure a minimum coverage of publicly accessible recharging points dedicated to heavy-duty vehicles in their territory. To that end, Member States shall ensure that:

- (a) along the TEN-T core network, publicly accessible recharging pools dedicated to heavy-duty vehicles and meeting the following requirements are deployed in each direction of travel with a maximum distance of 60 km in-between them:
 - (i) by 31 December 2025, each recharging pool shall offer a power output of at least 1400 kW and include at least one recharging station with an individual power output of at least 350 kW;
 - (ii) by 31 December 2030, each recharging pool shall offer a power output of at least 3500 kW and include at least two recharging stations with an individual power output of at least 350 kW;
- (b) along the TEN-T comprehensive network, publicly accessible recharging pools dedicated to heavy-duty vehicles and meeting the following requirements are deployed in each direction of travel with a maximum distance of 100 km inbetween them:
 - (i) by 31 December 2030, each recharging pool shall offer a power output of at least 1400 kW and include at least one recharging station with an individual power output of at least 350 kW;
 - (ii) by 1 December 2035, each recharging pool shall offer a power output of at least 3500 kW and include at least two recharging stations with an individual power output of at least 350 kW;
- (c) by 31 December 2030, in each safe and secure parking area at least one recharging station dedicated to heavy-duty vehicles with a power output of at least 100 kW is installed;
- (d) by 31 December 2025, in each urban node publicly accessible recharging points dedicated to heavy-duty vehicles providing an aggregated power output of at least 600 kW are deployed, provided by recharging stations with an individual power output of at least 150 kW;
- (e) by 31 December 2030, in each urban node publicly accessible recharging points dedicated to heavy-duty vehicles providing an aggregated power output of at least 1200 kW are deployed, provided by recharging stations with an individual power output of at least 150 kW.
- 2. Neighbouring Member States shall ensure that the maximum distances referred to in points (a) and (b) are not exceeded for cross-border sections of the TEN-T core and the TEN-T comprehensive network.

Article 5

Recharging infrastructure

- 1. Operators of publicly accessible recharging stations shall be free to purchase electricity from any Union electricity supplier, subject to the supplier's agreement.
- 2. Operators of recharging points shall, at the publicly accessible recharging points operated by them, provide end users with the possibility to recharge their electric vehicle on an ad hoc basis using a payment instrument that is widely used in the Union. To that end:

- (a) operators of recharging points shall, at publicly accessible recharging stations with a power output below 50 kW, deployed from the date referred to in Article 24, accept electronic payments through terminals and devices used for payment services, including at least one of the following:
 - (i) payment card readers;
 - (ii) devices with a contactless functionality that is at least able to read payment cards;
 - (iii) devices using an internet connection with which for instance a Quick Response code can be specifically generated and used for the payment transaction;
- (b) operators of recharging points shall, at publicly accessible recharging stations with a power output equal to or more than 50 kW, deployed from the date referred to in Article 24, accept electronic payments through terminals and devices used for payment services, including at least one of the following:
 - (i) payment card readers;
 - (ii) devices with a contactless functionality that is at least able to read payment cards.

From 1 January 2027 onwards, operators of recharging points shall ensure that all publicly accessible recharging stations with a power output equal to or more than 50 kW operated by them comply with the requirement in point (b).

The requirements laid down in points (a) and (b) shall not apply to publicly accessible recharging points that do not require payment for the recharging service.

- 3. Operators of recharging points shall, when they offer automatic authentication at a publicly accessible recharging point operated by them, ensure that end users always have the right not to make use of the automatic authentication and may either recharge their vehicle on an ad hoc basis, as provided for in paragraph 3, or use another contract-based recharging solution offered at that recharging point. Operators of recharging points shall transparently display that option and offer it in a convenient manner to the end user, at each publicly accessible recharging point that they operate and where they make available automatic authentication.
- 4. Prices charged by operators of publicly accessible recharging points shall be reasonable, easily and clearly comparable, transparent and non-discriminatory. Operators of publicly accessible recharging points shall not discriminate between the prices charged to end users and prices charged to mobility service providers nor between prices charged to different mobility service providers. Where relevant, the level of prices may only be differentiated in a proportionate manner, according to an objective justification.
- 5. Operators of recharging points shall clearly display the ad hoc price and all its components at all publicly accessible recharging stations operated by them so that these are known to end users before they initiate a recharging session. At least the following price components, if applicable at the recharging station, shall be clearly displayed:
 - price per session,
 - price per minute,

– price per kWh.

- 6. Prices charged by mobility service providers to end users shall be reasonable, transparent and non-discriminatory. Mobility service providers shall make available to end users all applicable price information, prior to the start of the recharging session, and specific to their intended recharging session, through freely available, widely supported electronic means, clearly distinguishing the price components charged by the operator of recharging point, applicable e-roaming costs and other fees or charges applied by the mobility service provider. The fees shall be reasonable, transparent and non-discriminatory. No extra charges for cross-border e-roaming shall be applied.
- 7. From the date referred to in Article 24, operators of recharging points shall ensure that all publicly accessible recharging points operated by them are digitally-connected recharging points.
- 8. From the date referred to in Article 24, operators of recharging points shall ensure that all publicly accessible normal power recharging points operated by them are capable of smart recharging.
- 9. Member States shall take the necessary measures to ensure that appropriate signposting is deployed within parking and rest areas on the TEN-T road network where alternative fuels infrastructure is installed, to enable easy identification of the exact location of the alternative fuels infrastructure.
- 10. Operators of publicly accessible recharging points shall ensure that all direct current (DC) publicly accessible recharging points operated by them have a fixed recharging cable installed.
- 11. Where the operator of a recharging point is not the owner of that point, the owner shall make available to the operator, in accordance with the arrangements between them, a recharging point with the technical characteristics which enable the operator to comply with the obligation set out in paragraphs 1, 3, 7, 8 and 10.

Article 6

Targets for hydrogen refuelling infrastructure of road vehicles

1. Member States shall ensure that, in their territory, a minimum number of publicly accessible hydrogen refuelling stations are put in place by 31 December 2030.

To that end Member States shall ensure that by 31 December 2030 publicly accessible hydrogen refuelling stations with a minimum capacity of 2 t/day and equipped with at least a 700 bars dispenser are deployed with a maximum distance of 150 km in-between them along the TEN-T core and the TEN-T comprehensive network. Liquid hydrogen shall be made available at publicly accessible refuelling stations with a maximum distance of 450 km in-between them.

They shall ensure that by 31 December 2030, at least one publicly accessible hydrogen refuelling station is deployed in each urban node. An analysis on the best location shall be carried out for such refuelling stations that shall in particular consider the deployment of such stations in multimodal hubs where also other transport modes could be supplied.

- 2. Neighbouring Member States shall ensure that the maximum distance referred to in paragraph 1, second subparagraph is not exceeded for cross-border sections of the TEN-T core and the TEN-T comprehensive network.
- 3. The operator of a publicly accessible refuelling station or, where the operator is not the owner, the owner of that station in accordance with the arrangements between them, shall ensure that the station is designed to serve light-duty and heavy-duty vehicles. In freight terminals, operators or owners of these publicly accessible hydrogen refuelling stations shall ensure that these stations also serve liquid hydrogen.

Hydrogen refuelling infrastructure

- 1. From the date referred to in Article 24 all operators of publicly accessible hydrogen refuelling stations operated by them shall provide for the possibility for end users to refuel on an ad hoc basis using a payment instrument that is widely used in the Union. To that end, operators of hydrogen refuelling stations shall ensure that all hydrogen refuelling stations operated by them accept electronic payments through terminals and devices used for payment services, including at least one of the following:
 - (a) payment card readers;
 - (b) devices with a contactless functionality that is at least able to read payment cards.

Where the operator of the hydrogen refuelling point is not the owner of that point, the owner shall make available to the operator, in accordance with the arrangements between them, hydrogen refuelling points with the technical characteristics which enable the operator to comply with the obligation set out in this paragraph.

- 2. Prices charged by the operators of publicly accessible hydrogen refuelling points shall be reasonable, easily and clearly comparable, transparent and non-discriminatory. Operators of publicly accessible hydrogen refuelling points shall not discriminate between the prices charged to end users and those charged to mobility service providers as well as between the prices charged to different mobility service providers. Where relevant, the level of prices may only be differentiated according to an objective justification.
- 3. Operators of hydrogen refuelling points shall make price information available before the start of a refuelling session at the refuelling stations operated by them.
- 4. Operators of publicly accessible refuelling stations may provide hydrogen refuelling services to customers on a contractual basis, including in the name and on behalf of other mobility service providers. Mobility service providers shall charge prices to end users that are reasonable, transparent and non-discriminatory. Mobility service providers shall make available to end users all applicable price information, prior to the start of the recharging session, and specific to their intended recharging session, through freely available, widely supported electronic means, clearly distinguishing the price components charged by the operator of the hydrogen refuelling point, applicable e-roaming costs and other fees or charges applied by the mobility service provider.

LNG infrastructure for road transport vehicles

Member States shall ensure until 1 January 2025 that an appropriate number of publicly accessible refuelling points for LNG are put in place, at least along the TEN-T core network, in order to allow LNG heavy-duty motor vehicles to circulate throughout the Union, where there is demand, unless the costs are disproportionate to the benefits, including environmental benefits.

Article 9

Targets for shore-side electricity supply in maritime ports

- 1. Member States shall ensure that a minimum shore-side electricity supply for seagoing container and passenger ships is provided in maritime ports. To that end, Member States shall take the necessary measures to ensure that by 1 January 2030:
 - (a) TEN-T core and TEN-T comprehensive maritime ports whose average annual number of port calls over the last three years by seagoing container ships above 5000 gross tonnes, in the previous three years, is above 50 have sufficient shore-side power output to meet at least 90% of that demand;
 - (b) TEN-T core and TEN-T comprehensive maritime ports whose average annual number of port calls over the last three years by seagoing ro-ro passenger ships and high-speed passenger craft above 5000 gross tonnes, in the previous three years, is above 40 have sufficient shore-side power output to satisfy at least 90% of that demand;
 - (c) TEN-T core and TEN-T comprehensive maritime ports whose average annual number of port calls over the last three years by passenger ships other than roro passenger ships and high-speed passenger craft above 5000 gross tonnes, in the previous three years, is above 25 have sufficient shore-side power output to meet at least 90% of that demand.
- 2. For the determination of the number of port calls the following port calls shall not be taken into account:
 - (a) port calls that are at berth for less than two hours, calculated on the basis of hour of departure and arrival monitored in accordance with Article 14 of the proposal for a Regulation COM(2021)562;
 - (b) port calls by ships that use zero-emission technologies, as specified in Annex III of the proposal for a Regulation COM(2021)562;
 - (c) unscheduled port calls for reasons of safety or saving life at sea.
- 3. Where the maritime port of the TEN-T core network and the TEN-T comprehensive network is located on an island which is not connected directly to the electricity grid, paragraph 1 shall not apply, until such a connection has been completed or there is a sufficient locally generated capacity from clean energy sources.

Targets for shore-side electricity supply in inland waterway ports

Member States shall ensure that:

- (a) at least one installation providing shore-side electricity supply to inland waterway vessels is deployed at all TEN-T core inland waterway ports by 1 January 2025;
- (b) at least one installation providing shore-side electricity supply to inland waterway vessels is deployed at all TEN-T comprehensive inland waterway ports by 1 January 2030.

Article 11

Targets for supply of LNG in maritime ports

- 1. Member States shall ensure that an appropriate number of refuelling points for LNG are put in place at TEN-T core maritime ports referred to in paragraph 2, to enable seagoing ships to circulate throughout the TEN-T core network by 1 January 2025. Member States shall cooperate with neighbouring Member States where necessary to ensure adequate coverage of the TEN-T core network.
- 2. Member States shall designate in their national policy frameworks TEN-T core maritime ports that shall provide access to the refuelling points for LNG referred to in paragraph 1, also taking into consideration actual market needs and developments.

Article 12

Targets for supply of electricity to stationary aircraft

- 1. Member States shall ensure that airport managing bodies of all TEN-T core and comprehensive network airports ensure the provision of electricity supply to stationary aircraft by:
 - (a) 1 January 2025, at all gates used for commercial air transport operations;
 - (b) 1 January 2030, at all outfield posts used for commercial air transport operations.
- 2. As of 1 January 2030 at the latest, Member States shall take the necessary measures to ensure that the electricity supplied pursuant to paragraph 1 comes from the electricity grid or is generated on site as renewable energy.

Article 13

National policy frameworks

1. By 1 January 2024, each Member State shall prepare and send to the Commission a draft national policy framework for the development of the market as regards

alternative fuels in the transport sector and the deployment of the relevant infrastructure.

That national policy framework shall contain at least the following elements:

- (a) an assessment of the current state and future development of the market as regards alternative fuels in the transport sector, and of the development of alternative fuels infrastructure, considering intermodal access of alternative fuels infrastructure and, where relevant, cross-border continuity;
- (b) national targets and objectives pursuant to Articles 3, 4, 6, 8, 9, 10, 11 and 12 for which mandatory national targets are set out in this Regulation;
- (c) national targets and objectives for the deployment of alternative fuels infrastructure related to points (l), (m), (n), (o) and (p) of this paragraph for which no mandatory targets are set out in this Regulation;
- (d) policies and measures necessary to ensure that the mandatory targets and objectives referred to in points (b) and (c) of this paragraph are reached;
- (e) measures to promote the deployment of alternative fuels infrastructure for captive fleets, in particular for electric recharging and hydrogen refuelling stations for public transport services and electric recharging stations for car sharing;
- (f) measures to encourage and facilitate the deployment of recharging stations for light-duty and heavy-duty vehicles at private locations that are not accessible to the public;
- (g) measures to promote alternative fuels infrastructure in urban nodes, in particular with respect to publicly accessible recharging points;
- (h) measures to promote a sufficient number of publicly accessible high power recharging points;
- measures necessary to ensure that the deployment and operation of recharging points, including the geographical distribution of bidirectional charging points, contribute to the flexibility of the energy system and to the penetration of renewable electricity into the electric system;
- (j) measures to ensure that publicly accessible recharging and refuelling points are accessible to older persons, persons with reduced mobility and with disabilities, which have to be in line with the accessibility requirements of Annex I and Annex III of Directive 2019/882;
- (k) measures to remove possible obstacles with regards to planning, permitting and procuring of alternative fuels infrastructure;
- (l) a deployment plan for alternative fuels infrastructure in airports other than for electricity supply to stationary aircraft, in particular for hydrogen and electric recharging for aircrafts;
- (m) a deployment plan for alternative fuels infrastructure in maritime ports, in particular for electricity and hydrogen, for port services as defined in Regulation (EU) 2017/352 of the European Parliament and of the Council²⁶;

²⁶ Regulation (EU) 2017/352 of the European Parliament and of the Council of 15 February 2017 establishing a framework for the provision of port services and common rules on the financial transparency of ports (OJ L 57, 3.3.2017, p. 1).

- (n) a deployment plan for alternative fuels infrastructure in maritime ports other than for LNG and shore-side electricity supply for use by sea going vessels, in particular for hydrogen, ammonia and electricity;
- (o) a deployment plan for alternative fuels in inland waterway transport, in particular for both hydrogen and electricity;
- (p) a deployment plan including targets, key milestones and financing needed, for hydrogen or battery electric trains on network segments that will not be electrified.
- 2. Member States shall ensure that the national policy frameworks take into account the needs of the different transport modes existing on their territory, including those for which limited alternatives to fossil fuels are available.
- 3. Member States shall ensure that national policy frameworks take into account, as appropriate, the interests of regional and local authorities, in particular when recharging and refuelling infrastructure for public transport is concerned, as well as those of the stakeholders concerned.
- 4. Where necessary, Member States shall cooperate, by means of consultations or joint policy frameworks, to ensure that the measures required to achieve the objectives of this Regulation are coherent and coordinated. In particular, Member States shall cooperate on the strategies to use alternative fuels and deployment of corresponding infrastructure in waterborne transport. The Commission shall assist the Member States in the cooperation process.
- 5. Support measures for alternative fuels infrastructure shall comply with the relevant State aid rules of the TFEU.
- 6. Each Member State shall make available to the public its draft national policy framework and shall ensure that the public is given early and effective opportunities to participate in the preparation of the draft national policy framework.
- 7. The Commission shall assess the draft national policy frameworks and may issue recommendations to a Member State no later than six months after the submission of the draft national policy frameworks as referred to in paragraph 1. Those recommendations may, in particular, address:
 - (a) the level of ambition of targets and objectives with a view to meet the obligations set out in Articles 3, 4, 6, 8, 9, 10, 11 and 12;
 - (b) policies and measures relating to Member States' objectives and targets.
- 8. Each Member State shall take due account of any recommendations from the Commission in its national policy framework. If the Member State concerned does not address a recommendation or a substantial part thereof, that Member State shall provide a written explanation to the Commission.
- 9. By 1 January 2025, each Member State shall notify to the Commission its final national policy framework.

Reporting

- 1. Each Member State shall submit to the Commission a standalone progress report on the implementation of its national policy framework for the first time by 1 January 2027 and every two years thereafter.
- 2. The progress reports shall cover the information listed in Annex I and shall, where appropriate, include a relevant justification regarding the level of attainment of the national targets and objectives referred to in Article 13.
- 3. The regulatory authority of a Member States shall assess, at the latest by 30 June 2024 and periodically every three years thereafter, how the deployment and operation of recharging points could enable electric vehicles to further contribute to the flexibility of the energy system, including their participation in the balancing market, and to the further absorption of renewable electricity. That assessment shall take into account all types of recharging points, whether public or private, and provide recommendations in terms of type, supporting technology and geographical distribution in order to facilitate the ability of users to integrate their electric vehicles in the system. It shall be made publicly available. On the basis of the results of the assessment, Member States shall, if necessary, take the appropriate measures for the deployment of additional recharging points and include them in their progress report referred to in paragraph 1. The assessment and measures shall be taken into account by the system operators in the network development plans referred to in Article 32(3) and Article 51 of Directive (EU) 2019/944.
- 4. On the basis of input from transmission system operators and distribution system operators, the regulatory authority of a Member States shall assess, at the latest by 1 30 June 2024 and periodically every three years thereafter, the potential contribution of bidirectional charging to the penetration of renewable electricity into the electricity system. That assessment shall be made publicly available. On the basis of the results of the assessment, Member States shall take, if necessary, the appropriate measures to adjust the availability and geographical distribution of bidirectional recharging points, in both public and private areas and include them in their progress report referred to in paragraph 1.
- 5. The Commission shall adopt guidance and templates concerning the content, structure and format of the national policy frameworks and the content of the national progress reports to be submitted by the Member States in accordance with Article 13(1) and six months after the date referred to in Article 24. The Commission may adopt guidance and templates to facilitate the effective application across the Union of any other provisions of this Regulation.

Article 15

Review of national policy frameworks and progress reports

1. By 1 January 2026, the Commission shall assess the national policy framework notified by Member States pursuant to Article 13(9) and submit to the European Parliament and to the Council a report on the assessment of those national policy frameworks and their coherence at Union level, including a first assessment of the expected level of attainment of the national targets and objectives referred to in Article 13 (1).

- 2. The Commission shall assess the progress reports submitted by Member States pursuant to Article 14(1) and shall as appropriate issue recommendations to Member States to ensure the achievement of the objectives and obligations laid down in this Regulation. Following those recommendations, the Member States shall issue an update of their progress report within six months following the Commission's recommendations.
- 3. The Commission shall submit to the European Parliament and to the Council a report on its assessment of the progress reports pursuant to Article 14(1) one year after submission of the national progress reports by the Member States. This assessment shall contain an assessment of:
 - (a) the progress made at Member States level on the achievement of the targets and objectives;
 - (b) the coherence of the development at Union level.
- 4. On the basis of national policy frameworks and national progress reports of Member States pursuant to Article 13 (1) and 14 (1), the Commission shall publish and regularly update information on the national targets and the objectives submitted by each Member State regarding:
 - (a) the number of publicly accessible recharging points and stations, separately for recharging points dedicated to light-duty vehicles and recharging points dedicated to heavy-duty vehicles, and in accordance with the categorisation provided in Annex III;
 - (b) the number of publicly accessible hydrogen refuelling points;
 - (c) the infrastructure for shore-side electricity supply in maritime and inland ports of the TEN-T core network and the TEN-T comprehensive network;
 - (d) the infrastructure for electricity supply for stationary aircraft in airports of the TEN-T core network and the TEN-T comprehensive network;
 - (e) the number of refuelling points for LNG at maritime and inland ports of the TEN-T core network and the TEN-T comprehensive network;
 - (f) the number of publicly accessible refuelling points for LNG for motor vehicles;
 - (g) the number of publicly accessible CNG refuelling points for motor vehicles;
 - (h) refuelling and recharging points for other alternative fuels at TEN-T core and comprehensive maritime and inland ports;
 - (i) refuelling and recharging points for other alternative fuels at airports of the TEN-T core network and the TEN-T comprehensive network;
 - (j) refuelling and recharging points for rail transport.

Article 16

Progress tracking

- 1. By 28 February of the year following the entry into force of this Regulation and every year thereafter by the same date, Member States shall report to the Commission the total aggregated recharging power output, the number of publicly accessible recharging points and the number of registered battery electric and plug-in hybrid vehicles deployed on their territory on 31 December of the previous year, in accordance with the requirements of Annex III.
- 2. Where it is evident from the report referred to in paragraph 1 of this Article or from any information available to the Commission that a Member State <u>is at risk of not</u> meeting its national targets as referred to in Article 3(1), the Commission may issue a finding to this effect and request the Member State concerned to take corrective measures to meet the national targets. Within three months following the receipt of the Commission's findings, the Member State concerned shall notify to the Commission the corrective measures that it plans to implement to meet the targets set in Article 3(1). The corrective measures shall entail additional actions that the Member State shall implement to meet the targets set in Article 3 (1) and a clear timetable for actions that enables the assessment of the annual progress towards meeting those targets. Where the Commission finds that the corrective measures are satisfactory, the Member State concerned shall update its latest progress report as referred to in Article 14 with these corrective measures and submit it to the Commission.

User information

- 1. Relevant, consistent and clear information shall be made available as regards motor vehicles which can be regularly fuelled with individual fuels placed on the market, or recharged by recharging points. That information shall be made available in motor vehicle manuals, at refuelling and recharging points, on motor vehicles and in motor vehicle dealerships in their territory. This requirement shall apply to all motor vehicles, and their motor vehicle manuals, placed on the market after 18 November 2016.
- 2. Identification of vehicles and infrastructures compatibility as well as identification of fuels and vehicle compatibility referred to in paragraph 1 shall be in compliance with the technical specifications referred to in points 9.1 and 9.2 of Annex II. Where such standards refer to a graphical expression, including a colour coding scheme, the graphical expression shall be simple and easy to understand, and it shall be placed in a clearly visible manner:
 - (a) on corresponding pumps and their nozzles at all refuelling points, as from the date on which fuels are placed on the market; or
 - (b) in the immediate proximity of all fuel tanks' filling caps of motor vehicles recommended for and compatible with that fuel and in motor vehicle manuals, when such motor vehicles are placed on the market after 18 November 2016.
- 3. When fuel prices are displayed at a fuel station, a comparison between the relevant unit prices shall be displayed where appropriate, and in particular for electricity and hydrogen, for information purposes following the common methodology for alternative fuels unit price comparison referred to in point 9.3 of Annex II.

- 4. Where European Standards setting technical specifications of a fuel do not include labelling provisions for compliance with the standards in question, where the labelling provisions do not refer to a graphical expression including colour coding schemes, or where the labelling provisions are not suitable for attaining the objectives of this Regulation, the Commission may, for the purposes of the uniform implementation of paragraphs 1 and 2:
 - (a) mandate ESOs to develop compatibility labelling specifications,
 - (b) adopt implementing acts determining the graphical expression, including a colour coding scheme, of compatibility for fuels introduced in the Union market which reach the level of 1 % of the total volume of sales, in the assessment of the Commission, in more than one Member State.
- 5. Where provisions on labelling of the respective European Standards are updated, implementing acts regarding the labelling are adopted or new European Standards for alternative fuels are developed, as necessary, the corresponding requirements on labelling shall apply to all refuelling and recharging points and motor vehicles registered on the territory of the Member States 24 months after their respective updating or adoption.

Data provisions

- 1. Member States shall appoint an Identification Registration Organisation ('IDRO'). The IDRO shall issue and manage unique identification ('ID') codes to identify, at least operators of recharging points and mobility service providers, at the latest one year after the date referred to in Article 24.
- 2. Operators of publicly accessible recharging and refuelling points or, in accordance with the arrangement between them, the owners of those points, shall ensure the availability of static and dynamic data concerning alternative fuels infrastructure operated by them and allow accessibility of that data through the National Access Points at no cost. The following data types shall be made available:
 - (a) static data for publicly accessible recharging and refuelling points operated by them:
 - (i) geographic location of the recharging or refuelling point,
 - (ii) number of connectors,
 - (iii) number of parking spaces for people with disabilities,
 - (iv) contact information of the owner and operator of the recharging and refuelling station.
 - (b) further static data for publicly accessible recharging points operated by them:
 - (i) identification (ID) codes, at least of the operator of the recharging point and mobility service providers offering services at that recharging point, as referred to in paragraph 1,
 - (ii) type of connector,
 - (iii) type of current (AC/DC),

- (iv) power output (kW),
- (c) dynamic data for all recharging and refuelling points operated by them:
 - (i) operational status (operational/out of order),
 - (ii) availability (in use/ not in use),
 - (iii) ad hoc price.
- 3. Member States shall ensure the accessibility of data on an open and nondiscriminatory basis to all stakeholders through their National Access Point in application of Directive 2010/40/EU of the European Parliament and the Council²⁷.
- 4. The Commission shall be empowered to adopt delegated acts in accordance with Article 17 to:
 - (a) add additional data types to the ones specified in paragraph 2;
 - (b) specify elements related to the data format, frequency and quality in which these data shall be made available;
 - (c) establish detailed procedures enabling the provision and exchange of data required pursuant to paragraph 2.

Common technical specifications

- 1. Normal power recharging points for electric vehicles, excluding wireless or inductive units, deployed or renewed from the date referred to in Article 24, shall comply at least with the technical specifications set out in point 1.1 of Annex II.
- 2. High power recharging points for electric vehicles, excluding wireless or inductive units, deployed or renewed from the date referred to in Article 24 shall comply at least with the technical specifications set out in point 1.2 of Annex II.
- 3. Publicly accessible hydrogen refuelling points deployed or renewed from the date referred to in Article 24 shall comply with the technical specifications set out in points 3.1, 3.2, 3.3, and 3.4 of Annex II.
- 4. Shore-side electricity supply installations for maritime transport, deployed or renewed from the date referred to in Article 24 shall comply with the technical specifications set out in points 4.1 and 4.2 of Annex II.
- 5. CNG refuelling points for motor vehicles deployed or renewed from the date referred to in Article 24 shall comply with the technical specifications set out in point 8 of Annex II.
- 6. In accordance with Article 10 of Regulation (EU) No 1025/2012, the Commission may request European standardisation organisations to draft European standards defining technical specifications for areas referred to in Annex II to this Regulation for which no common technical specifications have been adopted by the Commission.

²⁷ Directive 2010/40/EU of the European Parliament and of the Council of 7 July 2010 on the framework for the deployment of Intelligent Transport Systems in the field of road transport and for interfaces with other modes of transport (OJ L 207, 6.8.2010, p. 1).

- 7. The Commission shall be empowered to adopt delegated acts in accordance with Article 17 to:
 - (a) supplement this Article with common technical specifications, to enable full technical interoperability of the recharging and refuelling infrastructure in terms of physical connections and communication exchange for the areas listed in Annex II;
 - (b) amend Annex II by updating the references to the standards referred to in the technical specifications set out in that Annex.

Exercise of the delegation

- 1. The power to adopt delegated acts is conferred on the Commission subject to the conditions laid down in this Article.
- 2. The power to adopt delegated acts referred to in Articles 18 and 19 shall be conferred on the Commission for a period of five years from the date referred to in Article 24. The Commission shall draw up a report in respect of the delegation of power not later than nine months before the end of the five-year period. The delegation of power shall be tacitly extended for periods of an identical duration, unless the European Parliament or the Council opposes such extension not later than three months before the end of each period.
- 3. The delegation of power referred in Articles 18 and 19 may be revoked at any time by the European Parliament or by the Council. A decision to revoke shall put an end to the delegation of the power specified in that decision. It shall take effect the day following the publication of the decision in the Official Journal of the European Union or at a later date specified therein. It shall not affect the validity of any delegated acts already in force.
- 4. As soon as it adopts a delegated act, the Commission shall notify it simultaneously to the European Parliament and to the Council.
- 5. A delegated act adopted pursuant to Articles 18 and 19 shall enter into force only if no objection has been expressed either by the European Parliament or the Council within a period of two months of notification of that act to the European Parliament and the Council or if, before the expiry of that period, the European Parliament and the Council have both informed the Commission that they will not object. That period shall be extended by three months at the initiative of the European Parliament or of the Council.

Article 21

Committee procedure

- 1. The Commission shall be assisted by a committee. That committee shall be a committee within the meaning of Regulation (EU) No 182/2011.
- 2. Where reference is made to this paragraph, Article 5 of Regulation (EU) No 182/2011 shall apply. Where the committee delivers no opinion, the Commission

shall not adopt the draft implementing act and the third subparagraph of Article 5(4) of Regulation (EU) No 182/2011 shall apply.

3. Where the opinion of the committee is to be obtained by written procedure, that procedure shall be terminated without result when, within the time limit for delivery of the opinion, the chair of the committee so decides or a simple majority of committee members so request.

Article 22

Review

By 31 December 2026, the Commission shall review this Regulation, and, where appropriate, submit a proposal to amend it.

Article 23

- 1. Repeal Directive 2014/94/EU is repealed from the date referred to in Article 24.
- 2. References to Directive 2014/94/EU shall be construed as references to this Regulation and shall be read in accordance with the correlation table laid down in Annex IV.

Article 24

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the Official Journal of the European Union.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the European Parliament The President For the Council The President



EUROPEAN COMMISSION

> Brussels, 14.7.2021 COM(2021) 559 final

ANNEXES 1 to 4

ANNEXES

to the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

{SEC(2021) 560 final} - {SWD(2021) 631 final} - {SWD(2021) 632 final} - {SWD(2021) 637 final} - {SWD(2021) 638 final}

ANNEX I

Reporting

The progress report referred to in Article 14(1) of the Regulation shall include at least the following elements:

- 1. target setting
 - (a) vehicle uptake projections for 31 December of the years 2025, 2030 and 2035 for:
 - light-duty road vehicles separately for battery electric, plug in hybrid, and hydrogen;
 - heavy-duty road vehicles, separately for battery electric and hydrogen;
 - (b) targets for 31 December 2025, 2030 and 2035 for:
 - electric recharging infrastructure for light-duty vehicles: number of recharging stations and power output (classification of recharging stations following Annex III to this Regulation);
 - development of recharging stations for light-duty vehicles not accessible to the public;
 - electric recharging infrastructure for heavy-duty vehicles: number of recharging stations and power output;
 - development of recharging stations for heavy-duty vehicles not accessible to the public;
 - hydrogen refuelling stations: number of refuelling stations, capacity of the refuelling stations and connector provided;
 - LNG road refuelling stations: number of refuelling stations and capacity of stations;
 - LNG refuelling points at maritime ports of the TEN-T core and TEN-T comprehensive network, including location (port) and capacity per port;
 - Shore side electricity supply at maritime ports of the TEN-T core and TEN-T comprehensive network, including exact location (port) and capacity of each installation within the port;
 - shore-side electricity supply at inland waterway ports of the TEN-T core and TEN-T comprehensive network including location (port) and capacity;
 - electricity supply for stationary aircraft, number of installations per airport of the TEN-T core and TEN-T comprehensive network;
 - other national targets and objectives for which no EU wide mandatory national targets exist. For alternative fuels infrastructure in ports, airports and for rail the location and capacity/size of the installation has to be reported;
- 2. utilisation rates: for the categories under point 1(b), reporting the utilisation of that infrastructure;
- 3. the level of achievement of the national objectives reported for the deployment of alternative fuels in the different transport modes (road, rail, water and air):

- level of achievement of the infrastructure deployment targets as referred to in point 1(b) for all transport modes, in particular for electric recharging stations, electric road system (if applicable), hydrogen refuelling stations, shore-side electricity supply in maritime and inland waterway ports, LNG bunkering at TEN-T core maritime ports, other alternative fuels infrastructure in ports, electricity supply to stationary aircrafts, as well as for hydrogen refuelling points and electric recharging points for trains;
- for recharging points, specifying the ratio of public to private infrastructure;
- alternative fuels infrastructure deployment within urban nodes;
- 4. legal measures: information on legal measures, which may consist of legislative, regulatory or administrative measures to support the build-up of alternative fuels infrastructure, such as building permits, parking lot permits, certification of the environmental performance of businesses and fuel stations concessions;
- 5. information on the policy measures supporting the implementation of the national policy framework, including:
 - direct incentives for the purchase of means of transport using alternative fuels or for building the infrastructure;
 - availability of tax incentives to promote means of transport using alternative fuels and the relevant infrastructure;
 - use of public procurement in support of alternative fuels, including joint procurement;
 - demand-side non-financial incentives, for example preferential access to restricted areas, parking policy and dedicated lanes;
- 6. public deployment and manufacturing support, including:
 - annual public budget allocated for alternative fuels infrastructure deployment, broken down by alternative fuel and by transport mode (road, rail, water and air);
 - annual public budget allocated to support manufacturing plants for alternative fuels technologies, broken down by alternative fuel and by transport mode;
 - consideration of any particular needs during the initial phase of the deployment of alternative fuels infrastructures;
- 7. research, technological development and demonstration (RTD&D): annual public budget allocated to support alternative fuels RTD&D, broken down by fuel and its origin, differentiating between fossil and renewable forms, and by transport mode.

ANNEX II

Technical specifications

1. Technical specifications for electricity supply for road transport

- 1.1. Normal power recharging points for motor vehicles: alternating current (AC) normal power recharging points for electric vehicles shall be equipped, for interoperability purposes, at least with socket outlets or vehicle connectors of Type 2 as described in standard EN 62196-2:2017.
- 1.2. High power recharging points for motor vehicles:
 - alternating current (AC) high power recharging points for electric vehicles shall be equipped, for interoperability purposes, at least with connectors of Type 2 as described in standard EN 62196-2:2017;
 - direct current (DC) high power recharging points for electric vehicles shall be equipped, for interoperability purposes, at least with connectors of the combined charging system 'Combo 2' as described in standard EN 62196-3:2014.
- 1.3. Wireless recharging points for motor vehicles as specified by Commission Delegated Regulation (EU) 2021/[.../...] supplementing Directive 2014/94 EU of the European Parliament and of the Council with regards standards for wireless recharging points for motor vehicles .
- 1.4. Recharging points for L-category motor vehicles as specified by Commission Delegated Regulation (EU) 2019/1745.
- 1.5. Recharging points for electric buses as specified by Commission Delegated Regulation (EU) 2021/[.../...] supplementing Directive 2014/94 EU of the European Parliament and of the Council with regards standards for wireless recharging points for motor vehicles .
- 1.6. Technical specifications for battery swapping for motor vehicles.
- 1.7. Technical specifications regarding the connector for recharging heavy-duty vehicles (DC charging).
- 1.8. Technical specifications for inductive static wireless recharging for passenger cars and light-duty commercial vehicles.
- 1.9. Technical specifications for inductive static wireless recharging for heavy-duty vehicles.
- 1.10. Technical specifications for inductive dynamic wireless recharging for passenger cars and light-duty vehicles.
- 1.11. Technical specifications for inductive dynamic wireless recharging for heavy-duty-vehicles.
- 1.12. Technical specifications for inductive static wireless recharging for electric buses.
- 1.13. Technical specifications for inductive dynamic wireless recharging for electric buses.
- 1.14. Technical specifications for electric road system (ERS) for dynamic overhead power supply via a pantograph for heavy-duty vehicles.

- 1.15. Technical specifications for electric road system (ERS) for dynamic ground level power supply through conductive rails for passenger cars, light-duty vehicles and heavy-duty vehicles.
- 1.16. Technical specifications for battery swapping for L-category vehicles.
- 1.17. If feasible, technical specifications for battery swapping for passenger cars and lightduty vehicles.
- 1.18. If feasible, technical specifications for battery swapping for heavy-duty vehicles.
- 1.19. Technical specifications for recharging stations to ensure access to users with disabilities.

2. Technical specifications for communication exchange in the electric vehicle recharging ecosystem

- 2.1. Technical specifications regarding communication between the electric vehicle and the recharging point (vehicle-to-grid communication).
- 2.2. Technical specifications regarding communication between the recharging point and the recharging point management system (back-end communication).
- 2.3. Technical specifications regarding communication between the recharging point operator, electromobility service providers and e-roaming platforms.
- 2.4. Technical specifications regarding communication between the recharging point operator and the distributed system operators.

3. Technical specifications for hydrogen supply for road transport

- 3.1. Outdoor hydrogen refuelling points dispensing gaseous hydrogen used as fuel on board motor vehicles shall comply with the technical specifications of the ISO/TS 20100 gaseous hydrogen fuelling specification.
- 3.2. The hydrogen purity dispensed by hydrogen refuelling points shall comply with the technical specifications included in the ISO 14687:2019standard.
- 3.3. Hydrogen refuelling points shall employ fuelling algorithms and equipment complying with the ISO 19880-1:2020 Gaseous Hydrogen Fuelling specification.
- 3.4. Connectors for motor vehicles for the refuelling of gaseous hydrogen shall comply with the ISO 17268:2020 gaseous hydrogen motor vehicle refuelling connection devices standard.
- 3.5. Technical specifications for connectors for refuelling points dispensing gaseous (compressed) hydrogen for heavy-duty vehicles.
- 3.6. Technical specifications for connectors for refuelling points dispensing liquefied hydrogen for heavy-duty vehicles.

4. Technical specifications for electricity supply for maritime transport and inland navigation

- 4.1. Shore-side electricity supply for seagoing ships, including the design, installation and testing of the systems, shall comply with the technical specifications of the IEC/IEEE 80005-1:2019 standard, for high-voltage and low-voltage shore connections respectively.
- 4.2. Shore-side electricity supply for inland waterway vessels shall comply with Commission Delegated Regulation (EU) 2019/1745.

- 4.3. Technical specifications for shore-side battery recharging points for maritime vessels, featuring interconnectivity and system interoperability for maritime vessels.
- 4.4. Technical specifications for shore-side battery recharging points for inland navigation vessels, featuring interconnectivity and system interoperability for inland navigation vessels.
- 4.5. Technical specifications for port-to-grid communication interface in automated onshore power supply (OPS) and battery recharging systems for maritime vessels.
- 4.6. Technical specifications for port-to-grid communication interface in automated onshore power supply (OPS) and battery recharging systems for inland navigation vessels.
- 4.7. If feasible, technical specifications for battery swapping and recharging at onshore stations for inland navigation vessels.

5. Technical specifications for hydrogen bunkering for maritime transport and inland navigation

- 5.1. Technical specifications for refuelling points and bunkering for gaseous (compressed) hydrogen for maritime hydrogen-fuelled vessels.
- 5.2. Technical specifications for refuelling points and bunkering for gaseous (compressed) hydrogen inland navigation hydrogen-fuelled vessels.

6. Technical specifications for methanol bunkering for maritime transport and inland navigation

- 6.1. Technical specifications for refuelling points and bunkering for renewable methanol for maritime methanol-fuelled vessels.
- 6.2. Technical specifications for refuelling points and bunkering for renewable methanol for inland navigation methanol-fuelled vessels.

7. Technical specifications for ammonia bunkering for maritime transport and inland navigation

- 7.1. Technical specifications for refuelling points and bunkering for renewable ammonia for maritime ammonia-fuelled vessels.
- 7.2. Technical specifications for refuelling points and bunkering for renewable ammonia for inland navigation ammonia-fuelled vessels.

8. Technical specifications for natural gas refuelling points

- 8.1. Refuelling points for compressed natural gas (CNG) for motor vehicles shall comply with Commission Delegated Regulation (EU) 2019/1745.
- 8.2. CNG connectors/receptacles shall comply with UNECE Regulation No 110 (referring to ISO 14469:2017).
- 8.3. Refuelling points for LNG for motor vehicles shall comply with Commission Delegated Regulation (EU) 2019/1745.
- 8.4. Refuelling points for LNG for inland waterway vessels or sea-going ships shall comply with Commission Delegated Regulation (EU) 2019/1745.

9. Technical specifications related to fuel labelling

9.1. The 'Fuels - Identification of vehicle compatibility - Graphical expression for consumer information' label shall comply with standard EN 16942:2016+A1:2021.

- 9.2. The 'Identification of vehicles and infrastructures compatibility Graphical expression for consumer information on EV power supply' shall comply with standard EN 17186.
- 9.3. The common methodology for alternative fuels unit price comparison set out by Commission Implementing Regulation (EU) 2018/732.

ANNEX III

Reporting requirements on deployment of electric vehicles and recharging infrastructure

- 1. Member States must categorise their reporting on electric vehicles deployment as follows:
 - battery electric vehicles, separately for categories M1, N1, M2/3 and N2/3
 - plug in hybrid electric vehicles, separately for categories M1, N1, M2/3 and N2/3
- 2. Member States must categorise their reporting on deployment of recharging points as follows:

Category	Sub-category	Maximum power output	Definition pursuant to Article 2 of this Regulation
	Slow AC recharging point, single-phase	P < 7.4 kW	Normal power
Category 1 (AC)	Medium-speed AC recharging point, triple-phase	$7.4 \text{ kW} \le P \le 22 \text{ kW}$	recharging point
	FastACrechargingpoint, triple-phase	P > 22 kW	
	Slow DC recharging point	P < 50 kW	
	Fast DC recharging point	$50 \text{ kW} \le P < 150 \text{ kW}$	High power recharging point
Category 2 (DC)	Level 1 - Ultra-fast DC recharging point	$150 \text{ kW} \le P < 350 \text{ kW}$	
	Level 2 - Ultra-fast DC recharging point	$P \ge 350 \text{ kW}$	

- 3. The following data must be provided separately for recharging infrastructure dedicated to light-duty vehicles and heavy-duty vehicles:
 - number of recharging points, to be reported for each of the categories under point 2;
 - number of recharging stations following the same categorisation as for the recharging point;
 - total aggregated power output of the recharging stations;
 - number of stations not operational on 50% of the available days in a given year.

ANNEX IV

Correlation table

Directive 2014/94/EU	This Regulation
Article 1	Article 1
Article 2(1)	Article 2(3)
Article 2	Article 2
-	Article 3
_	Article 4
Article 4	Article 5
-	Article 6
-	Article 7
Article 6(4)	Article 8
-	Article 9
-	Article 10
Article 6(1)	Article 11
-	Article 12
Article 3	Article 13
Article 10	Articles 14, 15, 16
Article 7	Article 17
	Article 18
	Article 19
Article 8	Articlle 20
Article 9	Article 21
	Article 22
Article 11	Article 23
_	Article 24
Article 12	Article 25

Article 13	



EUROPEAN COMMISSION

> Brussels, 14.7.2021 SWD(2021) 637 final

COMMISSION STAFF WORKING DOCUMENT

EVALUATION

of Directive 2014/94/EU of the European Parliament and of the Council on the deployment of alternative fuels infrastructure

accompanying the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

 $\{ COM(2021) \ 559 \ final \} - \{ SEC(2021) \ 560 \ final \} - \{ SWD(2021) \ 631 \ final \} - \{ SWD(2021) \ 632 \ final \} - \{ SWD(2021) \ 638 \ final \} \}$

Table of contents

1.	INTRODUCTION		2	
2.	BACI	KGROUN	D TO THE INTERVENTION	3
	2.1	Political c	context of the original initiative	3
	2.2	General, s	specific and operational objectives of the Directive	3
	2.3		on logic	
	2.4	Baseline a	and points of comparison	7
3.	IMPL	EMENTA	TION / STATE OF PLAY	9
	3.1	Activities	at EU level in support of implementation of the Directive	9
		3.1.1	Delegated Acts	9
		3.1.2	Implementing Acts on user information	9
		3.1.3	EU-level reporting and review	10
		3.1.4	Financial support to deployment	10
		3.1.5	Exchange with Member States and stakeholders at EU level	11
		3.1.6	Other activities	11
	3.2	Overview	of national activities implementing the Directive	12
		3.2.1	Transposition of the Directive	12
		3.2.2	National Policy Frameworks	12
		3.2.3	National Implementation Reports	12
		3.2.4	Provision of User Information at national level	12
	3.3	Status of	markets for alternative fuels vehicles and infrastructure	13
		3.3.1	Electricity	13
		3.3.2	Natural Gas	15
		CNG	15	
		LNG	15	
		3.3.3	Hydrogen	16
		3.3.4	Other fuels	17
4.	MET	HODS AN	D IDENTIFIED LIMITATIONS	18
	4.1	Methods .		18
		4.1.1	Desk research	18
		4.1.2	Modelling	18
		4.1.3	Stakeholder interviews	18
		4.1.4	Survey	18
		4.1.5	Open Public Consultation	18
		4.1.6	Data requests	19
	4.2	Identified	limitations and action to remedy	19
		4.2.1	Stakeholder consultation	
		4.2.2	Member State reporting	19
		4.2.3	Assessing the role and additionally of the Directive	19
5.	ANALYSIS AND ANSWERS TO THE EVALUATION QUESTIONS			21
	5.1	Assessme	ent of the effectiveness of the Directive	21
		5.1.1 Eff	ectiveness in achieving the general objectives of the Directive	21
		5.1.2	Effectiveness in achieving the specific objectives of the Directive	22

		5.1.3	Which external factors and developments have contributed or hindered to the achievement of the objectives?	24
		5.1.4.	Effectiveness of monitoring of impacts	
		5.1.5	Effectiveness of the overall focus of the Directive	
		5.1.6	Unintended positive and negative effects	
	5.2	Assessme	nt of the efficiency of the Directive	
	5.2.1		ality of cost	
		5.2.2	Could the same or better results have been achieved at lower costs for public authorities by a different approach?	27
		5.2.3	Is there potential for simplification of the provisions?	28
	5.3	Assessme	nt of relevance	
	5.3.1	Relevance	of the general and specific objectives	28
		5.3.2	Relevance in view of new challenges	28
	5.4 As	sessment of	overall coherence	29
		5.4.1 Ass	essment of internal coherence	29
		5.4.2	Assessment of external coherence	29
	5.5.	Assessme	nt of EU Added Value	30
6.	CON	CLUSION	5	31
ANN	VEX 1:	PROCEDU	JRAL INFORMATION	35
ANN	NEX 2:	STAKEH	OLDER CONSULTATION	37
	Overvi	ew of stake	holder input	
			the OPC	
ΔNN	-	-	DS AND ANALYTICAL MODELS	
1.				
2.			OF THE PROBLEM, THE UNDERLYING DRIVERS AND ITS	10
				46
2	EXPE	CTED EV	OLUTION	
3.	EXPE DEVE	CTED EV	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50
3.	EXPE DEVE 3.1	CTED EV ELOPMEN Introduction	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50
3.	EXPE DEVE 3.1 3.2	CTED EV ELOPMEN Introduction PRIMES-	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on TREMOVE model	50 50 50
3.	EXPE DEVE 3.1 3.2 3.3	CTED EV ELOPMEN Introduction PRIMES- Overview	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on TREMOVE model of the approach adopted for the Baseline and Alternative scenario	50 50 50 51
3.	EXPE DEVE 3.1 3.2	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on TREMOVE model	50 50 50 51
3.	EXPE DEVE 3.1 3.2 3.3 3.4	CTED EV ELOPMEN Introductiv PRIMES- Overview Main resu Investmen	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on TREMOVE model of the approach adopted for the Baseline and Alternative scenario Its of the Baseline and the Alternative scenario	50 50 51 52
	EXPE DEVE 3.1 3.2 3.3 3.4 3.5	ECTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 55
	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4:	ECTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 55 62
ANN	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4:	CTED EV ELOPMEN Introductiv PRIMES- Overview Main resu Investmen scenario CURREN	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62
ANN	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on TREMOVE model of the approach adopted for the Baseline and Alternative scenario Its of the Baseline and the Alternative scenario t costs for alternative fuel infrastructure in the Baseline and in the Alternative T STATUS OF THE AFI AND AFV MARKET IN EUROPE	50 50 51 52 62 62 62
ANN	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1	ECTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity Electricity	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 62
ANN	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN CURREN TRICITY Electricity Electricity	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 62 62 62 62 62 62
ANN 1.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity Electricity Electricity JRAL GAS	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 67 67 67
ANN 1. 2.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity Electricity Electricity JRAL GAS	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 67 67 67 70
ANN 1. 2.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU LNG	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity Electricity Electricity JRAL GAS	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 67 67 67 67 70
ANN 1. 2.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU LNG 3.1 3.2	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN TRICITY Electricity Electricity Electricity URAL GAS LNG for r LNG for v	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 62 62 62 62 67 67 67 70 70 72
ANN 1. 2. 3.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU LNG 3.1 3.2	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN CURREN TRICITY Electricity Electricity Electricity JRAL GAS LNG for r LNG for v ROGEN	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO on	50 50 51 52 62 62 62 62 62 62 67 67 67 67 70 72
ANN 1. 2. 3.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU LNG . 3.1 3.2 HYDI	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN CURREN TRICITY Electricity Electricity Electricity URAL GAS LNG for r LNG for v ROGEN Hydrogen	OLUTION T OF THE BASELINE AND ALTERNATIVE SCENARIO	50 50 51 52 52 62 62 62 62 67 67 70 70 72 72
ANN 1. 2. 3.	EXPE DEVE 3.1 3.2 3.3 3.4 3.5 NEX 4: ELEC 1.1 1.2 1.3 NATU LNG . 3.1 3.2 HYDI 4.1 4.2	CTED EV ELOPMEN Introduction PRIMES- Overview Main resu Investment scenario CURREN CURREN TRICITY Electricity Electricity Electricity URAL GAS LNG for r LNG for r KOGEN Hydrogen Hydrogen	OLUTION	50 50 51 52 62 62 62 62 62 67 67 70 70 72 72 72 72 72

Glossary

Term or acronym	Meaning or definition
AFI	alternative fuels infrastructure
AFID	Directive on alternative fuels infrastructure
TEN-T	Trans-European Transport Network
LNG	Liquid Natural Gas
CNG	Compressed Natural Gas
NPF	National Policy Framework
NIR	National Implementation Report
EU	European Union
FCEV	Fuel cell electric vehicle
BEV	Battery electric vehicle
TTW	Tank-to-Wheel
WTT	Well-to-Tank
WTW	Well-to-Wheel
LCV	Light commercial vehicles
CEN	Committee for Standardisation
Cenelec	European Committee for Electrotechnical Standardisation
CEF	Connecting Europe Facility
H2020	Horizon 2020
EGVI	European Green Vehicles Initiative
РРР	Public Private Partnership
FCH JU	Fuel Cells and Hydrogen Joint Undertaking
EAFO	European Alternative Fuels Observatory
V2G	Vehicle to Grid

1. INTRODUCTION

Directive 2014/94/EU¹ ('hereinafter the Directive or AFID') creates a common framework of measures for the deployment of alternative fuels infrastructure for vehicles and vessels in the EU. It sets out minimum requirements for the build-up of alternative fuels infrastructure that are to be implemented by means of Member States' national policy frameworks. It further sets common technical specifications for recharging and refuelling points, and user information requirements. It should support a single market for alternative fuels infrastructure along urban areas and nodes and the core network of the Trans-European Transport Network (TEN-T).

Recently, the Communication on the European Green Deal² and the 2030 Climate Target Plan³ as well as the Communication on the Sustainable and Smart Mobility Strategy have underlined the need for a rapid take up of zero- and low-emission vehicles in view of the increased climate change ambition for 2030 and the overall long-term objective of achieving climate neutrality by 2050. Providing a sufficiently dense, widespread network of recharging and refuelling infrastructure is of central relevance in this regard.⁴

Against this background, the Commission has carried out an evaluation of AFID, in a back-to-back manner with the Impact Assessment for the review of the Directive. More specifically and in line with the Better Regulation Guidelines, this evaluation analyses:

- its overall **effectiveness**, i.e. assess the actual changes the Directive has triggered, particularly in view of its original objectives;
- its **efficiency**, i.e. assess the actual costs relative to the actual benefits of the implementation, and whether there is potential for simplification and increasing cost-efficiency;
- its **relevance**, i.e. assess whether the overall problem analysis and related objectives are still adequate and how the policy context has evolved.
- its **added value to the EU**, i.e. its impact beyond what reasonably could have been achieved by national and regional policies; and
- the **coherence** of the regulatory framework, regarding both the internal coherence and the coherence with other key legislation and policy initiatives at EU level.

The evaluation also draws on the Commission assessment of the National Policy Frameworks⁵ (NPFs) and the recent assessment of the application of the Directive based on the National Implementation Reports (NIR)⁶.

¹ Directive 2014/94/EU of the European Parliament and of the Council of 22 October 2014 on the deployment of alternative fuels, OJ L 307/1.

² European Commission, 'The European Green Deal' COM(2019) 640 final.

³ European Commission, 'Stepping up Europe's 2030 climate ambition Investing in a climate-neutral future for the benefit of our people' COM(2020) 562 final.

⁴ European Parliament, 'Report on deployment of infrastructure for alternative fuels in the European Union: time to act!' (2018/2023(INI)).

⁵ Commission, 'Report on the Assessment of the Member States National Policy Frameworks for the development of the market as regards alternative fuels in the transport sector and the deployment of the relevant infrastructure pursuant to Article 10 (2) of Dir. 2014/94/EU' SWD(2019) 29 final.

⁶ European Commission, 'Report on the application of Directive 2014/94/EU on the deployment of alternative fuels infrastructure' COM/2021/103 final

2. BACKGROUND TO THE INTERVENTION

2.1 Political context of the original initiative

The 2011 Transport White Paper⁷ stressed the relevance of developing a framework for the adoption of alternative fuels as part of the effort to reduce transport emissions. In 2013, the Commission published its "Clean Power for Transport" strategy⁸, including a legislative proposal for establishing a Directive on the promotion of alternative fuels infrastructure.⁹ The "Clean Power for Transport" strategy underlined the need to reduce the EU's dependency on imported oil, the need for low-CO₂ fuels and energy sources, as well as the need to promote the use of a range of alternative fuels to decarbonise the transport sector. It considered the increased use of renewable electricity and potentially hydrogen, as well as an increased use of 'sustainable biofuels' and gas (including biomethane).

The Impact Assessment accompanying the 2013 legislative proposal for AFID¹⁰ found that on the basis of projected market developments, the infrastructure for electric, hydrogen and natural gas (LNG and CNG) vehicles is likely to remain insufficient and not in line with what a broad market take-up would require. The reason was a combination of 'technological and commercial short-comings, and a lack of consumer acceptance and missing adequate infrastructure', resulting in a "chicken and egg" problem (market failure): without a minimum network of recharging and refuelling points, the uptake of alternatively fuelled vehicles will be hampered, and vice versa.

Further, at the time no common technical specifications and related standards existed in the EU for alternative fuels infrastructure, creating uncertainty to investment and scale up of different technologies at early stage of technological maturity. The impact assessment concluded on the need for a framework of common measures to ensure the interoperability of alternative fuels infrastructure as a condition for wider uptake of alternative fuels vehicles and vessels that circulate in urban/suburban agglomerations and on the TEN-T network. In addition, it underpinned the need for clear, comparable and understandable information on alternative fuels to consumers, in order to increase public awareness, usability and a general appreciation of possible benefits.

The Commission adopted its legislative proposal on 24 January 2013. Following the codecision procedure, the Directive was published on 28 October 2014.

2.2 General, specific and operational objectives of the Directive

The general objective is to establish a common framework of measures for the deployment of alternative fuels infrastructure in the EU, minimizing the dependency on fossil fuel (ensuring the security of supply) and mitigating the environmental impact of transport by reducing GHG emissions and air pollutant emissions.

⁷ European Commission, 'White Paper: Roadmap to a Single European Transport Area - Towards a competitive and resource efficient transport system' COM(2011) 144 final.

⁸ European Commission, 'Clean Power for Transport: A European alternative fuels strategy' COM(2013) 17 final.

⁹ European Commission, 'Proposal for a DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on the deployment of alternative fuels infrastructure' COM(2013) 18 final.

¹⁰ European Commission, 'EXECUTIVE SUMMARY OF THE IMPACT ASSESSMENT Accompanying the document Proposal for a Directive on the deployment of alternative fuels infrastructure' SWD(2013) 6 final.

Specific objectives concern: ensuring and supporting the development of a comprehensive network of alternative fuels infrastructure within the EU for all modes of transport and to trigger investment therein (SO1); supporting the interoperability of infrastructure where necessary through harmonisation to enable economies of scale (SO2); increasing the availability of appropriate consumer information and awareness about alternative fuels (SO3); and allowing the efficient integration of electro-mobility into the electricity system and compliance with electricity market rules (SO4).

SO1: Support the development of a comprehensive network of alternative fuels infrastructure in the Union for all transport modes (Article 3 to 6 of the Directive)

In order to ensure that alternatively fuelled vehicles are able to circulate freely in urban and suburban areas and on the TEN-T, Member States have to implement the requirements of the Directive by means of their national policy frameworks (NPFs), including setting targets, objectives and measures in the NPFs for publicly accessible recharging and refuelling points. This would provide certainty for investors, address the chicken and egg problem and trigger investment in alternative fuel infrastructure.

Member States had to define and adopt a national policy framework (NPF) for the development of an alternative fuels market and the deployment of relevant infrastructure by 18 November 2016 (Article 3). NPFs were to include an assessment of the current state of alternative fuels infrastructure, national targets for the deployment of alternative fuels infrastructure, measures to promote the deployment of alternative fuels in public transport, designation of urban/suburban agglomerations to be equipped with recharging points and (separately) CNG refuelling points, and an assessment of the need to install LNG refuelling points in ports outside of the TEN T core network.

Member States have to provide an appropriate number of recharging points for electricity (Article 4) and refuelling points for natural gas (Article 6) accessible to the public in urban and suburban agglomerations and other densely populated areas by 2020 as well as for CNG and for LNG on the TEN-T core network by 2025. Member States could decide whether to include hydrogen refuelling points in their NPFs, but if they decided to do so have to provide an appropriate number by 2025 (Article 5). Similarly to road transport vehicles, Member States have to ensure an appropriate number of refuelling points for LNG in TEN-T maritime ports by 2025 and in TEN-T inland ports by 2030. They also have to ensure that onshore power supply for seagoing and inland waterways vessels is installed with priority in TEN-T core ports by 2025, unless there is no demand and the cost are disproportionate to the benefits.

SO2: Ensure interoperability of infrastructure where necessary through harmonisation (Articles 4 to 6 of the Directive)

Member States have to ensure that refuelling stations meet, as a minimum, European standards for recharging/refuelling points for electricity, hydrogen and natural gas (with requirements being specified separately for LNG for maritime and inland waterway vessels and for LNG and CNG for motor vehicles). For developing technologies, the Directive contains several provisions to ensure that its provisions can be adapted to market developments and technological progress by means of delegated acts in respect of technical specifications of refuelling and recharging points and relevant standards.

SO3: Ensure availability of appropriate consumer information and awareness about alternative fuels (Article 7 of the Directive)

The Directive also contains provisions on the display of information on fuel prices at stations, requiring that comparisons are made available between the different fuels on a 'per unit' basis, so that consumers can identify which alternative fuels would provide them with the most cost-advantageous option for their needs.

SO4: Ensure efficient integration of electro-mobility into the electricity system and compliance with electricity market rules (Article 4 of the Directive)


The Directive requires publicly accessible recharging points to use intelligent metering systems wherever technically feasible and economically reasonable to enable the future development of functions such as selection of green energy for charging and electricity delivery from the vehicle at peak hours. Further, it establishes that operators of electric vehicle charging points should be free to purchase electricity from any EU supplier and that electricity suppliers must cooperate with any person establishing or operating publicly accessible charge points. Further, it mandates that consumers should be free to recharge their vehicles at any publicly accessible charging point on an ad-hoc basis, without the need for a contract with the electricity supplier.

2.3 Intervention logic

The intervention logic for the evaluation is presented in Figure 1. Implementation of the Directive (actions) should lead to specific, short-term outcomes (outputs) as well as longer-term results and impacts, reflecting the objectives of the Directive. The identified outputs represent the expected direct outcomes of the activities and obligations of Member States as defined in the Directive and the NPFs. The results and their impacts should be in line with the specific and general objectives of the Directive. In addition, external factors as well as unexpected or unintended impacts have to be considered as well as their impact on the AFID.

Direct outputs were expected from the activities at Member States and European level as well as private actors. They include the actual investment (public and private) on alternative fuels infrastructure with the focus on covering the Directive requirements, while also ensuring that there are no gaps in cross-border regions. The actions taken should lead to improved information for consumers and improved accessibility to recharging/refuelling points with lower barriers in relation to technical and payment aspects as well as in relation to specific parts of the population (e.g. disabled/older people). It also includes the improved operation of the market to remove barriers to access to the market and, in the case of electro-mobility to facilitate the access to the electricity distribution system. Those outputs should be achieved on a consistent basis across the EU while taking into account the specific characteristics of the Member States.

Figure 1: Overview of drivers, problems and implications Intervention Logic



2.4 Baseline and points of comparison

A Baseline scenario has been developed for the purpose of the current evaluation, showing the projected developments without the implementation of the AFID. It builds on the Baseline scenario of the impact assessment accompanying the AFID but takes into account the revised macro-economic framework, fuel price projections, changes in technology costs and other policies adopted by the end of 2019. Annex 3 provides a description of the Baseline scenario.

Baseline of the Impact Assessment underpinning the 2013 legislative proposal

At the time of the adoption of the Directive, there was a limited deployment of alternative fuels and infrastructure. The Impact Assessment accompanying the proposal for the Directive considered the infrastructure network for electricity, hydrogen and natural gas (LNG and CNG) as insufficient compared to a network that would be necessary to enable market take up of these fuels. The availability of recharging and refuelling stations was regarded not only as a technical prerequisite for the functioning of alternative fuel vehicles, but also one of the most critical components for consumer acceptance.

The Impact Assessment developed a projection of the expected evolution of the problem and its expected impacts under the 'no-policy change' scenario with no additional policy interventions besides those already in place or those already announced by Member States, including funding for R&I and deployment at national and European level.

Despite existing initiatives and projected increase in oil prices, under the 'no-policy change' scenario the level of infrastructure would be expected to remain below what was considered necessary to enable the market take up of alternative fuelled vehicles.

In terms of the identified root causes of the problem, common standards would eventually develop since the persistence of different technical solutions would represent a serious obstacle to pan-European mobility. However, delays would still lead to considerable stranded costs and additional expenditure for adaptation.

Besides, investment uncertainty, problems of coordination and the identified market failures would continue. Member States would take relevant measures to address these problems. Those however could lead to a fragmented market, driving up costs and limiting consumer confidence with a negative impact on both demand and supply.

Therefore, the baseline of the Impact Assessment underpinning the 2013 legislative proposal projected that the share of alternative fuels in the energy consumption of passenger cars and vans would remain less than 10% by 2050 without further action on infrastructure. LNG and CNG would not make significant inroads in road transport, while the same would be the case for LNG use in waterborne transport due to the lack of refuelling infrastructure.

Updated Baseline for this evaluation – no-policy-change (no AFID) scenario

Even without the Directive in place, there are some important European policy instruments that drive the uptake of alternative fuels, vehicles and infrastructure that entered into force after the adoption of the Directive in 2014. Key among them are the

 CO_2 standards for light-duty vehicles¹¹ and heavy-duty vehicles¹², the recast of the Renewable Energy Directive¹³ and the revision of the Clean Vehicles Directive¹⁴. As explained above, the Baseline scenario ('no-policy change' scenario) for this evaluation builds on the Baseline scenario of the impact assessment accompanying the AFID but takes into account the revised macro-economic framework, fuel price projections, changes in technology costs and other policies adopted by the end of 2019. It does however not include measures that are part of the "Fit for 55" package.

In the Baseline scenario, the car stock is projected to continue to be mainly based on thermal engine technologies for the years to come. The share of conventional gasoline and diesel vehicles in the total stock would reduce from 97% in 2010 to 65% in 2030 and 36% in 2050. Importantly, the implementation of the post-2020 CO₂ standards would drive the uptake of hybrid vehicle technologies in the market, in the absence of a larger contribution from battery electric vehicles (BEVs) and plug-in hybrids (PHEVs), due to the lack of recharging infrastructure. The hybrid technologies would increase their share from less than 1% in 2010 to 25% in 2030 and 35% by 2050, at which point the hybrid vehicles would hold the second largest share in the total car stock, comparable to that of conventional gasoline and diesel vehicles. For electric vehicles, a gradual market uptake would take place driven by the CO_2 standards and the gradual reduction of the battery costs, with BEVs and PHEVs each reaching a share of around 3% in 2030 and 13% in 2050 in the total stock of cars. The share of the liquefied petroleum gas (LPG) cars would decrease from 3% in 2010 to about 2% in 2050. The share of fuel cell electric vehicles (FCEVs) is projected to remain negligible for all the projection period. Similarly to cars, for light commercial vehicles (LCVs) the share of conventional gasoline and diesel vehicles is projected at 66% by 2030 and 37% by 2050, while that of hybrid technologies at 32% by 2030 and 48% by 2050. The uptake of battery electric and plug-in hybrids would be more limited in lack of recharging infrastructure (up to 15% by 2050). For heavy-duty vehicles, fuel cell, LNG and electric vehicles would not make significant inroads in the vehicle stock by 2050 in the Baseline scenario.

The share of alternative fuels in the energy consumption of passenger cars and vans would remain limited, at around 14% by 2030 and 18% by 2050, without further action on infrastructure. The share of alternative fuels in the energy use in transport would go up from 7% in 2010 to 12% in 2030 and remain limited to around 17% by 2050.

What concerns infrastructure, in the baseline scenario around 172,000 recharging points would be deployed by 2020, increasing to just under a million by 2030 and to 5.4 million by 2050. The number of hydrogen stations would increase to 174 by 2030 and 1,236 by 2050. For LNG bunkering in ports, 9 facilities would be deployed by 2030 and 14 by 2050.

¹¹ Regulation (EU) 2019/631

¹² Regulation (EU) 2019/1242

¹³ Directive 2018/2001/EU

¹⁴ Directive (EU) 2019/1161

3. IMPLEMENTATION / STATE OF PLAY

This section provides an overview of the implementation of the AFID at EU and national level up to now, together with an overview of the current status of the AF market. The analysis is primarily based on information extracted from the Member States' NPFs and National Implementation Reports (NIRs), supplemented by relevant literature, data sources and inputs from stakeholder engagement activities. The evaluation cross-references the recent Commission report on the application of that Directive.

3.1 Activities at EU level in support of implementation of the Directive

3.1.1 Delegated Acts

In 2015, the Commission requested the European Committee for Standardisation (CEN) and the European Committee for Electrotechnical Standardisation (Cenelec) to develop and adopt appropriate European standards, or to amend existing European standards concerning alternative fuels for transport (M/533)¹⁵ The Commission adopted the Delegated Regulation (EU) 2018/674¹⁶ to include technical specifications for L-category vehicles, short-side electricity supply for inland waterways vessels, CNG/LNG refuelling points for motor vehicles, inland waterway vessels and sea-going ships and replace specifications for hydrogen refuelling points in the Directive. The act was repealed and replaced by Commission Delegated Regulation (EU) 2019/1745¹⁷. The standards included in this Regulation will apply to renewed and newly deployed recharging and refuelling points from 12 November 2021.

The Commission adopted specification for the majority of infrastructure network aspects listed in Annex II of the Directive; however, no technical specifications for points 1.3 (wireless recharging for motor vehicles), 1.4 (battery-swapping) and 1.6 (recharging points for electric buses) were adopted yet. A delegated regulation for point 1.6 is foreseen for 2021; a delegated regulation for point 1.3 might be adopted by end of 2021 subject to progress of discussion within the European Standardisation Organisations; no action is currently planned on point 1.4.

3.1.2 Implementing Acts on user information

The Commission adopted Implementing Regulation $2018/732^{18}$ on a common methodology for alternative fuels unit price comparison, in line with Article 7(3) and initiated a Common Programme Support Action under the Connecting Europe Facility to

¹⁵ COMMISSION IMPLEMENTING DECISION of 12.3.2015 on a standardisation request addressed to the European standardisation organisations, in accordance with Regulation (EU) No 1025/2012 of the European Parliament and of the Council, to draft European standards for alternative fuels infrastructure, C(2015) 1330 final.

¹⁶ Commission Delegated Regulation (EU) 2018/674 of 17 November 2017 supplementing Directive 2014/94/EU of the European Parliament and of the Council as regards recharging points for L-category motor vehicles, shore-side electricity supply for inland waterway vessels and refuelling points for LNG for waterborne transport, and amending that Directive as regards connectors for motor vehicles for the refuelling of gaseous hydrogen [2018] OJ L 114/1.

¹⁷ Commission Delegated Regulation (EU) 2019/1745 of 13 August 2019 supplementing and amending Directive 2014/94/EU of the European Parliament and of the Council as regards recharging points for L-category motor vehicles, shore-side electricity supply for inland waterway vessels, hydrogen supply for road transport and natural gas supply for road and waterborne transport and repealing Commission Delegated Regulation (EU) 2018/674 [2019] L 268/1.

¹⁸ Commission Implementing Regulation (EU) 2018/732 of 17 May 2018 on a common methodology for alternative fuels unit price comparison in accordance with Directive 2014/94/EU of the European Parliament and of the Council [2018] OJ L 123/85.

identify possible approaches to the implementation of the common methodology¹⁹. By Commission Implementing Regulation 2020/858²⁰, amending Implementing Regulation 2018/732, the entry into force was postponed to December 2020 because of the impact of the COVID-19 pandemic.

3.1.3 EU-level reporting and review

The Commission adopted the following reports and guidelines:

- In 2016, a Commission Guidance document²¹ to support Member States in developing their NPFs.
- In 2017, a Commission Staff Working Document assessing the NPFs of 24 Member States that were available at the time²²;
- In 2017, a Commission Action Plan towards the broadest rollout of alternative fuels infrastructure, outlining different supporting actions including funding available under EU financial instruments²³.
- In 2019, a Commission Guidance document accompanied by an Excel[®] reporting template to facilitate compliance with the national reporting requirements outlined in Article 10(1).
- In 2019, an updated Commission Staff Working Document to include the NPFs of EL, MT, RO and SI²⁴.
- In 2021, a report on the application of Directive 2014/94/EU on the deployment of alternative fuels infrastructure²⁵

3.1.4 Financial support to deployment

Connecting Europe Facility (CEF) Transport was the main EU funding instrument used to support investment in AFI in the time period covered by this evaluation. It supported investments into alternative fuels infrastructure for road transport and ports.

Since 2014, alternative fuel projects have been funded under nine different calls for proposals, in the form of annual and multi-annual work programmes covering general, blending and cohesion calls²⁶. One such call is the **CEF Transport Blending Facility²⁷**, a tool to promote the participation of private sector investors and financial institutions in projects concerning the deployment of alternative fuels. It was launched in 2019 and

¹⁹ German Energy Agency (DENA), Study on the Implementation of Article 7(3) of the Directive on the "Deployment of Alternative Fuels Infrastructure" – Fuel Price Comparison: Final Report (2017).

²⁰ Commission Implementing Regulation (EU) 2020/858 of 18 June 2020 amending Implementing Regulation (EU) 2018/732 as regards postponing its date of application [2020] OJ L 195/57.

²¹ European Commission, Clean Transport - Support to the MS for the Implementation of the Directive on the Deployment of Alternative Fuels Infrastructure: Good Practice Examples (2016).

²² COM(2017) 652 final, *SWD*(2017) 365 and SWD(2019) 29.

²³ European Commission, 'Towards the broadest use of alternative fuels - an Action Plan on Alternative Fuels Infrastructure under Article 10(6) of Directive 2014/94/EU, including the assessment of national policy frameworks' COM(2017) 652 final.

²⁴ European Commission, 'Report on the Assessment of the Member States National Policy Frameworks for the development of the market as regards alternative fuels in the transport sector and the deployment of the relevant infrastructure pursuant to Article 10 (2) of Directive 2014/94/EU' SWD(2019) 29 final.

²⁵ COM/2021/103 final

 $^{^{26}}$ Blending calls are open for projects aimed at maximising the private involvement in the delivery of CEF transport and cohesions calls are open exclusively for MS eligible for funding from the Cohesion Fund (under the European structural and investment funds).

²⁷ https://ec.europa.eu/inea/en/connecting-europe-facility/cef-transport/apply-funding/blending-facility

accepts proposals on a rolling basis with quarterly cut-offs and blends loans with grants and other financing form. The infrastructure deployment supported by CEF has been located on all nine Core Network Corridors, including the urban nodes with a total project value of 3,883.6 million.

Further, the **CEF Debt Instrument** addresses projects with expected financial viability but a risk profile that is too high for conventional market financing. By the time of concluding this evaluation five projects related to alternative fuels infrastructure had received grants under the debt instrument, with a total of \in 1.1 billion funding. This, in combination with the calls for proposals, brings the total CEF contribution towards AF in excess of \in 6.8 billion.

Funding **for R&I for alternative** fuels has been made available through Horizon 2020 (H2020) programme, for electric vehicles and recharging infrastructure in particular through the Societal Challenge 'Smart, Green and Integrated Transport" and the European Green Vehicles Initiative (EGVI) Public Private Partnership (PPP), but also through funding for H2020 Smart City Lighthouse projects. In addition, the Fuel Cells and Hydrogen Joint Undertaking (FCH JU) PPP supported projects that will improve performance and reduce the cost of products as well as demonstrate on a large scale the readiness of the technology to enter the market in the fields of transport and energy. Finally, H2020 also supported projects on natural gas (CNG, LNG, biomethane)

EU R&D funding allocated from 2014 in the areas of transport electrification and methane-based fuels sums up to \notin 1.57 billion of which the majority was spent on electrification.

3.1.5 Exchange with Member States and stakeholders at EU level

The Committee on Alternative Fuels Infrastructure (C49500) was created under Article 9 of the Directive and started meeting in July 2017. The Committee has addressed actions to support the deployment of alternative fuels infrastructure including drafting of implementing acts, programme support action for the comparison of alternative fuels prices and voting to postpone the date of effect for the implementing act on harmonised rules on electro-mobility²⁸.

The Sustainable Transport Forum (STF) was created in 2015²⁹ as an expert group on alternative transport fuels, involving Member States and 32 interest organisation and companies. The STF aims to help the Commission to advance the application of the Clean Power for Transport Strategy and facilitate the implementation of the AFID, in particular through exchange of technical expertise and information. Under the STF, different subgroups have been formed on advanced biofuels (dissolved), on the creation of an electro-mobility market of services; on alternative fuels in cities (dissolved), on the implementation of the Directive, on the standards for alternative fuels infrastructure and on electric buses.

3.1.6 Other activities

The Directive mandated CEN to develop standards that would improve existing user information. CEN adopted on 12 October 2016 standard EN 16942, "Fuels-Identification of vehicle compatibility-Graphical expression for consumer information", which entered into force 2 years later, on 12 October 2018. Furthermore, the standard EN 17186:2019

²⁸ Meeting minutes can be accessed here: https://ec.europa.eu/transparency/regcomitology/index.cfm?do=search.search

²⁹ C(2015) 2583 final

laying down harmonized identifiers for power supply for electric road vehicles was adopted in 2019 and is due to enter into force in February 2021.

The European Alternative Fuels Observatory (EAFO)³⁰ disseminates information on alternative fuels in Europe, funded by the Commission. The portal regularly updates figures on AFI and AFV and includes details on each of the national policy frameworks, including information on the targets and objectives.

3.2 Overview of national activities implementing the Directive

3.2.1 Transposition of the Directive

Member States had to transpose the Directive by 18 November 2016. Some Member States delayed its transposition. The Commission opened 24 infringement cases for non-transposition in 2017 and 2018. The Commission closed most cases in the course of 2018 and closed the remaining cases in 2019 and 2020. At the end of 2020, there were no open infringement cases against Member States for non-transposition of the Directive.

3.2.2 National Policy Frameworks

By the original deadline of 18 November 2016, not all Member States had submitted their national policy frameworks. By summer 2017, 24 NPFs were available that informed the first assessment of NPFs by the Commission in 2017. By end of 2018 all NPFs had been received.

In its 2017 assessment of the NPFs and in its 2019 update, the Commission concluded that the NPFs are not fully coherent from an EU perspective in terms of the priorities they set. Member States' ambition with regard to the uptake of alternative fuels and their infrastructure varied significantly. It also concluded that not all NPFs set clear and sufficiently ambitious targets and objectives, supported by comprehensive measures.

3.2.3 National Implementation Reports

The Directive requires that Member States submit to the Commission by 18 November 2019 a national implementation report (NIR) on the execution of its national policy framework (NPF) in the period from submission of the NPF until at least 31 December 2018. These reports shall cover the information listed in Annex I of the Directive, including, where appropriate, relevant argumentation on the level of attainment of the national targets and objectives referred to in Article 3(1). Not all reports were delivered on time, but by end of 2020 all reports had been received.³¹

3.2.4 Provision of User Information at national level

Ensure relevant, consistent and clear information

As well as providing information through vehicle manuals, dealerships and on cars, the analysis of the NPFs and NIRs shows that the information has also been made available on websites, national information points and through educational programmes in schools.

³⁰ https://eafo.eu/

³¹ Full information on the process can be found in the Commission Report on the Application of the Directive, COM (2021)103 final

Furthermore, Member States are required to ensure that information to consumers on nozzles and pumps is provided via graphical expressions, in line with the standards developed by relevant ESOs. The standards for graphical expressions came into effect in October 2018, as such these MS may have introduced similar schemes prior to this. There is no comprehensive and coherent database to assess the use of those graphical expressions in Member States.

The common methodology for alternative fuels unit price comparison came into effect by 07 December 2020 under Commission Implementing Regulation 2020/858. To support implementation of this Regulation, the Commission issued a programme support action (PSA) under CEF for Transport³². It aims to pilot different options of price comparison to support, ensure consistent implementation of Article 7(3) of the AFID and develop an online portal to display fuel prices and costs. ³³Aside from this, there has been little action taken by MS to implement this article.

Open data for geographical location of AFI

AFID intends to facilitate exchange of data. There is no comprehensive information for all Member States that information on infrastructure was provided via databases, containing information on location, prices, accessibility and status of recharging and refuelling points. From the analysis of the NPFs and NIRs, AT, BE, FR, HR, LT, LU, PL, RO, SI and ES all stated that they have introduced specific measures on publishing data on AFI. As part of the survey underpinning the evaluation support study, five national authorities³⁴ stated that they share information accordingly.

The Commission has also supported the implementation of Article 7(7) through another Programme Support Action on data collection related to recharging/refuelling points for alternative fuels and the unique identification codes related to e-Mobility actors (IDACS)³⁵. Starting in January 2019, 16 Member States work together to set up harmonised identification codes for charging point operators, implement ID registration repository for exchanging information on these ID codes and ensure that all data of infrastructure of electricity and hydrogen is readily available.

3.3 Status of markets for alternative fuels vehicles and infrastructure

An overview of the current status, broken down by fuel type and transport mode has been prepared through the report on the state of the alternative fuels transport system in Europe³⁶. Moreover, the Commission has provided a full assessment of the status of markets as part of its recent report on the application of the Directive³⁷. The evaluation draws on those assessments and summaries the status of markets below.

3.3.1 Electricity

Electricity for Road Transport

At EU level, the data provided by EAFO points to six-fold increase in the total number of electric charging infrastructure between 2014 and 2019, from 25,268 to 165,106

³² http://fpc4consumers.eu/

 ³³ Greece is coordinating the project and the Netherlands, Finland, Germany, Croatia, Spain, Portugal and France are participating.
 ³⁴ Luxembourg, Belgium, Austria, Poland and Romania

³⁵https://ec.europa.eu/transport/content/programme-support-action-addressed-member-states-data-collection-related_en

³⁶ <u>https://op.europa.eu/en/publication-detail/-/publication/fd62065c-7a0b-11ea-b75f-01aa75ed71a1</u>

³⁷ COM/2021/103 final

recharging points. The number of EVs (BEVs and PHEVs) during the same period increased at an even higher rate (9.4 times) with the share BEVs remaining rather stable (ca. 60%). The EAFO data also point to a significant increase in the number of fast chargers (>22kW) per 100 km of highway (from 2 per 100 km in 2014 to 20 in 2019).

Fast chargers represented in 2019 around 10% of the total public chargers, up from 5% in 2014. According to T&E, there were approximately 780 ultra-fast chargers³⁸ in Europe at the start of 2020. Germany has the highest number of ultra-fast recharging points (269), representing approximately a third of the network. Other MS with a significant number of ultra-fast recharging points are the Netherlands (98) and France (88).

At EU level, the number of charging points per million population increased from 112 in 2015 to 376 in 2019. The increase of recharging infrastructure at EU level is not equally spread across MS. A small number of MS are far ahead in terms of the density of the network while others are still at the very early stages. At the same time, among the frontrunners there have been different levels of development of fast infrastructure.³⁹

All Member States have seen an overall increase in the number of electric vehicles from 2015 to 2019. Vehicle fleets increase has been fragmented across Member States though. Except for Sweden, the Member States with the greatest increase in electric vehicles per million population from 2015 to 2019 are also those with a corresponding high increase in recharging infrastructure.

Electricity for waterborne transport

In relation to electricity installations in sea/inland ports, in 2015, there were 20 maritime ports in the EU providing shore side electricity (SSE) supply (high or low voltage). By 2019 this had increased to 44 ports.⁴⁰.Out of the 44 EU ports, 22 are ports on TEN-T Core Network and 11 are ports on the TEN-T Comprehensive Network out of a total of 186 Core ports (104 maritime and 82 inland) and 394 comprehensive ports (225 maritime and 169 inland). In total, there were over 189 berths with SSE in these EU ports with voltage ranging from 0.4 to 11 kV and power ranging from 0.015 to 10 MW.

In terms of vessels powered by electricity, EAFO includes only data on the global seagoing fleet for 2020 with no corresponding data for inland shipping. As of May 2020, there are 101 seagoing vessels using SSE, of which 53 (52%) are pure electric and 48 (48%) are plug-in hybrid ships. There are a further 125 hybrid vessels that do not require electric infrastructure in ports.

According to report on the State of Alternative Fuels transport systems, there are 166 battery-powered vessels in operation, of which 56% are passenger ferries⁴¹. Furthermore, less than 0.5% of inland waterway vessels are hybrid or electric. Interviews with ECSA and ESPO stated that OPS is available in only a limited number of ports.

³⁸ This number includes recharging points above 100kW in Europe (including Norway, Switzerland and UK) and excludes the Tesla Supercharger network.

³⁹ For example, Netherlands has only a small share of fast charging infrastructure (2.1%) in comparison to a much higher share in Germany (15.1%). Other countries with high levels of EV infrastructure include Belgium, Sweden, Austria and Denmark with around 500 charging points per million population

⁴⁰ European Commission, State of the Art on Alternative Fuels Transport Systems in the European Union – 2020 Update (2020).

⁴¹ <u>https://op.europa.eu/en/publication-detail/-/publication/fd62065c-7a0b-11ea-b75f-01aa75ed71a1</u>

Electricity supply in airports

An ACI EUROPE survey in 2018 based on the replies of 51 airports, found that 42 of them (82%) provide Fixed Electrical Ground Power to aircraft on-stand.⁴² In the same survey, 86% of respondents reported that their vehicle fleet included electric vehicles and 47% included hybrid models. Furthermore, an interview with ACI noted that there are an increasing number of airports offering fixed-electrical ground power. However, it does not work for all types of operation, particularly low-cost airlines with short turn-around times.

3.3.2 Natural Gas

In comparison to the electric charging infrastructure, the increase in the level of natural gas (CNG/LNG) infrastructure has been more moderate, but this also reflects the fact that the natural gas infrastructure is much more centralised and with much higher throughput per station. It also reflects the moderate increase in CNG vehicle fleet that only increased by around 20% between 2014 and 2019 while the number of LNG vehicles remained low in 2019 with only 4,540 registered vehicles. In the case of CNG, a network of around 3,000 stations was already in place in 2015 (mainly in Italy and in Germany). This increased by 20% (ca 3,500 stations), largely in line with the increase in the number of vehicles. The increase in the share of LNG stations was much greater (3.8 times) albeit from a much lower starting point.

CNG

In terms of its distribution, the CNG network is concentrated in a few MS. The greatest share of filling stations are located in Italy (1,391 in 2019) both in absolute and relative terms, representing close to 40% of the total filling stations in the EU. Other countries with high number of CNG infrastructure are DE (854), SE (192) and CZ (207). Accounting for population, AT and BG also display a high number of refilling stations. Since 2015, most investment in CNG filling station has taken place in Italy (217 new stations), followed by the CZ (99) and BE (87). Conversely, some Member have been reducing the number of CNG refuelling points, namely, AT, DE, PL, and LU.

In terms of vehicles, Italy represents almost 80% of all CNG vehicles in Europe, with a ratio of 822 vehicles per refilling station. Other MS with a high ratio are Poland (309), Sweden (295) and Finland (213). Italy has also had the greatest increase in number of vehicles since 2015 (103,106), followed by Belgium (16,543) and Czech Republic (11,747).

LNG

LNG for road transport

At the end of 2019, LNG fuelling infrastructure was available in 15 Member States according to the EAFO. Italy had the greatest number of refuelling stations (59) followed by Spain (49). However, in terms of per-capita of population, Finland, Netherlands and Sweden have the highest number of infrastructure. Since 2015, the number of refuelling points at the Union level has increased almost fourfold, with a significant increase in infrastructure in Italy (47 new stations), Spain (49) and France (32).

⁴² https://ec.europa.eu/transport/sites/transport/files/2019-aviation-environmental-report.pdf

Heavy-duty vehicles make up 99% of LNG vehicles in the EU. Italy had the greatest number of vehicles (1,907) followed by Spain (1,462), although Netherlands had the greatest number per million population (33.3).

LNG for water transport

In relation to water transport, in 2018 there were 16 maritime ports in Europe that had LNG refuelling points in operation.⁴³ Most of them were located in Belgium, Spain, France, Lithuania, Netherlands, Portugal and UK. At the beginning of 2019, there were 85 large-scale operational LNG tanks installed in 35 ports in EU, mainly in Spain (29 tanks in 9 ports) and Italy (8 tanks in 3 ports). Furthermore, according to the EAFO, there were 50 LNG powered seagoing vessels in Europe (excluding Norway) at the end of 2019, which will increase to 67 in 2020 according to forecasts. There are still a number of LNG ships on order and it is estimated that the total fleet will increase to approximately 92 ships .

Concerning inland navigation, there is no specific data available. However, in 2018, it was considered to be sufficient LNG bunkering to meet the demand for the very low number of LNG vessels in use.⁴⁴ There are 14 LNG inland vessels operating in Europe today, of which 9 are tanker vessels, and a further 12 on order (European Commission, 2020).

3.3.3 Hydrogen

Hydrogen for road transport

At EU level, the number of hydrogen filling stations in operation across the EU in 2019 was still very small (127), up from 35 in 2016 and 39 in 2018. The number FCEVs has also increased during the same period, but the total number of vehicles is still very small (around 1,200 at the end of 2019).

Moreover, hydrogen refuelling infrastructure is highly concentrated. More than half of the stations in 2019 (60%) were located in Germany (76), followed by France (14). In relative terms, Denmark has the most refuelling stations (1.7 per million population). In total, only 10 MS had at least one filling station in operation at the end of 2019. Most common types of hydrogen refuelling stations are the high pressure (700 bar) stations for road vehicles (108 according to EAFO). At EU level, the number of refuelling stations remained fairly constant until 2019 where there was threefold increase, with over 70% of new refuelling stations deployed in Germany.

11 Member States had registered hydrogen vehicles in 2019, compared to 7 MS in 2015. At the end of 2019, France had the greatest number of hydrogen vehicles (413) followed by Germany (266). Adjusting for population, Denmark and Netherlands have the most hydrogen vehicles with 18.1 and 13.6 vehicles per million population, respectively.

Hydrogen for waterborne transport

In recent years, there has been early adoption of hydrogen for waterborne transport, although the number of vessels powered by hydrogen is still extremely low. For maritime transport, there are three hydrogen vessels in operation and on order. Larger-scale demonstration projects are in preparation. In addition, the Commission funded a retrofit

⁴³ <u>https://op.europa.eu/en/publication-detail/-/publication/fd62065c-7a0b-11ea-b75f-01aa75ed71a1</u>

⁴⁴ https://op.europa.eu/en/publication-detail/-/publication/fd62065c-7a0b-11ea-b75f-01aa75ed71a1

of an inland freight vessel, which features a diesel-electric powertrain and can be powered by hydrogen. In terms of infrastructure, there is no data to report on.

3.3.4 Other fuels

LPG

In terms of infrastructure and vehicles, LPG was established as a fuel for road transport before the adoption of the AFID. There was a total of 8 million LPG vehicles in 2019, up from 7.3 in 2014 and the number of filling stations also increased along similar lines. However, year on year increase of LPG vehicles has decreased, with the number of new registrations of LPG vehicles representing only 0.9% in 2020 of total vehicle registrations, down from 3.5% in 2014.

At national level, LPG refuelling stations are present in all MS but Finland. Poland, Germany, Italy, Bulgaria and France are the countries with higher number of LPG fuelling stations and Bulgaria has the highest number when adjusting for population. However, while the overall number of refuelling points has increased in the EU from 2015 to 2019, several MS that have reduced the number of refuelling points in this period, including Bulgaria, Romania, Czech Republic and the Netherlands.

In terms of vehicles, at the end of 2019, Poland and Italy had the greatest LPG vehicle stock, accounting for almost 70% of all LPG vehicles in the EU. Since 2015, Italy has seen the greatest increase in the number of vehicles, while Poland's LPG fleet has reduced. Romania, Spain and Greece have also seen a large increase in the vehicle number during this period but in almost half of the MS there has been a reduction to the LPG vehicle fleet.

Biofuels

Data on the use of biofuels in transport are sparse and infrequently reported. Low blend bioethanol (e.g. E5, E10) is supported by traditional refuelling infrastructure, thus is widely available across the EU. However, high bioethanol blends (e.g. E85, E100) require adaptations to refuelling infrastructure, which has led to a more fragmented market, with some countries (e.g. Sweden) showing a clear preference for their use.

Of the high blend bio-gasolines, E85 is the most prominent and is available in 8 MS, according to EAFO. Sweden has the greatest number of E85 refilling stations (1,700), followed by France (1,000) and Hungary (403). There is an emerging market for ED95 in Finland, France and Sweden, although no specific data on the number of equipped refuelling points is available. In terms of biodiesel, there are 9 refuelling stations available for rapeseed methyl ester.⁴⁵

⁴⁵ <u>https://op.europa.eu/en/publication-detail/-/publication/fd62065c-7a0b-11ea-b75f-01aa75ed71a1</u>

4. METHODS AND IDENTIFIED LIMITATIONS

4.1 Methods

The evaluation uses different tools, developed in line with the evaluation methodology matrix. The evaluation support matrix was elaborated throughout the evaluation support study in order to answer the evaluation questions.⁴⁶ It identifies relevant operational questions, indicators, research tools and data sources and the approach to answer the questions. The evaluation matrix is included in the evaluation support study.

4.1.1 Desk research

An extensive literature review was carried out and a full list is provided in the evaluation support study. Key sources of data used for the analysis included Member State's NPFs and NIRs and EAFO. Other sources were selected on the basis of keyword searches, as well as taking on board suggestions from stakeholders.

4.1.2 Modelling

The PRIMES-TREMOVE model was used to help quantify the baseline no-policy change scenario as well as the alternative scenario. The alternative scenario includes policy changes triggered by the Directive. Comparing the baseline with the alternative scenario helps in the answering of evaluation questions. Annex 3 provides an overview of the development of the baseline scenarios, the alternative scenario as well as the results. The model provides the quantitative analysis for the transport sector in the EU27, covering transport activity, equipment, energy and emissions.

4.1.3 Stakeholder interviews

Interviews were conducted with a range of relevant stakeholders representing EU bodies, national and local authorities, industry representatives, members of the civil society (NGOs, consumer groups) and experts. The targeted interviews focus on cross-checking or complementing the information collected via desk research and collecting evidence and opinions in relation to the various evaluation questions. Further information is included in Annex 2.

4.1.4 Survey

Two surveys were distributed aimed at national authorities and regional, local and/or city authorities in EU Member States. The surveys focused on cross-checking or complementing the information collected via desk research and collecting evidence and opinions in relation to the various evaluation questions (see annex 2 for further information). The list of respondents to the survey is included in the evaluation support study.

4.1.5 Open Public Consultation

The OPC went live 6th April 2020 and closed on 29th June 2020 (12 weeks). The OPC takes account of both the evaluation and the Impact Assessment for the amendment to the Directive. In total, 324 responses were received.

⁴⁶ The external evaluation support study can be found at : add link once published

4.1.6 Data requests

Targeted data requests were sent to associations and representatives of people with disabilities. These requests were in the form of additional questions focusing on how the Directive takes into account the needs of people with disabilities (contributing to the Relevance questions). Four responses were received. Further data requests were sent to Member States responding to the survey to gain additional information on the specific budget allocated for the implementation of the adopted measures in terms of public funding / investment and excluding private investment (see annex 2 for information).

4.2 Identified limitations and action to remedy

4.2.1 Stakeholder consultation

There were a few challenges identified in the context of the evaluation support study and limitations inherent to the methodology:

The stakeholder engagement task aimed at involving all affected stakeholders. A variety of tools were used to collect the evidence needed for the evaluation, including an Open Public Consultation, interviews, survey and targeted data requests.

There were however a few limitations in the capacity to obtain relevant input. The wide scope of the Directive (in terms of transport modes and types of technologies covered) meant that it was not possible to organise interviews with multiple stakeholder from the various groups. Furthermore, it was not always possible to have input from national and regional authorities in multiple Member States. As such, for some questions the analysis is based on a small number of respondents that may introduce bias either because of their interest or because they may have an incomplete picture of relevant issues and developments. Additional targeted desk research was used to try to mitigate these limitations. Besides, stakeholder engagement activities were tailored in a way that aimed to minimise the time requirements for individuals, to avoid consultation fatigue.

4.2.2 Member State reporting

NIRs were a key input to this evaluation. However, the level of detail provided in the NIRs varies significantly among Member States both in terms of the measures adopted as well as to the financial allocations along different types of measures. Furthermore, as the focus was on reporting on the progress in relation to the targets, there was less information on the progress in terms of other aspects (interoperability, access to information). While the information was sufficient to establish an overall picture on the implementation and progress made, it was not fully useful when it came to assessing other aspects of the implementation of the Directive. To fill the data gaps, input from the national authorities (survey and data requests) along with desk research were used.

4.2.3 Assessing the role and additionally of the Directive

Besides the Directive and the national actions, multiple other factors drive the uptake of alternative fuels infrastructure including other policy developments as well as market and technological developments. The use of the well-tested PRIMES-TREMOVE model to define a baseline and alternative scenario helped to control some of these parameters. It allowed developing an assessment of the main impacts associated with the Directive.

Furthermore, during the course of the evaluation support study, various elements of the model (e.g. AFI cost assumptions) were refined to better reflect available information and recent developments. Nonetheless, the model does only allow assessing certain

aspects (mainly focusing on the adoption of AFVs, the impact on the transport sector and the associated environment impacts). Other aspects (e.g. related to ensuring interoperability, access to information) were not covered. In this case, input from multiple stakeholder groups was used to get a balanced information base.

5. ANALYSIS AND ANSWERS TO THE EVALUATION QUESTIONS

5.1 Assessment of the effectiveness of the Directive

5.1.1 Effectiveness in achieving the general objectives of the Directive

This section summarizes to what extend the Directive has been successful in (a) establishing a common framework of measures for the deployment of alternative fuels infrastructure, (b) minimising the import dependency on oil, and (c) mitigating the environmental impact of transport.

The analysis of both the NPF and the NIR suggest that the Directive has only **partly succeeded in developing a clear and consistent policy framework** for the promotion of alternative fuels infrastructure across the EU. They are not coherent at EU level. NPFs prioritise different alternative fuels and include different ambition levels, yielding an uneven spread of infrastructure. For example, the share projected by Member States for electric cars in the total car fleet for 2030 varies between less than 1% and more than 40%.

Few NPFs define corresponding targets for infrastructure or stated their deployment status. Often, the support measures seem not to be fully adequate to ensure that the national targets and objectives of the NPFs would be reached. In most cases the measures were not fully implemented or were not considered to be comprehensive (scope and expected effect) and quite often there was not enough information on the state of play. The majority of Member States identified measures in relation to electro-mobility and in terms of promoting alternative fuels infrastructure in public transport. Few Member States have addressed other types of alternative fuels infrastructure.

Consequently, the measures adopted/proposed and the targets set could lead to a market fragmentation at EU level and even among neighbouring Member States. The analysis of the NIRs shows that there is still significant divergence among Member States concerning target setting and measure description. This divergence aggravates a coherent assessment of Member States' ambition towards the development of a network of alternative fuels infrastructure in the EU.⁴⁷

To summarize, Member States took action to identify targets and measures due to the Directive. However, those actions do not sum up to a comprehensive common framework of measures across the EU. However, the implementation of the measures adopted under the AFID enabled the uptake of alternative fuels vehicles. The CO_2 standards are the main driving force for vehicle demand, but deployment of infrastructure is supportive to this uptake. This impact of AFID would become more pronounced as the penetration of AFVs increases and more users become reliant on public accessible alternative fuels infrastructure rather than what is deployed privately by the early adopters.

⁴⁷ Most Member States have provided estimates for the uptake of electric vehicles and provided targets for the deployment of electric rechargers for the year 2020. However, only around two thirds provided data on targets for 2025 or 2030. Target setting for other alternative fuels infrastructure is more limited. Around half of the Member States provide targets for CNG and for LNG. Only around one third of Member States have set targets for LNG bunkering and Onshore Power Supply (OPS) for both maritime and inland waterways. Finally, around half of the Member States opted for setting targets for road hydrogen infrastructure.

The evaluation finds a relative increase in the number of alternative fuels vehicles in the period since the adoption of the Directive (2014) with a net increase of 3.6 percentage points in comparison to the baseline. Nonetheless, the overall share of those vehicles remains limited (less than 7% of the fleet in 2019, more than half of which include LPG vehicles). The alternative fuels vehicles market is still in its early stages. Similarly, the number of alternative fuels infrastructure has also increased in relative terms since 2014, though the number of AFI remains small in absolute numbers.

The early stages in the development of the market make an assessment of the impact on the operation of the market difficult. High barriers to entry are mainly associated with the costs of upfront investment with high uncertainty as to the capacity to get a high returns, most evident in larger, more expensive AFI such as hydrogen. There is no evidence of dominant positions among the players active in the market. There are currently no dominant EU-wide players, with most providers focusing on one or a few national markets.

The assessment on the **impact of minimising oil import dependency** in transport sector is difficult. The transport sector has maintained a high share of the total consumption of oil products in Europe (close to 66% of total in 2018)⁴⁸ and has a high oil dependency⁴⁹ (93 % in 2018). At EU level, 87% of these oil products came from imports outside the EU (2018 data), although this varied among EU Member States⁵⁰.

It can be safely assumed that oil importing countries will reduce their overall oil imports under the alternative scenario compared to the baseline scenario. However, a quantification of the impacts has not been possible since it requires an in-depth analysis of the implications at Member State level and assumptions on what the approach they may follow in the case of lower petroleum product energy needs (e.g. in terms of shifts to alternatives). Nonetheless, a reduction on the level of imports is expected.

Concerning the **mitigation of environmental impacts**, there has been very limited change in terms of the level of Tank-to-Wheel (TTW) CO_2 emission up to 2019, in comparison to the baseline. The analysis also pointed to a very small contribution to the reduction of CO_2 emissions in transport (net decrease by 0.2% by 2019), the consumption of oil products in transport (net decrease of 0.2% by 2019) and the share of energy from renewable sources (net increase by 0.1% by 2019). Similarly, there has been a small positive impact on the level of pollutant emissions by 2019 (0.2% reduction of CO, 0.3% reduction of NOx and 0.5% reduction of PM). Savings in the road transport sector are largely due to other policies, such as the post-2020 CO_2 emission standards for cars and vans.

The analysis points to an expected positive and more sizeable contribution of the implementation of the Directive in terms of the uptake of vehicle and the development of infrastructure post 2020.

5.1.2 Effectiveness in achieving the specific objectives of the Directive

This section summarizes to what extend the Directive has been successful in (a) ensuring sufficient rollout of alternative fuels infrastructure (b) ensure full interoperability, (c) support adequate consumer information and d) efficient integration of electric vehicles

⁴⁸ According to Eurostat, the transport sector represented 47.5% of total oil consumption in 2018, aviation 9% and shipping 9%.

⁴⁹ Figure includes international maritime.

⁵⁰ Eurostat

and compliance with electricity market operations. The Directive has **addressed its specific objectives to some extent**.

A considerable increase in the deployment of alternative fuels infrastructure since 2015 can be detected, driven mainly by recharging infrastructure, but it is not considered sufficient in view of the need of a dense, widely spread network of alternative fuels infrastructure. The number of publicly accessible charging points currently exceeds the recommendation in the Directive of 10 vehicles per public accessible charging point. For hydrogen infrastructure, the relative level of development of the network has also been significant, albeit at very low level. For natural gas infrastructure, there is already quite some network maturity, which explains a low development trend.

The increased number of recharging points hides significant differences across Member States. There are clear frontrunners (mainly in Western Europe), while other markets (mainly in Central, Eastern and South Europe) are lagging behind. 14 Member States have either exceeded or have been close to their targets (>75%), eight were below 50% of their 2020 targets⁵¹.

The Directive had a **considerable impact on interoperability of alternative fuels infrastructure**. The Directive has ensured standardisation of recharging plugs early on in the development of the market and has avoided the situation of multiple standards being used by players in different markets for a long period. Through delegated acts it has helped to address outstanding standardisation needs in the field of recharging and refuelling infrastructure in road and waterborne transport. Technical specifications (e.g. plugs) provided greater certainty to investors, backed by available public support at EU and national levels.

There are shortcomings to the current list of technical specifications requirements under the Directive. Standardisation of communication protocols and of payment systems are not under the scope of the current Directive. Ad-hoc payments are often restricted by the need to use specific web apps or RFID cards. However, most stakeholders expects that functionality of roaming platforms and peer-to-peer network access agreements will vastly improve and reduce the need for multiple contracts and make simple contract based charging solutions more common, while improving ad-hoc payment remains relevant.

In terms of **consumer information, there are still limitation** in terms of the availability of information on the location of AFI infrastructure, despite the increasing coverage provided by a number of online platforms and apps. Information on pricing and price comparison are even less developed, albeit with differences among Member States. However, action by some Member States in the context of the AFID (and on the basis of EU funded Programme Support Actions) should further contribute towards better availability and quality of information. There was limited input on the role of the already adopted standards of fuel labelling at pumps and nozzles. The gas industry representatives and the users representative provided a positive assessment, considered that the relevant standards have already played a positive role although also indicating that these have not been applied across all Member States.

When it comes to the **integration of electro-mobility to the electricity system**, the evaluation identifies a mixed picture. Public authorities largely considered that

⁵¹ COM (2021)103 final

consumers can choose a different supplier for electric vehicle charging than for their general electricity supply and that DSOs cooperate with any charge point operator on a non-discriminatory basis, but other stakeholders questioned this assessment. However, there was large consensus that smart charging infrastructure deployment is much less advanced. However, the implementation of the Electricity Market Design Directive (EU) 2019/944 can lead to a greater impact; the role of AFID in this area is limited, as public accessible recharging infrastructure is not really used for smart recharging services.

5.1.3 Which external factors and developments have contributed or hindered to the achievement of the objectives?

In terms of the role of the alternative fuels vehicle uptake the supply of infrastructure has been in most cases higher than the level of demand and was mainly driven by the public sector financial support in the initial phase. However, this is changing with increases in the sales of vehicles being primarily driven by the new CO_2 standards for cars and vans: they create demand for further infrastructure investment particularly for charging points; but policy responses to alternative fuels infrastructure long-term planning depend strongly on the willingness of Member States to take action, as the assessment of the NIR shows. In the case of other types of infrastructure, the level of development of the market and the number of vehicles and vessels is still either at low initial levels (hydrogen, electricity for ship propulsion) where the viability of the relevant infrastructure on a purely commercial basis is still questionable or there is no real policy impulse. For example, the CO_2 emission standards for cars and vans, focusing on tailpipe emissions, do not set strong incentives for the uptake of gas vehicles (e.g. CNG).

The impact of the implementation of the Clean Vehicles Directive (2009/33/EC) on infrastructure provisioning has been very limited. This was due to the important limitation of that Directive: it has not made any significant contribution to the demand for clean vehicles and, as a consequence, to deployment of related infrastructure, leading to its revision in 2019. The revised Directive (2019/1161) sets binding minimum requirements for the procurement of clean vehicles and is expected to have a positive effect by ensuring demand for clean vehicles, though mainly in the segment of buses. The Directive will hence trigger particularly demand for the development of the bus recharging and refuelling infrastructure in bus depos/stations.

The Energy Performance of Buildings Directive (EPBD) (2018/844) complements the AFID by promoting the deployment of private charging points, but it was just revised in 2018. Private charging represents more than 90% of charging. It will maintain a very high share in the future. The current provisions of the EPBD focus primarily on certain new and renovated buildings (residential and non-residential) that represent a small share of the stock and introduce additional exemptions. While it is still too early for a proper assessment of its contribution, many stakeholders raised doubts as to how much should be expected from the implementation of that Directive.

5.1.4. Effectiveness of monitoring of impacts

Reporting requirements have generally had a positive role in creating a common framework for the presentation of the relevant information on both the development on the supply and demand of infrastructure and the relevant measures taken by Member States. AFID represents an important improvement in comparison to a situation where information would only be available through market reports or individual initiatives of Member States without a common reference framework. An important part of the information on market development is also included in the EAFO portal that includes detailed data on the development of infrastructure per Member State. As such, this is an area where the MS reporting is probably of less added value. Shortcomings apply to reporting on measures, national policies and future targets at national level.

While the most recently submitted NIRs are more consistent with the template provided by the Commission, there are still important gaps among MS in terms of the level of information provided with only a subset of NIRs submitted being in full compliance with the guidance on information requirements. The shortcomings in the overall reporting and the quality of underpinning data has aggravated the common assessment of national implementation reports.

The frequency of reporting (every three years) and the support provided was considered by most stakeholders as generally adequate. Only a few Member States reported some problems, none of which appearing to be of particular concern.

5.1.5 Effectiveness of the overall focus of the Directive

The analysis suggests that the focus of the Directive on the urban agglomerations and the core network was in line with the need to cover larger part of the population with greater level of (potential) demand. At least in the case of electromobility, many Member States adopt such prioritisation in their NPFs and the national policies, and, explicitly or implicitly, targeted their efforts in urban areas and the core TEN-T network. This appears to be particularly the case for the less advanced MS that are still in the initial stages in the development.

At the same time, most stakeholders suggest that an approach without AFID and building solely on market deployment would have led to an even higher level of concentration in the larger agglomerations and part of the core network. AFID – through the respective national support measures – has played a role in ensuring a more widespread development of the network. As such, it possibly contributed to a broader geographical scope that would have been the case in the absence of any intervention.

At the same time, there are still important gaps across the network with secondary parts of the network and rural areas much less covered, particularly in some Member States. An important number of stakeholders link this to the prioritisation of the AFID and the focus of the associated financial instruments used (particularly CEF).

In relation to waterborne transport, the prescribed focus on TEN-T core network for the development of LNG infrastructure has a limited impact. Member States appear to have adopted different approaches, some focusing exclusively on the TEN-T core ports, other including ports in the comprehensive network in their future targets for 2025 and 2030. But the very early stage of market development does not allow for a real gap analysis, as there is little action anyhow.

5.1.6 Unintended positive and negative effects

The evaluation support study did not point out important unintended or unexpected effects. It did identify some second order economic, social and environmental effects, most of which are positive.

More specifically, it pointed to positive economic impacts from the development of new services associated with the provision of infrastructure-related services across Member States. Linked to that is the associated new job creation in both the manufacturing and services sectors. From the environmental perspective, stakeholders pointed to a potential

contribution to noise reduction from the gradually increasing use of electric vehicles primarily in urban areas. However, a measurable impact can only be expected only after 2030 when the share of BEVs increases significantly and is mainly due to the CO_2 standards for cars and vans. Finally, from the spatial perspective, public authorities pointed to the challenges that arise from the need to ensure an effective integration of network development. Specifically in relation to electro-mobility, authorities pointed to the practical implications from the increasing designation of charging spaces for the overall availability of parking space, with different approaches adopted across MS to address them. This area is, however, not under the competence of the Directive.

5.2 Assessment of the efficiency of the Directive

5.2.1 Proportionality of cost

The evaluation support study finds that **cost have largely been proportionate to the benefits**.

The analysis of the cost of implementation of the AFID has shown that the majority of **cost incurred by Member States** are related to the implementation of the support measures within the AFID. These included administrative support and policy support measures, as well R&D support measures. According to the information from 23 NIRs a total of $\in 8.3$ billion (including $\in 1.6$ billion from the UK) was allocated by MSs during the period 2016-2019).

Taking into account variations in terms of country size, budget allocations among Member States still varied greatly reflecting the level of ambition and support provided and ranging from only \in 3 million to close to \in 2.7 billion. On a per billion GDP basis there was also significant variation ranging from \in 0.44 million per billion of GDP to as low as 0.04. In terms of the distribution of costs by type of measure, the largest share was in relation to the implementation of various policy support measures (on average 62% of the total budget), followed by support for research, technological development and demonstration (23% of allocated budget), and deployment and manufacturing support (15% of the budget).

In terms of the allocation by fuel type, support for electromobility represented the largest focus area of allocated national budgets (69% of the total budget; \in 5.7 billion) reflecting the fast development of AFI in this area. Support for hydrogen for road transport represented the second largest share (19%; \in 1.6 billion) while support for natural gas infrastructure (CNG/LNG) was 9% of the total (\in 697 million). The amount allocated to waterborne transport was much more limited (\in 169 million to LNG for maritime; and \in 106million to LNG for IWT; 3% of the total).

Other cost elements, such as cooperation with other Member States on cross-border measures and at an EU-level for knowledge exchange, are not as significant.

Total costs for the NPFs across all Member States were estimated at around $\in 5.3$ million with a weighted average cost per MS of $\in 196,000$. However, this ranged greatly with one MS reporting $\in 1.1$ million while others pointing to no costs (presumably not including the human resources allocated to the development of the NPFs). The costs for the development of the NIRs were estimated at $\in 3.4$ million with a weighted average cost of $\in 126,000$. It ranged from $\in 671,000$ to no costs as reported by five authorities.

The PRIMES-TREMOVE model was used to determine whether the benefits achieved by the implementation of the AFID are proportionate to the costs. In terms of the costeffectiveness of the intervention, the analysis of the net infrastructure investment costs (public and private) versus the costs to the transport system (including the external costs of CO₂ emissions) suggests that over the whole period 2021-2050 analysed there is net decrease in the costs of \in 27 billion. This is mainly a result of the important net cost reduction towards the end of the period (2041-2050) where most of the benefits from the significant increase in the share of electric vehicles would arise.

The total level of investment in alternative fuels infrastructure to-date is shown to differ between fuel types and modes of transport, with road attracting higher investment than waterborne and recharging infrastructure attracting higher investment than refuelling infrastructure. A comprehensive quantitative analysis of the extent of the private sector share of AFI investment was not carried out, due to a lack of available data and information. The data has not been collected in a centralised way, which prevents a quantitative analysis at EU-level and at Member State level.

National authorities pointed to a moderate role of the AFID in terms of increasing private sector investment in AFI: responses indicate that the private sector would also have invested in AFI in the absence of the AFID. There appears to be a higher level of private sector share of investment for countries with a higher GDP or with a more developed infrastructure network. According to national authorities, private investments in other fuel types such as hydrogen, electricity for inland waterways transport and electricity for stationary airplanes at airports has stayed roughly the same, at low level, over the last three years.

Feedback from industry stakeholders, promotional banks and responses to surveys note that recharging infrastructure is taking priority in terms of private sector investments – this is due to the fact that it is the market with the highest vehicle demand.

5.2.2 Could the same or better results have been achieved at lower costs for public authorities by a different approach?

The limited data did not allow the evaluation to reach specific conclusions as to whether the results could have been achieved in a more cost-effective way. The input from stakeholders suggests that there are no areas of significant inefficiencies. Most national authorities and industry stakeholders were very supportive of the role public financing has played to-date. This is both, in terms of AFI rollout and in establishing the network on a commercial basis.

There are clear differences in the cost-effectiveness of the deployment of alternative fuels infrastructure when considering the NIR budget allocations in comparison to the numbers of infrastructure deployed – these differences are evident between Member States and between fuel types. Deployment of electromobility infrastructure represents the most cost-efficient across Member States, likely due to the more mature market for electromobility and lower costs for the infrastructure. Contrastingly, the rollout of hydrogen was regarded to be the least cost-efficient, likely due to the relative immaturity of the market.

Many stakeholders noted that a more coordinated approach to setting targets (i.e. at EU level) could have led to lower levels of fragmentation amongst Member States, thereby leading to increased investment in infrastructure and potentially lower costs to public authorities by improving the efficiency of the rollout. This evidence is however based on individual assessments. There are cost-effective measures used at Member State to support the deployment of the AFI network, which could lead to lower costs for public

authorities when used at EU level; however, there is no unified consensus among stakeholders.

5.2.3 Is there potential for simplification of the provisions?

The analysis indicates that there is little simplification potential, and there is a strong majority of stakeholders pointing out that the Directive does not lead to unnecessary cost for target groups. Focusing on specific aspects, the analysis concludes that there is little need for simplification of the provisions and requirements of the Directive in terms of the development of the NPFs and relevant measures (Articles 4-6), the national reporting requirements (Article 10), and other articles.

One potential area for further improvement is related to the requirements for user information under Article 7, where some (5 out of 23) national authorities and some industry stakeholders noted that requirements related to fuel price comparisons can be simplified. This aligns with the findings of EQ2, which highlighted that it is an area that could be further improved but not removed.

5.3 Assessment of relevance

5.3.1 Relevance of the general and specific objectives

The analysis of issues and challenges confirms that the **general and specific objectives were relevant at the time of adoption of the Directive, and maintain their relevance at present.** Relevant challenges identified at the time of adoption of the Directive include shortcomings in infrastructure, technological interoperability and commercial profitability or lack of consumer acceptance. However, consumer acceptance is becoming less relevant, as increase in vehicle availability and decreases in purchase price will contribute to such vehicles becoming more and more accepted by customers.

Intervention at EU level is still relevant as required by most stakeholders to ensure a coherent policy framework for a variety of alternative fuels to achieve cross border continuity, avoid varying national implementation, and to promote common standards.

The analysis also pointed to questions concerning the ongoing relevance of the scope and priorities set in the Directive in view of the new policy objectives. More specifically:

- The need to review the provisions for infrastructure distributing gaseous fuels and their compatibility with a full decarbonisation pathway (including needs for blending with bio-methane)
- The extent that current AFI deployment targets developed in the context of the NPFs are not sufficient to meet future developments, as anticipated by policy initiatives developed in the context of the Climate Target Plan and the Smart and Sustainable Mobility Strategy.
- The extent that the current scope of the Directive is sufficient or whether there is a need for the inclusion of other sectors/modes including public transport, commercial vehicle operations and aviation.

5.3.2 Relevance in view of new challenges

Since its implementation in 2014, there have been a **number of developments and trends that are likely to impact on the uptake of vehicles, but are not addressed through AFID**. Connectivity and digitisation of vehicles, and new mobility patterns and

business models make it even more important that information and data provision from AFI is standardised and consistently made available for integration with other digital transport and electric grid services.

New alternatively fuelled technologies (including for example electrified road infrastructure, or provisioning of new low-carbon and renewable transport fuels in waterborne or aviation transport (e.g. hydrogen/ammonia) are not reflected in the current AFID. Developments in the trucks market following the introduction of the CO_2 standards for trucks also suggest that more focus may need to be placed at addressing alternative fuels infrastructure for the commercial vehicle sector specifically.

Challenges, issues and obstacles relating to interoperability of AFI with consumer services include particularly better access to information on the availability of charging and refuelling points (need for real-time data and information on the availability and maintenance of charging points – local and international users). There is a lack of transparency in payments and unfair pricing models. There are issues relating to the methods of payment accepted for charging that need to be addressed, ensuring accessibility for all users. There is also a need to consider how recharging and refuelling points could become more accessible to persons with disabilities and elderly, but those are also subject to local circumstances.

5.4 Assessment of overall coherence

5.4.1 Assessment of internal coherence

In general, the analysis suggests that the **provisions of the AFID are internally coherent**, with some minor issues around fuels definitions.

The desk analysis noted that there were some examples where the treatment of different fuels might have benefitted from being more consistent. For example, only biofuels are explicitly defined, with reference to another Directive. While a definition for all of the fuels and energy sources covered might not be needed, for the avoidance of ambiguity the CN codes of the fossil fuels covered could have been stated (as they are in other fuel-related Directives), while 'synthetic and paraffinic fuels' could have been defined in the Directive or, ideally, with reference to a definition in a piece of EU fuel-related legislation, rather than in a recital of the AFID.

With respect to definitions, the evaluation suggests that the definition of 'high power recharging point' is no longer relevant, while more recent electric vehicle recharging technologies, such as wireless charging and electric road systems, are not defined at all. Furthermore, the definition of recharging points, in particular, those that are 'publicly accessible' would benefit from further refinement. It was also noted that there are different interpretations in different Member States, as to what can be classified as biogas, in terms of its origin. This is however, not legislated under AFID.

5.4.2 Assessment of external coherence

The evaluation found **no real issues with the coherence of the purpose of the AFID compared to other relevant legislation**, although it did identify some issues with respect to the scope of some other legislation compared to the AFID.

Some stakeholders noted to the need to better differentiate the origins of fuels provided to ensure that only fuels with a clear value added for emission reduction are considered. However, the main focus of AFID is on providing public accessible infrastructure,

whereas fuel and emission related aspects are dealt with under other EU legislation (Renewable Energy Directive, Fuel Quality Directive, CO_2 standards for cars and vans or heavy duty vehicles). Also as regards urban mobility, some stakeholders noted the need for better alignment of sustainable urban mobility plans (SUMP) and implementation of AFID.

In relation to the implementation of the electricity market design Directive, some stakeholders suggested that this Directive was not coherent with the aims of the AFID as it limited the number of potential investors by not allowing distribution network operators to install electric vehicle charging points unless there is substantive market failure.

Most of the financing instruments and technical assistance joint initiatives reviewed do not explicitly identify or define what they mean by alternative fuels for transport, even though they all aim to support these in some way. The exceptions to this are the CEF Regulation and ELENA, which explicitly refer to the AFID's definition of an alternative fuel. Hence, these can be considered to be coherent with the AFID.

AFID focuses on the implementation of infrastructure for alternative fuels that require an infrastructure distinct to the one used for distributing conventional transport fuels. Under the evolving strategic context for the sustainable mobility transition, there is a clear emphasis of the fact that all transport fuels have to fully comply with the requirements for achieving climate-neutrality in the EU. As such, the AFID is not incoherent with provisions of the long-term climate strategy or more recently the Green Deal Communication or the Climate Target Plan as the topic of decarbonisation of fuels is subject to other legislation than AFID. Hydrogen and natural gas refuelling infrastructure in all modes of transport is necessary to ensure that low-carbon and renewable fuels (clean hydrogen, biogas, synthetic gas) can be distributed.

5.5. Assessment of EU Added Value

The intervention at EU level is still required and has provided, in spite of all the identified limitations, an EU value added. There is general consensus among stakeholders that EU level intervention brought benefits (in terms of the effectiveness towards achieving key objectives, as well as in terms of efficiency and possible synergies) beyond that which would have been possible with action at national or local level alone.

There continues to be an important role for the EU in creating a coherent policy framework for a variety of AFs, and action needs to be intensified going forward to guarantee cross border continuity, avoid any further varying national implementation, and to promote common standards. Analysis of NPFs and NIRs support this, with continued gaps in targets and objectives highlighting the scale of the challenge and that further action is required. The recent increasing EU Green Deal decarbonisation targets also raise the pressure for ongoing policy action.

What has limited the EU added value is the absence of clearly defined and quantified requirements for alternative fuels infrastructure deployment. Not all Member States have decided to act and invest in deploying an 'appropriate number' of infrastructure deployment, as it has been open to interpretation. This has resulted in a divergent target-setting under NPFs that on average does not lead to the ambition needed to effectively contribute to the increased climate ambition for 2030 and the transition to climate neutrality in 2050.

The development of a common framework in the context of the AFID has, despite its limitations, contributed towards avoiding the fragmentation of measures in relation to the promotion of alternative fuels infrastructure, supporting the development of the overall infrastructure network, creating a level playing field within the industry and facilitating the free circulation of alternative fuels vehicles throughout the EU. All Member States have seen an increase in the level of refuelling and recharging infrastructure that, despite the gaps, suggest a relatively more coherent network with fewer gaps that what would have been the case in the absence of EU intervention. Electricity recharging infrastructure has seen the greatest momentum over past years, where Member States set the greatest number of targets and where the market is more developed and most investment has taken place.

Furthermore, through encouraging interoperability, relevant technical standards and setting of targets on similar timescales, EU level action has provided some cost savings and better value for money by facilitating economies of scale, avoiding duplication of effort and resources, and providing funding investments for infrastructure. The implementation of the AFID (and its supporting activities) have facilitated cooperation and information exchange on alternative fuels between MSs, industry experts and the Commission which would likely not exist without it.

At the regional/local level, stakeholders' input suggests that relevant actions/measures adopted would not have been implemented without the EU intervention. These included regional action plans for infrastructure planning and deployment; standards/technical specifications for charging infrastructure and financial instruments and guidelines.

In contrast, EU added value appears to have been more limited in those areas where the legislation does not clearly require Member States to take action, but where there is also no provision at EU level, including particularly the area of infrastructure use services.

Stakeholders noted that if EU action in the form of the AFID were to stop, in general this would negatively affect the capacity to address the issues covered by both the general and specific objectives at national level. Certain Member States would be less able to effectively develop a common framework and would revert to conventional fuels vehicles. The analysis of both the baseline and alternative scenarios using the PRIMES-TREMOVE model has highlighted that, in the absence of the EU intervention, a less developed, more limited network of AFI could be expected, where AFI is also likely to be more concentrated in a smaller number of MS by 2030.

6. CONCLUSIONS

The Alternative Fuels Infrastructure Directive was adopted in order to establish a common framework of measures to support roll-out of public accessible alternative fuels infrastructure in the EU. It should support a sufficient network of recharging and refuelling infrastructure, interoperability of infrastructure, adequate consumer information and effective vehicle integration into electricity grids.

This evaluation finds that the Directive has been slightly effective in achieving its objectives, namely by triggering policy action at the level of Member States. Back in 2014 when the Directive was adopted markets for alternative fuels vehicles and infrastructures were in an early stage of development and in many Member States no specific policies for alternative infrastructure policy existed. Member States have transposed the Directive and developed their National Policy Frameworks (NPFs). Those policy frameworks have started to help building a long-term forward-looking perspective

on infrastructure for electricity, natural gas and hydrogen until 2030 in Member States, although to different extent and detail.

Through the Directive and delegated acts under that Directive, technical specifications on recharging and refuelling infrastructure were adopted early on that helped to provide certainty to investment into alternative fuels vehicles and infrastructures. Particularly relevant in this context was the adoption of a common standard for a recharging plug for electric vehicles that helped long-term market certainty.

Consequently, the Directive has had a certain positive impact on the uptake of alternatively fuelled vehicles and their infrastructure. Cost of the Directive have been rather proportional to the benefits of the implementation of the Directive and the evaluation did not find any indication that there would have been a largely more cost-efficient approach possible for delivering the same outcomes. The evaluation confirms a principal EU value added of the intervention at EU level. Markets for alternative fuels vehicles and infrastructure would have been less developed in a scenario without the Directive. This is a general point of consensus among stakeholders. Individual action at Member State level would not have resulted in common market development and related adoption of technical specifications for infrastructure and vehicles.

The evaluation points that there are no real issues with regard to the internal and external policy coherence of this Directive. The evaluation also confirms the continued relevance of the general and specific objectives of the Directive.

However, substantive shortcomings of the current policy framework are also clearly visible, and the evaluation finds a relative strong consensus among stakeholders:

- With regard to establishing a sufficient network of alternative fuels infrastructure, Member States took action to identify targets and measures due to the Directive. However, those actions do not sum up to a comprehensive common framework of measures across the EU. The absence of a detailed and binding methodology for Member States to calculate targets and adopt measures has led to the identified divergence in the level of ambition in target setting and supporting policies in Member States. For example, the share projected by Member States for electric cars in the total car fleet for 2030 varies between less than 1% and more than 40%. A comprehensive and complete network of alternative fuels infrastructure does not exist across the Union, for both road and waterborne transport. It is therefore unlikely that under the current legislative framework the needed network would develop across Europe in the coming years even if all Member States attained their targets. The infrastructure targets set by Member States under their national policy frameworks reflect the different level of ambition, meaning that the planned deployment of infrastructure varies greatly. Moreover, the policy frameworks often do not display sufficient detail on the state of play and on the implementation of existing and planned policy measures.
- With regard to establishing full interoperability of infrastructure, the evaluation points out that important aspects are not well covered under the current Directive, including interoperability of infrastructure for recharging and refuelling heavy-duty use vehicles as well as important aspects of user services.
- With regard to adequate consumer information and payment services, there is lack of pervasive high quality of information to customers about the location,

availability and use conditions of infrastructure. Moreover, there is a plethora of approaches to finding, accessing, using and paying, particularly in the case of recharging points, which is leading to continued customer concerns. Particular points of concerns are information on availability, price transparency and payment services.

• With regard to effective integration of electric vehicles into electricity grids, the implementation practice under the Directive has shown that markets do not expect public accessible infrastructure to play a role in this market segment. A smart integration of electric vehicles and bi-directional charging will provide flexibility for the overall management of the energy system and thus help to integrate increased shares of variable renewable energy production. However, it is mainly private recharging infrastructure, where vehicles are parked for a long time, that will contribute to this use case.

The Impact Assessment supporting the legislative proposal of the Commission in 2013 projected much higher levels of alternative fuels infrastructure deployment for road and waterborne transport in 2020, but was also building on binding targets for infrastructure roll-out, which were dropped in the co-decision procedure, and estimates from Member States on alternative fuels vehicle take up that were much higher than those estimates that informed the final development of national policy frameworks. At present, investments in infrastructure are not profitable in many instances. This is particularly the case for locations with low demand and a more difficult business case, for example in rural areas or areas with little vehicle uptake. In addition, the roll-out of ultra-fast recharging points and of hydrogen stations alongside the TEN-T core and comprehensive road transport network as well as the provision of onshore power supply and other alternative fuels infrastructure in ports is at early stage and is likely to require continued public support.

The current implementation practice shows a strong link between vehicle demand and infrastructure provision. However, infrastructure provision takes time and requires policy direction. The current fragmentation of the internal market, where alternative fuels infrastructure take up is driven mainly by a handful of key Member States, is not future-proof in view of the expected rapid acceleration of vehicle take up in the years to come. The evaluation finds that the current Directive is not fit for purpose in view of the increased policy ambition for cutting transport emissions by 2030 and finally 2050.

The Commission has proposed to reduce the EU's greenhouse gas emission by 2030 by at least 55% compared to the previous 40% reduction target. This has a relevant impact on the required uptake of low-carbon and renewable fuels, vehicles and infrastructure. In order to achieve these ambitious targets, the uptake of zero-emission vehicles and the related public accessible infrastructure needs to accelerate significantly in all market segments of light-duty and heavy-duty vehicles. Efforts will need to be considerably higher than the efforts reported by Member States under the Directive. This does not only relate to road transport but equally and particularly to other transport modes such as waterborne transport and also aviation.

Moreover and importantly, the focus of the policy debate has broadened from the provision of sufficient alternative fuels infrastructure to the provision of infrastructure that is easy and transparent to use for all customers anywhere in the Union. At present, the Directive is not well-equipped to address relevant aspects of this dimension, which is essential to support an effective acceleration of the market uptake of zero- and low-emission vehicles.

The evaluation of the Alternative Fuels Infrastructure Directive confirms the need for strengthening of the policy framework at EU level for the deployment of alternative fuels infrastructure to meet the increased climate ambition of the EU for 2030 and the needs of the transition to climate neutrality by 2050.

ANNEX 1: PROCEDURAL INFORMATION

1 Lead DG, DEcide Planning/CWP references

The lead DG is Directorate General for Mobility and Transport (MOVE), Unit B4: Sustainable & Intelligent Transport

DECIDE reference number: PLAN/2019/5028

The development of this initiative was announced under item 1i) in Annex 1 to the Commission Work Programme 2021^{52} as part of the revision of the directive.

2 Organisation and timing

The Inter Service Steering Group (ISSG) for the evaluation was set up in March 2019 and includes the following DGs and Services: SG, LS, CLIMA, ENV, ENER, RTD, GROW, MARE, COMP, TAXUD, ECFIN, EMPL, JUST and JRC⁵³.

The ISSG approved the evaluation and discussed the main milestones in the process, in particular the key deliverables from the support study. It approved the study supporting the evaluation on 13 January 2021. In total, 10 meetings of the ISSG were organised These meetings took place on 8 March 2019, 11 September 2019, 24. September 2019, 11 December 2019, 31 January 2020, 2 April 2020, 17 June 2020, 23 September 2020, 19 October 2020, 13 January 2021. This included virtual meetings, due to the COVID-19 crisis. Further consultations with the ISSG were carried out by e-mails. When necessary bilateral discussions were also organised with the most concerned services.

3 Consultation of the RSB

The evaluation was not selected for assessment by the RSB. The Regulatory Scrutiny Board received the draft version of the evaluation report on 7 April 2021 as part of the documents supporting the Impact Assessment report. The Board meeting on the Impact Assessment report will take place on 5 May 2021.

4 Evidence, sources and quality

The evaluation is based on research/analyses done by the Commission. The Commission also contracted an external, independent consultant (Ricardo) to support this evaluation. The external support study will be published alongside this report.

Qualitative and quantitative data supporting this evaluation has been collected from Member States, operators of recharging and refuelling infrastructure, mobility service providers, fuel producers and distributors, electricity suppliers, Distribution System Operators, technology producers, academia and non-governmental organisations.

Modelling of the baseline and of the alternative scenarios has been performed by E3Modelling with the PRIMES-TREMOVE transport model. This report also draws on the activities of the Sustainable Transport Forum, a Commission's expert groups with

⁵² https://ec.europa.eu/info/publications/2021-commission-work-programme-key-documents_en

⁵³ The ISSG was created for the evaluation and its mandate was subsequently enlarged to also cover the Impact assessment reflecting that the evaluation and the Impact Assessment were carried out back to back.

industry stakeholders and Member States representation, which was established under the Directive.

Annex 2: Stakeholder consultation

This annex provides a summary of the outcomes of the consultation activities which have been carried out for the evaluation of the Alternative Fuels Infrastructure Directive, including in the context of the external support study. It notes the range of stakeholders consulted, describes the main consultation activities and provides a succinct analysis of their views and the main issues they raised.

The objective of the consultation activities were to collect information and opinions of stakeholders on the key objectives and measures of the Alternative Fuels Infrastructure Directive, its implementation and practical outcomes and shortcomings of that process.

The main consultation activities included:

- An Open Public Consultation (OPC), organised by the European Commission that did run from 06 April 2020 to 29 June 2020. The OPC took account of both the Impact Assessment and the evaluation of this Directive.
- Exploratory interviews with EU level representatives of key stakeholders, particularly to support and refine the overall problem definition and possible policy options.
- Two surveys with national and local authorities were organised by the consultant in charge of the external support study to the evaluation
- Targeted data requests were send to individual stakeholders, including industry associations and special interest organisations.

The Commission drew also strongly on the outcomes of a broad stakeholder consultation exercise on problems and future policy needs in the field of alternative fuels infrastructure that the Commission carried out among the member of the Sustainable Transport Forum, the key expert group of the Commission, in the time period of October 2018 to November 2019 and that led to the adoption of a comprehensive report by the plenary of the Sustainable Transport Forum in November 2019⁵⁴. Findings of that exercise helped design the overall consultation activities carried out in the context of this evaluation.

Overview of stakeholder input

The Commission launched the 12-week OPC on 6 April and it closed on 29 June 2020. The OPC invited all citizens and organisations to provide input on both the Evaluation and the Impact Assessment of the AFID⁵⁵. In total, **324 responses** were received.

The breakdown of OPC responses by stakeholder type is shown in the Table below.

⁵⁴ <u>https://ec.europa.eu/transport/sites/transport/files/2019-stf-consultation-analysis.pdf</u>

⁵⁵ The evaluation input was analysed in the stakeholder consultation report supporting the Evaluation Final Report.

Stakeholder group	Number of responses	% of responses
Company/business organisation	107	33%
Business association	80	24.7%
Public authority (national, regional and local authorities)	28	8.6%
Non-governmental organisation (including relevant industry associations)	22	6.8%
Consumer organisation	7	2.2%
Environmental organisation	1	0.3%
Academic/research institute	1	0.3%
EU citizen	70	21.6%
Non-EU citizen	1	0.3%
Other	7	2.2%

Table 1: Classification of stakeholders responding to the OPC

In terms of geographical/Member State distribution, the majority of respondents indicated that their country of origin was one of the EU Member States (315 respondents). Nine respondents were based outside of the EU. The number and percentage of respondents by country of origin is shown in the following table:

Country of origin	Number of responses	% of responses	Country of origin	Number of responses	% of responses
Belgium	60	18.5	Slovakia	2	0.6
France	53	16.4	Denmark	1	0.3
Italy	50	15.4	Estonia	1	0.3
Germany	49	15.1	Greece	1	0.3
Sweden	19	5.9	Luxembourg	1	0.3
Netherlands	17	5.2	Malta	1	0.3
Spain	11	3.4	Romania	1	0.3
Austria	10	3.1	Canada	1	0.3
Czech Republic	8	2.5	Grenada	1	0.3
Poland	8	2.5	Israel	1	0.3
Finland	6	1.9	Japan	1	0.3
Hungary	6	1.9	Norway	1	0.3
Ireland	5	1.5	Switzerland	1	0.3
Slovenia	3	0.9	United	2	0.6
			Kingdom		
Latvia	2	0.6	United States	1	0.3

Table 2: Geographical distribution of responses received

As part of the targeted consultations, the consultant in charge of the support study also carried out targeted surveys with public authorities in Member States and targeted interviews with key stakeholders. 23 national public authorities and 19 regional authorities and public enterprises and their interest associations responded to the surveys.

Table 4 provides an overview of key stakeholders interviewed in the context of the evaluation.

High-level stakeholder category	Stakeholder type	Stakeholder name		
Regional / local authorities		ETRA I+D (invited to respond by CIVITAS)		
		Polis		
Industry	European standardisation body	CEN-CENELEC		
	Refuelling station/charge point operators, fuel and battery producers, electro- mobility service providors	AVERE		
		European Biogas Association / ENGIE		
		Energy and Hydrogen Alliance EHA		
		ePURE		
		Eurelectric		
		NGVA Europe		
	Manufacturers of transport equipment and	ACEA		
	Organisations of transport	ECSA		
	service providors	ESPO		
		FIA Region I		
		UITP		
		Port of Rotterdam		
		ACIEUROPE		
		Inland Navigation Europe (INE)		
		European Road Haulers Association (UETR)		
		Central Commission for the Navigation of the Rhine (CCNR)		
Civic society	Consumer representatives	BEUC		
	NGOs	Transport & Environment		
	Consumers with disabilities	European Disability Forum		
EU		European Investment Bank		
		DG CLIMA		
		DG ENER		
		DG REGIO		
		Irish Rural Link and European Economic Social Committee		

Table 3: List of stakeholders interviewed


Key findings from the OPC

The OPC asked respondents whether they own or regularly drive an alternatively fuelled vehicle. 86 out of 324 participants responded that they own/regularly drive an electric

car, 17 stated that they own/regularly drive a vehicle running on natural gas, 34 stated that they own/regularly drive an 'other' type of alternatively fuelled vehicle, 50 stated that they did not and 137 did not answer the question. This shows a considerable high share of active users of alternative fuels vehicles among the respondents to the OPC.

In answer to the question 'do you have difficulty finding alternative fuels infrastructure to recharge/refuel your vehicle?', 60 responded that they have difficulty on a regular basis, 59 responded that they sometimes have difficulties, 20 responded that they seldom have difficulties and 9 responded that they never have difficulties (see figure 2). 35 did not have an opinion and 141 did not respond to the question.

Figure 2: Do you have difficulties finding alternative fuels infrastructure to recharge/refuel your vehicle?



Respondents were asked to further substantive responses to having difficulties finding recharging/refuelling infrastructure, namely in view of the main underlying problems. Of those that responded (158^{56}) the following underlying problems were identified:

- "There is not sufficient infrastructure in urban areas" 86 respondents
- "There is not sufficient infrastructure in rural areas" 93 respondents
- "There is not sufficient infrastructure along highways and other large interurban roads" 108 respondents
- "Even if there is infrastructure, I have trouble identifying where they are located" 30 respondents


166 participants to the OPC did not respond to the question.

In answer to the question 'in case you do not on an alternatively fuelled vehicle, would you buy one, if you were certain that there was sufficient recharging or refuelling infrastructure?', 77 agreed that they would buy one and 31 stated that they would maybe buy one, showing a relatively high willingness to adopt such vehicles provided that infrastructure is available. Of the 19 participants that responded they would not buy one, 12 stated that the price for alternatively fuelled vehicles is too high, 3 stated that the technology is not yet mature and 4 stated that the vehicles on the market are not attractive enough. 207 did not answer.

⁵⁶ Respondents could select more than one answer


In answer to the question 'when you recharge your electric-vehicle, do you feel well informed in advance on the price you will have to pay for the charging service?', 37 agreed that they did feel well informed on a regular basis, 41 stated that they feel well informed sometimes, 33 responded that they seldom feel well informed and 10 feel that they never feel well informed (see figure 3). 31 responded that they did not know and 172 did not answer. This confirms outstanding issues with regard to having sufficient information available to active vehicle users.

Figure 3: When you recharge your electric-vehicle, do you feel well informed in advance on the price you will have to pay for the charging service?



In answer to the question 'how often do you face difficulties when trying to pay?', 38 stated that they face difficulties when trying to pay on a regular basis, 36 stated they sometimes face difficulties, 30 stated that they seldom face difficulties and 9 stated that they never face difficulties (see figure 4). 40 respondents did not know and 171 did not answer. The fact that only a very small number of participants to the OPC noted that they never face problems with payment underlines the relevance of the shortcomings of the Directive in this problem area.


Figure 4: The Directive already requires that users can pay ad hoc at the recharging point. However, in practice many different payment options have developed throughout Europe. How often do you face difficulties when trying to pay?



Responding to the question if they believed that a common payment method should be

available at all publicly accessible recharging points the majority of respondents (69) stated that payment by debit card/credit card (card payment terminal or contactless payment) should be available (see figure 5). 36 stated payment by Smartphone / banking app without the need to download a specific app from the operator of that recharging point, 7 stated payment by specific app of the operator of that recharging point, 1 stated cash payment, and 34 stated 'other'. 8 stated that there is no need for a common payment method and 169 did not answer.


Figure 5: If you believe that a common payment method should be available at all publicly accessible recharging points, please indicate which payment option should be available?



In answer to the question 'Do you believe that roaming (payment through the user's electro-mobility service provider) should be available at every publicly accessible recharging point? 122 respondents agreed compared with 16 that did not. 28 stated that they did not know and 158 did not answer. Roaming is already a key feature of public accessible recharging points.

The OPC confirmed the ongoing strong relevance of the Directive. Respondents were asked 'In your view, how relevant is a policy on alternative fuels infrastructure at EU level as established by the Alternative Fuel Infrastructure Directive to support the uptake of alternative fuels? The majority of respondents (237) stated that it is very relevant, whereas 59 stated it was relevant, 5 stated it was less relevant and 2 stated it was not relevant (see figure 6). 6 respondents did not have an opinion and 15 did not answer.

Figure 6: In your view, how relevant is a policy on alternative fuels infrastructure at EU level as established by the Alternative Fuel Infrastructure Directive to support the uptake of alternative fuels?




In terms of the scope of the Directive, respondents were asked 'In your view, is this scope still appropriate in the context of the long-term objective of the European Green Deal to reduce transport emissions by 90% by 2050? Slightly more respondents (165) stated that it is fully appropriate or appropriate, compared with 133 who stated it was rather not appropriate or not appropriate. 13 respondents did not have an opinion and 13 did not answer.

Respondents also pointed to the need for a better coverage of all modes of transport under the Directive. 38 respondents stated that the Directive already covered all relevant modes, but 131 respondents stated that the Directive should also cover rail infrastructure, 167 stated that it should cover airport infrastructure for ground movements, and 65 stated 'other'. 62 respondents did not have an opinion, and 18 did not answer.

There were clear views also on the adequacy of the NPFs. When being asked 'In your view, are the NPFs the right instrument to ensure the development of a coherent infrastructure network throughout the EU?' (see figure 7) the majority of respondents (109) stated that they are only partly sufficient, and additional/complementary instruments would be needed to avoid diverging interpretation and application by Member States. 39 stated that they are the right instrument, 89 stated that they are the right instrument but the provisions in the directive are not prescriptive enough to avoid diverging interpretation by Member States (and the provisions should be strengthened), 51 stated that they are not the right instrument because they are not sufficiently stringent (they should be replaced by alternative, more stringent instruments) and 2 stated they are not the right instrument and should be abandoned without being replaced by an alternative. 20 respondents did not have an opinion and 14 did not answer.


Figure 7: In your view, are the NPFs the right instrument to ensure the development of a coherent infrastructure network throughout the EU?



The majority of respondents (114) expressed that the Directive should cover all infrastructure, publicly accessible and not publicly accessible. 76 stated that it should cover publicly accessible infrastructure only (with distinction required between public infrastructure on public grounds and publicly accessible infrastructure on private ground), 53 stated that the current scope is fine, and 41 stated 'other'. 27 did not have an opinion and 13 did not answer.

The Alternative Fuels Infrastructure Directive currently requires from Member States to ensure that relevant, consistent and clear information is made available to consumers/users as regards those motor vehicles which are fuelled with alternative fuels. Such information has to be made available in motor vehicle manuals, at refuelling and recharging points, on motor vehicles and in motor vehicle dealerships in their territory (Article 7). Respondents were asked 'In your view, are the current provisions in AFID effective in ensuring that consumers/users receive relevant, consistent and clear information on the compatibility of their vehicle engine/model with the alternative fuels/recharging options available at each refuelling/recharging point?' (see figure 8). 80 respondents stated that these provisions are effective, 102 stated that they are only partly or not at all effective and additional complementary provisions are needed, 41 stated that the Directive is not the right instrument and corresponding provisions should be replaced by more effective instrument(s), and 8 stated that the Directive is not the right instrument and corresponding provisions should be abandoned without being replaced by more effective instrument(s), 72 did not have an opinion and 17 did not answer. This underpins the assessment of shortcomings of the current Directive in this important area.

Figure 8: In your view, are the current provisions in AFID effective in ensuring that consumers/users receive relevant, consistent and clear information on the compatibility of their vehicle engine/model with the alternative fuels/recharging options available at each refuelling/recharging point?



50%

Responses

75%

100%

Targeted consultations

(n = 28)

0%

Three **exploratory interviews** were undertaken with selected stakeholders in the initial stage of the evaluation work. The purpose of the exploratory interviews was to incorporate the feedback from these stakeholders into the development of survey questions and interview guides and to ensure that all important issues are correctly identified and are covered in the intervention logic and evaluation matrix.

25%

28 **targeted interviews** were conducted with a range of relevant stakeholders representing EU bodies, national and local authorities, industry representatives, members of the civil society (NGOs, consumer groups) and experts. The targeted interviews focus on cross-checking or complementing the information collected via desk research and collecting evidence and opinions in relation to the various evaluation questions. They included interviews with 5 public national authorities and 2 regional and local authorities representatives. Moreover, one targeted interview was carried out with a representative of a European standardisation organisation. 15 targeted interviews were carried out with industry representatives, 1 targeted interview with a representative of a transport organisation and 3 interviews with representatives of civil society organisations.

Two **targeted surveys** were distributed aimed at national authorities and regional, local and/or city authorities in EU Member States. The surveys focused on cross-checking or complementing the information collected via desk research and collecting evidence and opinions in relation to the various evaluation questions. 44 responses were received, including 23 national authorities and 19 regional and local authorities. Responses represented 20 Member States and 9 different local organisations.

Annex 3: Methods and analytical models

1. OVERVIEW

In order to assess the contribution of the AFID it is important to define the Baseline scenario that will provide the benchmark against which we measure the contribution of the intervention. For the needs of the AFID evaluation this includes:

- A description of how the problem and its underlying causes as identified at the time of the adoption of the Directive were expected to evolve in the case of no policy action.
- A definition of the expected evolution of the relevant parameters that reflects the key objectives of the Directive. This presents in quantitative terms (or when not possible, in qualitative terms) the Baseline scenario, namely what would have happened if the policies and measures that are deemed to be the result of the AFID were not in place.

For the purposes of this exercise the evaluation support study has used a combination of desk research and modelling. More specifically:

- It has analysed the information provided in the Impact Assessment study that supported the adoption of the Directive in 2014⁵⁷. It focused on the description of the problem, its underlying root causes and the expected evolution under the 'no policy change' scenario. Additional input from stakeholders and further desk research is also incorporated.
- E3Modelling then used the PRIMES-TREMOVE model to quantify the Baseline and the Alternative scenario. The quantitative analysis involves a number of key indicators and reflects the objectives of the AFID.

The structure of this Annex is as follows:

- Section 2 provides a description of the problem and its underlying root causes as defined at the time of the adoption of the AFID. It also presents a qualitative description of how the problem and the root causes were expected to develop under the Baseline scenario.
- Section 3 presents the PRIMES-TREMOVE transport model and the main results of the analysis of the Baseline and the Alternative scenario. The expected evolution of key relevant parameters is provided for the EU27, for the period up to 2050. In addition, section 3 also provides the investment expenditures that are required for AFI under the Baseline and the Alternative scenario.

2. DESCRIPTION OF THE PROBLEM, THE UNDERLYING DRIVERS AND ITS EXPECTED EVOLUTION

According to the impact assessment at the time of the adoption of the Directive, the transport system continued to depend heavily on oil and oil products: for more than 95% of its needs worldwide and 96% in the European Union. The decarbonisation of the transport system had been identified as a priority policy since the adoption of the Europe

⁵⁷ https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A52013SC0006

2020 strategy in 2010 and the 2011 White Paper on Transport where alternative fuel technologies were expected to have a central role to play. The White Paper set a target for halving the use of conventionally fuelled cars in urban transport by 2030 and phasing them out in cities by 2050. Furthermore, the Communication "A European strategy on clean and energy efficient vehicles" recognised that there was a European framework for electric mobility and presented actions to be taken in the areas of vehicle type-approval, and of standardisation and infrastructure for electric charging.

In this context, the impact assessment report supporting the adoption of the Directive identified the issue of the development of alternative fuel infrastructure as part of the broader problem that limited the full-scale deployment and commercialisation of alternative fuels. These included a combination of:

- The high price of vehicles related to technological and production capabilities;
- Poor consumer acceptance; and
- Lack of recharging/refuelling infrastructure.

Focusing on the last point, the impact assessment defined the problem as the "insufficient infrastructure network for electricity, hydrogen and natural gas (LNG and CNG)" compared to a network that would be necessary to enable market take up of these fuels. The availability of recharging/refuelling stations was seen not only as a technical prerequisite for the functioning of alternative fuel vehicles, but also one of the most critical components for consumer acceptance.

The impact assessment report also provided detailed analysis of the projected evolution of the infrastructure for each type of fuel and mode. This was then compared against the expected level of infrastructure that was considered to be necessary to allow widespread commercialisation of the corresponding vehicles (i.e. enable market take up of these fuels and serve the fleet of alternative fuelled vehicles projected to be in circulation, on the basis of Member States and industry announcements).

The main conclusion of the analysis (which was based on a number of assumptions concerning technological developments and expected evolution of demand) was that, in comparison with what would be necessary to allow widespread commercialisation of the corresponding vehicles, the infrastructure for electric, hydrogen, liquefied natural gas (LNG) for trucks and vessels and compressed natural gas (CNG) for road transport vehicles was likely to remain insufficient in quantity and (in particular for electricity) in quality.

Fuel	State of play at the time of the IA (2012)	Projected evolution	Required level of infrastructure for commercialisation
Electricity	 Dedicated e-mobility installations at EU level: 26,080 private (5,830 existing and 20,250 commissioned in 2012) 29,800 public (10,400 existing and 19,390 commissioned in 2012) Significant imbalance among Member States in terms of quantity and quality 	Existing imbalance among Member States to continue Network to increase significantly only in France (4,400,000 points by 2020). In the rest of EU, only 600,000 points by 2020.	Around 8 million points (majority located at home and at the workplace) to service the benchmark 4 million EV vehicles Around 1 charging point per 5 vehicles at a publicly accessible car park or on-street number
Hydrogen	90 hydrogen refuelling stations in operation in the EU (DE, DK, UK and Benelux)	Expected to exceed 160 by 2015	Additional 72 hydrogen fuelling stations needed to provide national coverage and be connected via the proposed Trans-European Transport Network (TEN- T) Core Network77 with the maximum distance of 300 km
LNG	Waterborne: One LNG terminal in Nynäshamn (SE) for ships Road: 23 LNG/L-CNG fuelling stations for road vehicles (ES, IT)	Waterborne: Small-scale facilities at 7 location planned or proposed Addition ports (e.g. Antwerp, Rotterdam) intended to provide LNG by 2015 or later (Marseille, Barcelona by 2017-2020) Road: 13 LNG/L-CNG stations planned (LNG Blue Corridors project)	Waterborne: LNG terminals in the 83 maritime ports of the TEN-T Core Network to enable the use of LNG in shipping LNG bunkering facilities at the 41 inland ports of the TEN-T Core Network Road: 21 LNG/L-CNG fuelling stations at the maximum distance of 400 km on road
CNG	2,800 filling stations in the EU concentrated in two Member States (DE, IT)	No information	

Table 4: State of development of AFI, projected evolution and comparison with the required level for commercialisation

The analysis also identified two underlying **root causes** that meant that the infrastructure for electric, hydrogen and natural gas (LNG and CNG) vehicles is likely to remain insufficient for what broad market take-up would require:

• Existing recharging/refuelling equipment could not be connected and was not interoperable in all related alternative fuel vehicles/vessels: While the technology necessary for the construction of a network was considered substantially mature, there were no common EU-wide standards and no harmonisation, thereby discouraging potential infrastructure investors, car manufacturers and consumers.

This had also led to the fragmentation of the internal market. The lack of common standards for recharging/refuelling prevented the creation of a single market and the reduction of costs of alternative fuels infrastructure and equipment since there were no economies of scale that could arise from an EU-wide market. A consequence was it created a disincentive to infrastructure investors, manufacturers of alternative fuel vehicles and vessels and consumers.

• <u>Investment uncertainty hindered the deployment of recharging/refuelling</u> <u>infrastructure for electricity, hydrogen and natural gas (LNG and CNG):</u> The business case for providers of alternative fuels infrastructure had not been established. A co-ordination failure among vehicle manufactures, infrastructure providers, national authorities and final users led to a so called "chicken and egg" issue. Investors would not invest in alternative fuel infrastructure as there was an insufficient number of vehicles and vessels, the manufacturing industry would not offer alternative fuel vehicles and vessels at competitive prices as there is insufficient consumer demand, and consumers would not purchase the vehicles and vessels for the lack of dedicated infrastructure. In the absence of coordination among the relevant actors uncertainty for investors would remain exceedingly high, and the markets would continue to deliver a suboptimal solution.

Related to that was the negative impact on investment in open-access recharging/refuelling infrastructure due to risk of 'free riding'. First movers were expected to experience high upfront costs and uncertain payback times due to the low diffusion of AFVs while late comers could benefit from a more developed market. This risk discourages first movers' investments. Principal-agent-type market failures were also identified in terms of the provision of charging points for tenants/users in private dwellings and in office buildings since landlords had limited incentives to invest.

Further to that, action to address these issues by national authorities through various measures was expected but was expected to lead to different perceptions of consumers in the respective national markets. It would not be sufficient to build up a 'critical mass' of demand and signal long-term commitment to the support of alternative fuels.

In terms of the identified root causes of the problem, it was expected that:

- Common standards would eventually develop since the persistence of different technical solutions would represent a serious obstacle to pan-European mobility and would not be tolerable. However, delays would still lead to considerable stranded costs and additional expenditure for adaptation if a decision is delayed.
- Investment uncertainty hindering the investment in AFI and problems of coordination and the identified market failures would continue. Individual Member States would be expected to take relevant measures to address these problems but these could lead to a fragmented market that would limit consumer confidence and have a negative impact on both demand and supply.

As a consequence, the share of alternative fuels in the energy consumption of passenger cars and vans was expected to remain less than 10% by 2050 without further action on infrastructure. LNG and CNG were also not expected to make significant inroads in road transport and the same would also happen with LNG for waterborne transport due to the lack of refuelling infrastructure.

3. DEVELOPMENT OF THE BASELINE AND ALTERNATIVE SCENARIO

3.1 Introduction

The quantitative analysis builds on a counterfactual scenario logic comparing the expected future impacts of the already adopted policies in comparison to a no policy scenario. More specifically, E3Modelling used the PRIMES-TREMOVE transport model to quantify two scenarios - the Baseline and the Alternative scenario in order to assess the effectiveness and the efficiency of the implementation of AFID.

The Baseline scenario projects the developments under the assumption that the AFID is not in place. In addition, an Alternative scenario has been developed to assess the expected impacts as a result of the AFID intervention.

3.2 PRIMES-TREMOVE model

The PRIMES-TREMOVE transport model projects the evolution of demand for passengers and freight transport, by transport mode, and transport vehicle/technology, following a formulation based on microeconomic foundation of decisions of multiple actors. Operation, investment and emission costs, various policy measures, utility factors and congestion are among the drivers that influence the projections of the model. The projections of activity, equipment (fleet), usage of equipment, energy consumption and emissions (and other externalities) constitute the set of model outputs.

The PRIMES-TREMOVE transport model can therefore provide the quantitative analysis for the transport sector in the EU, candidate and neighbouring countries covering activity, equipment, energy and emissions. The model accounts for each country separately which means that the detailed long-term outlooks are available both for each country and in aggregate forms (e.g. EU level).

In the transport field, PRIMES-TREMOVE is suitable for modelling *soft measures* (e.g. eco-driving, labelling); *economic measures* (e.g. subsidies and taxes on fuels, vehicles, emissions; ETS for transport when linked with PRIMES; pricing of congestion and other externalities such as air pollution; accidents and noise; measures supporting R&D); *regulatory measures* (e.g. CO₂ emission performance standards for new passenger and heavy duty vehicles; EURO standards on road transport vehicles; technology standards for non-road transport technologies, deployment of Intelligent Transport Systems) and *infrastructure policies for alternative fuels* (e.g. deployment of refuelling/recharging infrastructure for electricity, hydrogen, LNG, CNG). Used as a module that contributes to the PRIMES model energy system model, PRIMES-TREMOVE can show how policies and trends in the field of transport contribute to economy-wide trends in energy use and emissions. Using data disaggregated per Member State, the model can show differentiated trends across Member States.

The PRIMES-TREMOVE has been developed and is maintained by E3Modelling, based on, but extending features of, the open source TREMOVE model developed by the TREMOVE⁵⁸ modelling community. Part of the model (e.g. the utility nested tree) was built following the TREMOVE model.⁵⁹ Other parts, like the component on fuel consumption and emissions, follow the COPERT model.

Data inputs

The main data sources for inputs to the PRIMES-TREMOVE model, such as for activity and energy consumption, comes from EUROSTAT database and from the Statistical Pocketbook "EU transport in figures".⁶⁰ Excise taxes are derived from DG TAXUD excise duty tables. Other data comes from different sources such as research projects (e.g. TRACCS project) and reports. In the context of this exercise, the PRIMES-TREMOVE transport model is calibrated to 2005, 2010 and 2015 historical data.

3.3 Overview of the approach adopted for the Baseline and Alternative scenario

The **Baseline** (no policy change) scenario serves as a counterfactual scenario which presents what would happen if the policies and measures adopted, as a result of the AFID, were not in place. This means updating the baseline of the impact assessment accompanying the AFID – considering revised macro-assumptions, technology costs assumptions and policies⁶¹. These assumptions are common with those used in the context of the 2017-2018 Mobility Packages⁶² and also in the in-depth analysis accompanying the Clean Planet for all long term strategy⁶³. The Baseline scenario assumes, among others, the implementation of the target of 14% renewable energy in transport by 2030 (according to the Renewable Energy Directive II), the post-2020 CO₂ standards for cars, vans and heavy duty vehicles, the Clean Vehicle Directive, the implementation of TEN-T network, etc.

In addition, it accounts for specific policies and measure that would have been adopted by some Member States in support of alternative fuel vehicles and infrastructure even without the implementation of the Directive (Table 5Error! Reference source not found.). These specific policies and measures have been identified in the context of the evaluation support study, based on field research. In addition, it was confirmed by the Member State concerned that those measures would have been carried out irrespective of the AFID.

⁵⁸ Source: <u>https://www.tmleuven.be/en/navigation/TREMOVE</u>

⁵⁹ Several model enhancements were made compared to the standard TREMOVE model, as for example: for the number of vintages (allowing representation of the choice of second-hand cars); for the technology categories which include vehicle types using electricity from the grid and fuel cells. The model also incorporates additional fuel types, such as biofuels (when they differ from standard fossil fuel technologies), LPG, LNG, hydrogen and e-fuels. In addition, representation of infrastructure for refuelling and recharging are among the model refinements, influencing fuel choices. A major model enhancement concerns the inclusion of heterogeneity in the distance of stylised trips; the model considers that the trip distances follow a distribution function with different distances and frequencies. The inclusion of heterogeneity was found to be of significant influence in the choice of vehicle-fuels especially for vehicles-fuels with range limitations.

⁶⁰ Source: European Commission (2020) EU Transport in Figures. Statistical Pocketbook 2020.

⁶¹ The scenario analysis does not account for the Covid-19 impact on the economy and the transport sector.

⁶² https://ec.europa.eu/transport/modes/road/road-initiatives_en

⁶³ https://ec.europa.eu/clima/sites/clima/files/docs/pages/com_2018_733_analysis_in_support_en_0.pdf

Table 5: Mapping of Member States that would have implemented policies and measures related with AFI and AFV without the roll-out of AFID on the indicated transport modes

	transport modes								
Member	EVs	\mathbf{H}_{2}			CNG/LNG				
State									
AT		Cars,	Buses,	LDVs,	HDVs				
		HDVs							
BE	Buses, HDVs								
DE	Buses, HDVs				Cars, Buses, LDVs, HDVs				
EE	All modes/fuels								
FI	Cars, Buses, LDVs, HDVs				Cars, Buses, LDVs, HDVs				
IE	Cars, LDVs				Cars, Buses, LDVs				
LU	Cars, Buses, LDVs, HDVs				Cars, Buses, LDVs				
LV					HDVs				
NL	Buses, HDVs								
SE	All modes/fuels								

Source: Ricardo et al. (2021), Evaluation support study

The **Alternative scenario**, unlike Baseline, includes national policies and measures (NIRs) adopted for all MS (including those denoted in Table 5), as a result of the implementation of the Directive on the deployment of Alternative Fuels Infrastructure. More details on the design of the Baseline and Alternative scenarios are available in the evaluation support study.

3.4 Main results of the Baseline and the Alternative scenario


This section presents the key results of the Baseline and the Alternative scenario that have been quantified with the PRIMES-TREMOVE model. The results are provided at EU27 level.

Energy consumption in the transport sector

In the Baseline scenario, the share of alternative fuels in the energy use in transport would go up from 7% in 2010 to 12% in 2030 and remain limited to around 17% by 2050. The uptake of alternative fuels in the Baseline is mostly driven by the implementation of the post-2020 CO_2 standards for cars, vans and heavy duty vehicles, the Renewables Energy Directive and the Clean Vehicles Directive. However, the lack of infrastructure acts as a barrier for the vehicle market uptake. In the Alternative scenario, the implementation of AFID enables higher uptake of electric vehicles (battery electric and plug-in hybrids) as well as the uptake of LNG heavy duty vehicles, given the roll-out of recharging and refuelling infrastructure. Thus, the Alternative scenario projects a 3.4 percentage points increase in the share of alternative fuels relative to the Baseline in 2030 and a 11.1 percentage points increase in 2050.

The share of alternative fuels in the energy consumption of passenger cars and vans would remain limited in the Baseline scenario, at around 14% by 2030 and 18% by 2050, without further action on infrastructure. The deployment of recharging infrastructure enables higher uptake of electric vehicles (battery electric and plug-in hybrids) instead of hybrids, as explained below, and leads to an increase in the share of alternative fuels (by 4.9 percentage points in 2030 relative to the Baseline and 19 percentage points in 2050).

Figure 9: Energy consumption in the transport sector, by type of fuel, in the Baseline and the Alternative scenario (EU27)




Source: PRIMES-TREMOVE, E3Modelling

Vehicle stock

In the Baseline scenario, the car fleet is projected to continue to be mainly based on thermal engine technologies for the years to come. The share of conventional gasoline and diesel vehicles in the total stock would reduce from 97% in 2010 to 65% in 2030 and 36% in 2050. Importantly, the implementation of the post-2020 CO_2 standards would drive the uptake of hybrid vehicle technologies in the market, in the absence of a larger contribution from battery electric vehicles (BEVs) and plug-in hybrids (PHEVs), due to the lack of recharging infrastructure. The hybrid technologies would increase their share from less than 1% in 2010 to 25% in 2030 and 35% by 2050, at which point the hybrid vehicles would hold the second largest share in the total car stock, comparable to that of conventional gasoline and diesel vehicles. For electric vehicles, a gradual market uptake would take place driven by the CO_2 standards and the gradual reduction of the battery costs, with BEVs and PHEVs each reaching a share of around 3% in 2030 and 13% in 2050 in the total stock of cars. The share of the liquefied petroleum gas (LPG) cars would decrease from 3% in 2010 to about 2% in 2050. The share of fuel cell electric vehicles (FCEVs) is projected to remain negligible for all the projection period.

In the Alternative scenario, the stock of cars would shift from thermal engine technologies mainly to electric power trains (Figure 10). The share of the conventional gasoline and diesel vehicles in the total stock is reduced by 3.2 percentage points relative to the Baseline in 2030 and by 13.8 percentage points in 2050. The hybrid technologies also significantly reduce their share in the car stock relative to the Baseline (by 8.1 percentage points in 2030 and 19.1 percentage points in 2050). On the other hand, the share of battery electric cars is increasing significantly relative to the Baseline (by 6.5 percentage points in 2030 and 20.6 percentage points in 2050), enabled by the availability of infrastructure and the decreasing battery costs. As previously explained, in the Baseline scenario the lack of infrastructure acts as a barrier for the uptake of electric vehicles, despite the implementation of CO_2 standards for cars. The uptake of plug-in hybrids also increases relative to the Baseline, but at lesser extent relative to the increase in the uptake of the BEVs. The share of fuel cell vehicles increase by 2050 in the Alternative scenario but still remains limited to around 3% of the stock.

Figure 10: Stock and penetration of electric cars in the Baseline and the Alternative scenario in the EU27



Source: PRIMES-TREMOVE, E3Modelling

Similarly to cars, in the Baseline scenario for light commercial vehicles (LCVs) the share of conventional gasoline and diesel vehicles is projected at 66% by 2030 and 37% by 2050, while that of hybrid technologies at 32% by 2030 and 48% by 2050. The uptake of battery electric and plug-in hybrids would be more limited in lack of recharging infrastructure (together representing up to 15% by 2050). In the Alternative scenario the uptake of battery electric LCVs would increase significantly and represent up to 25% of the LCV stock.

For heavy duty vehicles (HDVs), fuel cell, LNG and electric vehicles would not make significant inroads in the vehicle stock by 2050 in the Baseline scenario. The Alternative scenario projects slightly higher uptake of fuel cells and electric HDVs but the share of these types of power trains only increases by around 1 percentage point relative to the Baseline. The share of LNG HDVs would go up by 6.8 percentage points in 2050 in the Alternative scenario relative to the Baseline.

CO₂ emissions and air pollution emissions

In the Baseline scenario, tank to wheel CO_2 emissions from transport⁶⁴ are projected to decrease by 15% by 2030 relative to 2010 and by 24% by 2050. In the Alternative scenario, the implementation of AFID would have a limited impact on the CO2 emissions from transport by 2030 (1.2% reduction relative to the Baseline). However, the impact would be larger by 2050 (15.1% reduction relative to the Baseline) due to the higher uptake of low- and zero-emission vehicles.

The implementation of the AFID would also have a positive impact on reducing the NOx and PM emissions. In the Alternative scenario, NOx emissions would go down by 5.5% relative to the Baseline in 2030 and 8.4% in 2050. The impacts on the PM emissions would be higher (9.4% reduction in 2030 relative to the Baseline and 20.7% in 2050). Similarly to CO₂ emissions, the reduction in the air pollution emissions is driven by the higher uptake of low- and zero-emission vehicles, enabled by the deployment of infrastructure.

⁶⁴ Excluding international shipping.

3.5 Investment costs for alternative fuel infrastructure in the Baseline and in the Alternative scenario

In the Baseline scenario, the cumulative capital expenditures on alternative fuel infrastructure (i.e. public and private infrastructure) are estimated at \notin 29 bn for the period 2021-2030 and to \notin 123 bn for 2031-2050 (Figure 11). The capital investments on infrastructure due to the demand induced by the AFID increase significantly, to \notin 82 bn until 2030 and to \notin 310 bn for 2031-2050. In addition to these costs, O&M and refurbishment costs are projected to be around \notin 24 bn in the Baseline, and \notin 63 bn in the Alternative scenario in the period 2021-2050, which make up about 14% of total costs. More details on the methodology for determining the alternative fuel infrastructure costs are available in the evaluation support study.





Figure 11: Cumulative investment expenditures of alternative fuel infrastructure in the Baseline and the Alternative scenarios per type of cost in the EU27

The vast majority of the total expenditures (i.e. capital investment costs, O&M and refurbishment) is projected for electric vehicle charging infrastructure (Figure 12). In 2021-2030, electric vehicle recharging infrastructure makes up to 82% and 88% of the total expenditures that occur in the Baseline and the Alternative scenario, or \notin 26 bn and \notin 77 bn, respectively. In the period 2031-2050, investments in electric vehicle recharging infrastructure increase significantly, by a factor 5 in the Baseline to \notin 132 bn, and by a factor 4 in the Alternative scenario, to \notin 326 bn Euro. In both scenarios, they make up around 90% of total projected expenditures in alternative fuel infrastructure.

Source: Ricardo et al. (2021), Evaluation support study

Figure 12: Cumulative expenditures (capital investment costs, O&M, Refurbishment) of alternative fuel infrastructure in the Baseline and the Alternative scenarios per type of infrastructure in the EU27





Source: Ricardo et al. (2021), Evaluation support study

Investment expenditures in electricity recharging infrastructure by 2030 and by 2050

In the Baseline scenario cumulative investments on capital for recharging infrastructure (i.e. public and private infrastructure) reach almost \notin 24 bn in the period 2021-2030, the majority of which for slow charging points installed off-street, in private households (Figure 13; top). Investments on public chargers of all types reach almost \notin 11 bn . The AFID implementation has an a significant impact on capital investments (Figure 13; bottom). It increases investments made on public infrastructure, and particularly on higher powered charging points. For example, in the Alternative scenario investments on public charging points are higher by a factor of 3.5-4 compared to the Baseline.

Figure 13: Cumulative capital investment costs of electric vehicle recharging infrastructure per type of charging point in the Baseline and in the Alternative scenario in the EU27 in 2021-2030







Source: Ricardo et al. (2021), Evaluation support study

Looking into the 2021-2050 horizon (Figure 14), it is estimated that the cumulative capital investments of the Alternative scenario are by a factor 2.5 higher than those of the Baseline. In the Baseline, 45% of cumulative investments are on public chargers, while in the Alternative public charging infrastructure makes 55% of total investments. As such, the share of public chargers in the total charging infrastructure and the total number of public charging points increases progressively upon the AFID implementation, compared to the Baseline.

Figure 14: Cumulative capital investment costs of electric vehicle recharging infrastructure per type of charging point in the Baseline and in the Alternative scenario in the EU27 in 2021-2050






Source: Ricardo et al. (2021), Evaluation support study

Investment expenditures in hydrogen refuelling stations by 2030 and by 2050

The impact of the AFID implementation is also significant on hydrogen refuelling stations (Figure 15). Capital investments of the Baseline are estimated at \notin 310 million in 2021-2030. The investments in the Alternative scenario are higher by a factor 5 compared to the Baseline, reaching more than \notin 1.6 bn in 2021-2030. The impact, however, of the AFID is by a factor 10 higher in the period post-2030, when cumulative capital investments increase by \notin 18 bn in the Alternative scenario (cumulative costs in 2021-2050 reach \notin 20 bn, Figure 16).

Figure 15: Cumulative capital investment costs of hydrogen refuelling stations per station size in the Baseline and in the Alternative scenario in the EU27 in 2021-2030



Source: Ricardo et al. (2021), Evaluation support study





Figure 16: Cumulative capital investment costs of hydrogen refuelling stations per station size in the Baseline and in the Alternative scenario in the EU27 in 2021-2050

Source: Ricardo et al. (2021), Evaluation support study

Investment expenditures in CNG and LNG refuelling stations by 2030 and by 2050


The investments in natural gas-based refuelling infrastructure reach around €3.8 bn in the Baseline and more than €6.3 bn in the Alternative scenario in 2021-2030 (Figure 17). The difference between the two scenarios is about €2.5 bn and is attributed primarily to LNG stations (€1.6 bn more investments in the Alternative scenario) and somewhat less to CNG stations (€0.95 bn), as the EU27 CNG fleet may still largely benefit from the infrastructure already deployed. In the period 2031-2050, investments in new CNG stations are lower compared to the period 2021-2030 in both scenarios. This is partly because of the demand reduction due to the decrease of the CNG vehicle stock over time, as more EVs penetrate the market due to the decreasing battery costs. In addition, since significant capacity of CNG stations has been deployed before 2020 (according to EAFO, about 1.3 million stations were in the EU27 in 2019), investments in refurbishing vintage capacity take place, in the order of €1.4 bn and €1.6 bn in the Baseline and Alternative, or 33% and 25% of the total costs, respectively (Figure 18).

Figure 17: Cumulative capital investment costs of CNG and LNG refuelling stations in the Baseline and in the Alternative scenario in the EU27 in 2021-2030 and 2031-2050



Source: Ricardo et al. (2021), Evaluation support study

Figure 18: Cumulative capital investment, O&M and refurbishment costs of CNG stations in the Baseline and in the Alternative scenario in the EU27 in 2021-2050



Source: Ricardo et al. (2021), Evaluation support study

Investment expenditures in LNG terminals by 2030 and by 2050

The number of LNG bunkering terminals deployed in the Baseline and the Alternative scenario in the EU27 is presented in Figure 19. Medium/large LNG terminals represent about 5% and 8% of total terminals in the EU27 in 2030 and 2050, respectively.





Figure 19: LNG bunkering terminals in the EU27 in 2030, 2040 and 2050

Source: Ricardo et al. (2021), Evaluation support study

Figure 20: Cumulative investment costs in LNG bunkering terminals in the Baseline and the Alternative scenario in the EU27 in 2021-2030 and 2031-2050



Source: Ricardo et al. (2021), Evaluation support study

The cumulative investment costs in 2021-2050 (Figure 20) for LNG bunkering terminals reach \notin 175 million in the Baseline scenario. They are substantially higher in the Alternative scenario reaching \notin 2,215 million. In both scenarios, the investments are slightly higher in the period 2021-2030 than in the period 2031-2050. Investments on medium/large LNG terminals are about 15% of total investments in LNG terminals in 2021-2030 and 25% in 2031-2050.

ANNEX 4: CURRENT STATUS OF THE AFI AND AFV MARKET IN EUROPE

This section presents an overview of the current status of the AFI and AFV market in Europe, broken down by fuel type and transport mode. The principle source of information/data is the European Alternative Fuels Observatory (EAFO). It has been supplemented by other sources, where relevant,

1. ELECTRICITY

1.1 Electricity for road transport

At EU level, the data provided by EAFO (see **Error! Reference source not found.**) points to six -fold increase to the total number of electric charging infrastructure over the period 2014-2019. The number of EVs (BEVs and PHEVs) during the same period increased at an even higher rate (9.4 times) with the share BEVs remaining rather stable (ca. 60%). The EAFO data also point to a significant increase in the number of fast chargers (>22kW) per 100 km of highway (from 2 per 100 km in 2014 to 20 in 2019). Fast chargers represented in 2019 around 10% of the total public chargers, up from 5% in 2014. According to T&E, there were approximately 780 ultra-fast chargers⁶⁵ in Europe at the start of 2020. Germany has the highest number of ultra-fast recharging points (269), representing approximately a third of the network. Other MS with a significant number of ultra-fast recharging points are the Netherlands (98) and France (88).

⁶⁵ This number includes recharging points above 100kW in Europe (including Norway, Switzerland and UK) and excludes the Tesla Supercharger network.

Indicator	2014	2015	2016	2017	2018	2019
Numberofnormalpublicchargers(≤22kW)	24,917	44,786	93,721	97,287	107,502	148,035
Number of Fast public chargers (>22kW)	1,331	3,396	8,124	8,784	11,155	17,071
Total chargers	26,248	48,182	101,845	106,071	118,657	165,106
% of fast chargers in total	5.1%	7.0%	8.0%	8.3%	9.4%	10.3%
Number of MS with stations	24 (20 fast)	26 (24 fast)	27 (25 fast)	27 (25 fast)	27 (25 fast)	27 (25 fast)
Fast chargers per 100 km highway	2	5	7	12	15	20
BEVs	75,611	146,700	214,205	299,380	466,831	726,706
PHEVs	57,585	128,651	196,580	272,625	385,895	517,395
Total EVs	133,196	275,351	410,785	572,005	852,726	1,244,101
% share of new M1 registrations	0.6%	1.0%	0.9%	1.4%	1.8%	3.3%
Vehicle per charging point (average)	5.1	5.7	4.0	5.4	7.2	7.5

Table 6: Evolution of electric vehicles and charging infrastructure for roadtransport in EU27

Source: EAFO and Ricardo elaboration

The overall increase of EV infrastructure at EU level is not equally spread across Member States. As can be seen, a small number of Member States are far ahead in terms of the density of the network while others are still at the very early stages. It highlights the high share of infrastructure – both in absolute and in relative terms – in the Netherlands and less so in Germany and France. Luxembourg has also a high number of charging points per population. At the same time, among the frontrunners there have been different levels of development of fast infrastructure. Thus, Netherlands has only a small share of fast charging infrastructure (2.1%) in comparison to a much higher share in Germany (15.1%). Other Member States with high levels of recharging infrastructure include Belgium, Sweden, Austria and Denmark with around 500 charging points per million population.




Figure 21: Charging infrastructure in EU27 by Member State, type and million population (2019)

Source: EAFO

The comparison of the evolution of recharging points between 2015 and 2019 point to the fact that the Member States with the highest level of infrastructure (NL, LU, BE, DE, AT, SE. FR) are also those with the highest level of additional investment in the last few years, based on budget data provided in the NIR (see **Error! Reference source not found.**). Nonetheless, even at smaller rates, all Member States saw an overall increase in the number of charging points per million population over the same period. At EU level, the number of charging points per million population increased from 112 in 2015 to 376 in 2019 (on the basis of EAFO data).





Figure 22: New recharging points between 2015 and 2019 by Member State (total and per million population)

Source: EAFO

As with recharging infrastructure, the increase has not been equal amongst Member States. The number of electric vehicles in each Member State at the end of 2019 is presented in **Error! Reference source not found.** It shows a high volume of vehicles for Germany and France in absolute terms. In relative terms (per million population) the higher numbers are reported in the Netherlands, Sweden and (to a lesser degree) Luxembourg are leading. In general, BEVs are more common than PHEV with the highest share of BEVs in Estonia (91%), Malta (87%), Latvia (82%) and Austria (81%). Sweden and Finland have the lowest share of BEV, with 32% and 21%, respectively.


Figure 23: Electric vehicles in EU27 by Member State, type and million population (2019)



Source: EAFO

Furthermore, all EU MS have seen an overall increase in the number of electric vehicles from 2015 to 2019. Except for Sweden (which has seen the highest increase vehicles alongside only a moderate increase in infrastructure), the MS with the greatest increase in electric vehicles per million population from 2015 to 2019 are those with a corresponding high increase in recharging infrastructure.

Figure 24: New electric vehicles between 2015 and 2019 (total and per million population)



Source: EAFO

1.2 Electricity for water transport

In the water transport sector, data from EAFO on the relevant AFI (including onshore power supply and LNG) are less comprehensive. In relation to electricity installations in sea/inland ports, in 2015, there were 20 maritime ports in the EU providing shore side electricity (SSE) supply (high or low voltage). By 2019 this had increased to 44 ports (European Commission, 2020). Out of the 44 EU ports, 22 are ports on TEN-T Core Network and 11 are ports on the TEN-T Comprehensive Network. In total, there were over 189 berths with SSE in these EU ports with voltage ranging from 0.4 to 11 kV and power ranging from 0.015 to 10 MW. Among the ports with SSE, 48% offer high voltage and 86% offered low-voltage electricity supply (ESPO, 2019). Fixed installation supply is far more widespread than mobile installations, with 96% and 16% of equipped ports housing these types of infrastructure, respectively.

In terms of vessels powered by electricity, EAFO includes only data on the global seagoing fleet for 2020 with no corresponding data for inland shipping. As of May 2020, there are 101 seagoing vessels using SSE, of which 53 (52%) are pure electric and 48 (48%) are plug-in hybrid ships. There are a further 125 hybrid vessels that do not require electric infrastructure in ports. According to report on the State of Alternative Fuels transport systems, however, there are 166 battery-powered vessels in operation, of which 56% are passenger ferries. Furthermore, less than 0.5% of inland waterway vessels are hybrid or electric. Interviews with ECSA and ESPO stated that OPS is available in only a limited number of ports.

1.3 Electricity supply in airports

An ACI EUROPE survey in 2018 based on the replies of 51 airports, found that 42 of them (82%) provide Fixed Electrical Ground Power to aircraft on-stand⁶⁶. In the same survey, 86% of respondents reported that their vehicle fleet included electric vehicles and 47% included hybrid models. Furthermore, an interview with ACI noted that there are an increasing number of airports offering fixed-electrical ground power. However, it does not work for all types of operation, particularly low-cost airlines with short turn-around times.

2. NATURAL GAS

In comparison to the electric charging infrastructure, the increase in the level of Natural gas (CNG/LNG) AFI has been more moderate. In the case of CNG, a network of around 3,000 stations was already in place in 2015 (mainly in Italy and in Germany). This increased by 20% (ca 3,500 stations), largely in line with the increase in the number of vehicles. The increase in the share of LNG stations was much greater (3.8 times) albeit from a much lower starting point.

⁶⁶ <u>https://ec.europa.eu/transport/sites/transport/files/2019-aviation-environmental-report.pdf</u>

Туре	Indicator	2014	2015	2016	2017	2018	2019
CNG	Number of CNG filling stations	n.d.	2,957	3,091	3,111	3,216	3,519
	Number of MS with stations	n.d.	24	24	24	23	25
	per 100 km highway	n.d.	3.9	4.1	4.1	4.2	4.6
	Number of CNG fuelled vehicles	1,065,157	1,209,033	1,252,745	1,274,392	1,321,666	1,377,985
	% share of new M1 registrations	1.0%	0.7%	0.5%	0.4%	0.5%	0.6%
	Vehicle per filling station (average)	n.d.	408.9	405.3	409.6	411.0	391.6
LNG	NumberofLNGfillingstations	n.d.	63	80	110	133	242
	Number of MS with stations	n.d.	8	10	11	12	15
	per 100 km highway	n.d.	0.08	0.11	0.15	0.17	0.32
	Number of vehicles	257	423	637	3,128	2,897	4,154
	Vehicle per filling station (average)	n.d.	6.7	8.0	28.4	21.8	17.2

Table 7: Evolution of natural gas vehicles and fuelling infrastructure forroad transport in EU27 by type

Source: EAFO

CNG In terms of its distribution, the CNG network is concentrated in a few Member States. The greatest share of filling stations are located in Italy (1,391 in 2019) both in absolute and relative terms, representing close to 40% of the total filling stations in the EU. Other countries with high number of CNG infrastructure are DE (854), SE (192) and CZ (207). Accounting for population, AT and BG also display a high number of refilling stations. Since 2015, most investment in CNG filling station has taken place in Italy (217 new stations), followed by the CZ (99) and BE (87). Conversely, some Member States have been reducing the number of CNG refuelling points, namely, AT, DE, PL, and LU.




Figure 25: CNG infrastructure in EU27 by Member State and million population (2019)

Source: EAFO

In terms of vehicles, Italy represents almost 80% of all CNG vehicles in Europe, with a ratio of 822 vehicles per refilling station. Other MS with a high ratio are Poland (309), Sweden (295) and Finland (213). Italy has also had the greatest increase in number of vehicles since 2015 (103,106), followed by Belgium (16,543) and Czech Republic (11,747).




Figure 26: CNG vehicles in EU27 by Member State and million population (2019)

Source: EAFO

3. LNG

3.1 LNG for road transport

At the end of 2019, LNG fuelling infrastructure was available in 15 Member States according to the EAFO. Italy had the greatest number of refuelling stations (59) followed by Spain (49). However, in relative terms, Finland, Netherlands and Sweden have the highest number of infrastructure. Since 2015, the number of refuelling points at the Union level has increased almost fourfold, with a significant increase in infrastructure in Italy (47 new stations), Spain (49) and France (32).




Figure 27: LNG infrastructure in EU27 at the end of 2019 by Member State and per million population

Source: EAFO

According to the EAFO, there were only 5 Member States that have registered LNG vehicles at the end of 2019. However, it should be noted that on the EAFO website, Bulgaria, Czech Republic, Finland, France, Poland, Slovakia and Slovenia have all had vehicles registered in previous years. Heavy-duty vehicles make up 99% of LNG vehicles in the EU and the Netherlands is the only MS to have any other LNG vehicle types registered. Italy had the greatest number of vehicles (1.907) followed by Spain (1,462), although Netherlands had the greatest per million population (33.3.).




Figure 28: LNG vehicles in EU27 at the end of 2019 by Member State and per million population

Source: EAFO

3.2 LNG for water transport

In relation to water transport, in 2018 there were 16 maritime ports in Europe that had LNG refuelling points in operation (European Commission, 2020). Most of them were located in Belgium, Spain, France, Lithuania, Netherlands, Portugal and UK. While limited, the dedicated LNG bunkering infrastructure for ships has also increased significantly. At the beginning of 2019, there were 85 large-scale operational LNG tanks installed in 35 ports in EU, mainly in Spain (29 tanks in 9 ports) and Italy (8 tanks in 3 ports) (European Commission, 2020). Furthermore, according to the EAFO, there were 50 LNG powered seagoing vessels in Europe (excluding Norway) at the end of 2019, which will increase to 67 in 2020 according to forecasts. There are still a number of LNG ships on order and it estimated that the total fleet will increase to approximately 92 ships when fulfilled (European Commission, 2020).

Concerning inland navigation, there are no specific data available. However, in 2018, there was considered to be sufficient LNG bunkering to meet the demand from a very low number of LNG vessels in use. There are 14 LNG inland vessels operating in Europe today, of which 9 are tanker vessels, and a further 12 on order.

4. HYDROGEN

4.1 Hydrogen for road transport

At EU level, the number of hydrogen filling stations in operation across the EU in 2019 was still very small (127), up from 35 in 2016 and 39 in 2018. The number FCEVs has also increased during the same period but an even slower pace (as can be seen from


lower ratio of vehicles to refuelling stations) and the total number of vehicles is still very small (1200 at the end of 2019).

Indicator	2014	2015	2016	2017	2018	2019
Number of filling stations	n.d.	n.d.	35	39	39	127
Number of MS with stations	n.d.	9	10	10	10	10
per 100 km highway	n.d.	n.d.	0.05	0.05	0.05	0.15
Number of FCEVs	59	229	431	630	817	1,203
Vehicle per filling station (average)	n.d.	n.d.	12.3	16.2	20.9	9.5

Table 8: Evolution of hydrogen vehicles and fuelling infrastructure for roadtransport in EU27

The network of H2 infrastructure is concentration in a small number of MS. More than half of the H2 filling stations in 2019 (60%) were located in Germany (76), followed by France (14). In relative terms, Denmark has the most refuelling stations (1.7 per million population). In total, only 10 MS had at least one filling station in operation at the end of 2019. Most common types of hydrogen refuelling stations are the high pressure (700 bar) stations for road vehicles (108 according to EAFO). At EU level, the number of refuelling stations remained fairly constant until 2019 where there was threefold increase, with over 70% of new refuelling stations deployed in Germany.


Figure 29: Hydrogen infrastructure in MS that have at least one refilling station, by Member State and million population (2019)




Source: EAFO

The number of hydrogen vehicles has seen a steadier increase at EU level since 2014. In total, 11 countries had registered hydrogen vehicles in 2019, compared to 7 Member States in 2015. At the end of 2019, France had the greatest number of hydrogen vehicles (413) followed by Germany (266). Adjusting for population, Denmark and Netherlands

have the most hydrogen vehicles with 18.1 and 13.6 vehicles per million population, respectively.





Source: EAFO

4.2 Hydrogen for waterborne transport

In recent years, there has been early adoption of hydrogen for waterborne transport, although the number of vessels powered by hydrogen is still extremely low. For maritime transport, there are three hydrogen vessels in operation and on order. In addition, the Commission funded a retrofit of an inland freight vessel, which features a diesel-electric powertrain and can be powered by hydrogen. In terms of infrastructure, there is no data to report on.

5. OTHER FUELS

5.1 LPG

In terms of infrastructure and vehicles, LPG was established as a fuel for road transport before the adoption of the AFID. There was a total of 8 million LPG vehicles in 2019, up from 7.3 in 2014 and the number of filling stations also increased along similar lines. However, year on year increase of LPG vehicles has decreased, with the number of new registrations of LPG vehicles representing only 0.9% in 2020 of total vehicle registrations, down from 3.5% in 2014.


Indicator	2014	2015	2016	2017	2018	2019
Number of filling stations	29,343	29,733	29,969	31,174	32,196	33,724
Number of MS with stations	25	25	25	25	26	26
per 100 km highway	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
Number of vehicles	7,282,036	7,607,215	7,737,726	7,847,447	7,936,844	8,011,479
% share of new M1 registrations	1.9%	1.9%	1.8%	2.0%	1.3%	1.5%
Vehicle per filling station (average)	248.2	255.9	258.2	251.7	246.5	237.6

Table 9: Evolution of LPG vehicles and fuelling infrastructure for roadtransport in EU27 by type

Source: EAFO

At national level, LPG refuelling stations are present in all Member States but Finland. Poland, Germany, Italy, Bulgaria and France are the countries with higher number of LPG fuelling stations and Bulgaria has the highest number when adjusting for population. However, while the overall number of refuelling points has increased in the EU from 2015 to 2019, several Member States that have reduced the number of refuelling points in this period, including Bulgaria, Romania, Czech Republic and the Netherlands.

Figure 31: LPG infrastructure in EU27 by Member State, type and million population (2019)



Source: EAFO

In terms of vehicles, at the end of 2019, Poland and Italy had the greatest LPG vehicle stock, accounting for almost 70% of all LPG vehicles in the EU. Since 2015, Italy has seen the greatest increase in the number of vehicles, while Poland's LPG fleet has reduced. Romania, Spain and Greece have also seen a large increase in the vehicle number during this period but in almost half of the Member States there has been a reduction to the LPG vehicle fleet.




Figure 32: LPG vehicles in EU27 by Member State, type and million population (2019)

Source: EAFO

5.2 Biofuels

Data on the use of biofuels in transport are sparse and infrequently reported. Low blend bioethanol (e.g. E5, E10) is supported by traditional refuelling infrastructure, thus is widely available across the EU. However, high bioethanol blends (e.g. E85, E100) require adaptations to refuelling infrastructure, which has led to a more fragmented market, with some countries (e.g. Sweden) showing a clear preference for their use. Of the high blend bio-gasolines, E85 is the most prominent and is available in 8 Member States, according to EAFO. Sweden has the greatest number of E85 refilling stations (1700), followed by France (1000) and Hungary (403). There is an emerging market for ED95 in Finland, France and Sweden, although no specific data on the number of equipped refuelling points is available. In terms of biodiesel, there are 9 refuelling stations available for rapeseed methyl ester (European Commission, 2020).




Figure 33: E85 refuelling points in EU27 by Member State and per million population

Source: EAFO



EUROPEAN COMMISSION

> Brussels, 14.7.2021 SWD(2021) 638 final

COMMISSION STAFF WORKING DOCUMENT

EXECUTIVE SUMMARY OF THE EVALUATION

of Directive 2014/94/EU of the European Parliament and of the Council on the deployment of alternative fuels infrastructure

accompanying the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

 $\{ COM(2021) \ 559 \ final \} - \{ SEC(2021) \ 560 \ final \} - \{ SWD(2021) \ 631 \ final \} - \{ SWD(2021) \ 632 \ final \} - \{ SWD(2021) \ 637 \ final \} \}$

EXECUTIVE SUMMARY

The Alternative Fuels Infrastructure Directive was adopted in order to establish a common framework of measures to support roll-out of public accessible alternative fuels infrastructure in the EU. It should support a sufficient network of recharging and refuelling infrastructure, interoperability of infrastructure, adequate consumer information and effective vehicle integration into electricity grids.

Main findings

Effectiveness: the Directive has been slightly effective in achieving its objectives, namely by triggering policy action at the level of Member States. Through the Directive and delegated acts under that Directive, technical specifications on recharging and refuelling infrastructure were adopted early on that helped to provide certainty to investment into alternative fuels vehicles and infrastructures. Particularly relevant in this context was the adoption of a common standard for a recharging plug for electric vehicles that helped long-term market certainty. Consequently, the Directive has had a certain positive impact on the uptake of alternatively fuelled vehicles and their infrastructure.

Efficiency: the cost of the Directive have been proportional to the benefits of the implementation of the Directive and the evaluation did not find any indication that there would have been a largely more cost-efficient approach possible for delivering the same outcomes.

Relevance: the Directive is highly relevant especially considering the EU's commitment to reduce greenhouse gas emission by 2030 by at least 55% compared to the previous 40% reduction target. This has a relevant impact on the required uptake of low-carbon and renewable fuels, vehicles and infrastructure. In order to achieve these ambitious targets, the uptake of zero-emission vehicles and the related public accessible infrastructure needs to accelerate significantly in all market segments of light-duty and heavy-duty vehicles but also in other transport modes like waterborne transport and aviation.

Coherence: The evaluation points that there are no real issues with regard to the internal and external policy coherence of this Directive. The evaluation also confirms the continued relevance of the general and specific objectives of the Directive.

EU added value: the evaluation confirms a principal EU value added of the intervention at EU level. Markets for alternative fuels vehicles and infrastructure would have been less developed in a scenario without the Directive. This is a general point of consensus among stakeholders. Individual action at Member State level would not have resulted in common market development and related adoption of technical specifications for infrastructure and vehicles.

However, substantive shortcomings of the current policy framework are also visible:

• With regard to establishing a sufficient network of alternative fuels infrastructure, Member States actions do not sum up to a comprehensive common framework of measures across the EU. The absence of a detailed and binding methodology for Member States to calculate targets and adopt measures has led to the identified divergence in the level of ambition in target setting and supporting policies in Member States.

- With regard to establishing full interoperability of infrastructure, the evaluation points out that important aspects are not well covered under the current Directive, including interoperability of infrastructure for recharging and refuelling heavy-duty use vehicles as well as important aspects of user services.
- With regard to adequate consumer information and payment services, there is lack of pervasive high quality of information to customers about the location, availability and use conditions of infrastructure. Moreover, there is a plethora of approaches to finding, accessing, using and paying, particularly in the case of recharging points, which is leading to continued customer concerns. Particular points of concerns are information on availability, price transparency and payment services.

The current implementation practice shows a strong link between vehicle demand and infrastructure provision. However, infrastructure provision takes time and requires policy direction. The current fragmentation of the internal market, where alternative fuels infrastructure take up is driven mainly by a handful of key Member States, is not future-proof in view of the expected rapid acceleration of vehicle take up in the years to come. The evaluation finds that the current Directive is not fit for purpose in view of the increased policy ambition for cutting transport emissions by 2030 and finally 2050.

The evaluation of the Alternative Fuels Infrastructure Directive confirms the need for strengthening of the policy framework at EU level for the deployment of alternative fuels infrastructure to meet the increased climate ambition of the EU for 2030 and the needs of the transition to climate neutrality by 2050.



EUROPEAN COMMISSION

> Brussels, 14.7.2021 SWD(2021) 632 final

COMMISSION STAFF WORKING DOCUMENT

EXECUTIVE SUMMARY OF THE IMPACT ASSESSMENT

Accompanying the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

{COM(2021) 559 final} - {SEC(2021) 560 final} - {SWD(2021) 631 final} - {SWD(2021) 637 final} - {SWD(2021) 638 final}

Executive Summary Sheet

Impact assessment on a Proposal for a Revision of the Directive 2014/94 of the European Parliament and of the Council on the deployment of alternative fuels infrastructure

A. Need for action

What is the problem and why is it a problem at EU level?

In response to the increased climate ambition for 2030 set out by the European Green Deal and the Climate Target Plan of the Commission, the Sustainable and Smart Mobility Strategy confirms the need for a rapidly accelerated uptake of low and zero-emission vehicles and vessels. A sufficiently dense, widespread network of public accessible recharging and refuelling infrastructure is necessary to support this take-up. The evaluation has indicated that the Directive is not fit for the purpose of serving the recharging and refuelling infrastructure needed in response to the increased climate ambition for 2030. Driven by shortcomings in provisions of the current Directive the main problems include 1) Member States infrastructure planning under the Directive lacks, on average, the level of ambition and coherence needed, leading to insufficient, unevenly distributed infrastructure; 2) interoperability issues persist in terms of physical connections and communication standards, including connection to the electricity grid and 3) there is a lack of transparent consumer information and easy to use payment systems, which impact user acceptance. Without further EU level intervention, such lack of interoperable, easy-to use recharging and refuelling infrastructure is likely to become a barrier to the needed market growth of low and zero-emission vehicles and vessels in view of the increased 2030 climate ambition.

What should be achieved?

In order to contribute to achieving climate neutrality by 2050 and to contribute to the reduction of air pollution, this initiative seeks to ensure the availability and usability of a dense, wide-spread network of alternative fuel infrastructure throughout the EU. All users of alternatively fuelled vehicles (including vessels and aircraft) shall circulate at ease across the EU, enabled by key infrastructure such as motorways, ports and airports. The specific objectives are: 1) ensuring minimum infrastructure to support the required uptake of alternatively fuelled vehicles across all modes and in all Member States to meet the EU's climate objective, 2) ensuring full interoperability of the infrastructure and 3) ensuring full user information and adequate payment options.

What is the value added of action at the EU level (subsidiarity)?

Full connectivity and a seamless user experience along the European transport network for low and zero emission vehicles and vessels, ensured through sufficient quantity and full interoperability of infrastructure across borders is a prerequisite to meet the European Green Deal goal on reduction of transport GHG emissions and for the development of a common EU transport market. Those objectives can only be reached by a common European legislative framework. The revision of the Directive will contribute to a coherent development and rollout of vehicles fleets, recharging and refuelling infrastructure and user information and services.

B. Solutions

What are the various options to achieve objectives? Is there a preferred option or not? If not, why?

Three policy options (PO) have been analysed that all ensure that sufficient, interoperable and user-friendly recharging and refuelling infrastructure will be available to support the uptake of low and zero emission vehicles by 2030 and beyond. All options include mandatory deployment targets at national level, but vary in terms of prescription of the location of this infrastructure, the level of harmonisation of physical connectors and communication protocols as well as in terms of information and services to be offered to consumers. The preferred choice is PO2 as it ensures sufficient quantity of infrastructure overall as well as sufficient infrastructure on the TEN-T network, while leaving Member States flexibility in terms of precise location and services is ensured.

What are different stakeholders' views? Who supports which option?

The preferred policy option (PO2) is supported by the automotive industry, many manufacturers and operators of recharging and refuelling infrastructure, the electricity sector and many civil society associations, albeit different views with respect to the quantitative requirements exist. However, ports and airports raised concerns about the additional costs for providing related infrastructure in particular for on shore power supply (OPS) and electricity supply to stationary aircrafts. Public authorities are largely supportive of a revision of the Directive in particular with respect to interoperability and user friendliness but view are more mixed when it comes to mandatory deployment targets, in particular with respect to fleet based targets for recharging infrastructure.

C. Impacts of the preferred option

What are the benefits of the preferred option (if any, otherwise of main ones)?

Societal benefits will result from the reduction in CO_2 and air pollutant emissions. In general, investments in quantity and quality of infrastructure will not directly lead to a greater uptake of low- and zero-emission vehicles which is rather triggered by other policies, e.g. the CO_2 emission performance standards for cars and vans. However, only if sufficient and interoperable infrastructure is available that provides minimum services to consumers, it can be expected that the vehicles will make it into the market to the extent necessary to achieve the EU's Climate Target Plan objective. The reduction in the external costs of CO_2 emissions is estimated at around €445 billion relative to the baseline over the 2021-2050 period, expressed as present value, while the reduction in the external costs of air pollution at €75 billion. These reductions are driven by other policies, but enabled by the uptake of infrastructure. The preferred option is expected to have a positive impact on innovation, particularly in the area of low and zero-emission vehicle and vessel development, innovative user services building on a common data infrastructure, related business models but also in the development of more innovative recharging and refuelling technologies. Those innovations are likely to strengthen the competitiveness of European industry.

What are the costs of the preferred option (if any, otherwise of main ones)?

Total infrastructure costs, including capital and operation costs for fully interoperable and user-friendly infrastructure, are expected to amount to $\in 67.1-70.5$ billion compared to the baseline over the 2021-2050 period, expressed as present value, of which $\in 60.3-63.7$ billion will be for road infrastructure, $\in 5.9$ billion for waterborne transport and $\in 0.9$ billion for aviation. There are no significant direct negative impacts in economic, social or environmental areas.

What are the impacts on SMEs and competitiveness?

The policy options increase certainty of long-term market demand in all Member States. This will generally benefit all enterprises that are active in this market. Especially in electric mobility market, new market actors are often SMEs who will benefit from the accelerated deployment of recharging infrastructure under the Directive and from the provisions for data sharing through national access points of Member States Competitiveness of enterprises active in installing and operating recharging and refuelling infrastructure will increase under all policy options, as higher demand for recharging and refuelling practice as triggered by the CO₂ emission performance standards for cars and vans, but also for heavy-duty vehicles, will lead to better profitability of operations, complemented by decreasing cost of technologies.

Will there be significant impacts on national budgets and administrations?

The costs to public authorities from the requirements to review and update the national policy frameworks (NPFs) and report on the implementation are the same as in the baseline. In the baseline they are estimated to be \in 3,400,000 (\in 126,000 per Member State) for each reporting circle under the National Policy Frameworks that is planned for every three years. Monitoring costs may increase to some extent to report on compliance with the strict targets set. The additional costs relative to the baseline cannot however be quantified; and the provision of standardised data formats, digitised data transfer and a common system of reporting to national access points of Member States will simplify overall reporting under the Directive. Investments into infrastructure are expected to be largely covered by private investments. However, especially in the early phase of market development, public authorities will have to financially support some of the market investments with decreasing aid intensities over time. Up to 2030, it is expected that public authorities will have to contribute \in 0.64 billion per year on average (41% of the total investments). For the period 2031-2050, the public support is projected at \in 0.45 billion per year on average (10% of the total investments).

Will there be other significant impacts?

Consumers will have access to sufficient and fully interoperable infrastructure, related information and services that will make travelling with low and zero emission vehicles across the EU more convenient and predictable as the issues of ensuring full user information and adequate payment options will be addressed. However, those benefits can't be quantified.

Proportionality

None of the policy options goes beyond what is necessary to reach the overall policy objectives. The proposed intervention ensures the uptake of sufficient infrastructure for recharging and refuelling of alternative fuels vehicles in the Union necessary for delivering on the increased climate and energy ambition for 2030 and the overall objective of reaching climate neutrality by 2050.

D. Follow up

When will the policy be reviewed?

The policy will be reviewed end of 2026 to assess the deployment level of alternative fuels infrastructure in relation to the uptake of low and zero emission vehicles and the technology developments, in particular in waterborne transport and aviation, but also rail, to determine the need for alternative fuels infrastructure in those sectors.



EUROPEAN COMMISSION

> Brussels, 14.7.2021 SWD(2021) 631 final

PART 1/2

COMMISSION STAFF WORKING DOCUMENT

IMPACT ASSESSMENT

Accompanying the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

 $\{ COM(2021) \ 559 \ final \} - \{ SEC(2021) \ 560 \ final \} - \{ SWD(2021) \ 632 \ final \} - \{ SWD(2021) \ 637 \ final \} - \{ SWD(2021) \ 638 \ final \} \}$

Table of contents

1.	INTRODUCTION: POLITICAL AND LEGAL CONTEXT
	1.1. Political context
	1.2. Legal context
	1.3. Policy context
	1.4. Evaluation of the existing Directive
2.	PROBLEM DEFINITION 1
	2.1. What are the problems and their implications?
	2.1.1. Lack of ambition and coherence in MS infrastructure planning leading to insufficient and unevenly distributed infrastructure
	2.1.2. Interoperability issues persist in terms of physical connections and communication standards
	2.1.3. Publicly accessible infrastructure does not fully correspond to user needs 16
	2.2. What are the problem drivers?
	2.2.1. Lack of binding provisions leads to different ambitions by Member States 17
	2.2.2. Setting of targets by Member states not consistent with market developments and GHG reduction ambition
	2.2.3. Implementation fails to consider necessary requirements/standards for ensuring full interoperability
	2.2.4. Lack of user information about and at refuelling and recharging points 21
	2.2.5. No uniform ad hoc payment method available at all recharging points 22
	2.3. How will the problem evolve?
	2.3.1. Lack of ambition and coherence in MS infrastructure planning leading to insufficient and unevenly distributed infrastructure
	2.3.2. Interoperability issues persist in terms of physical connections and communication standards
	2.3.3. Publicly accessible infrastructure does not fully correspond to user needs 26
3.	WHY SHOULD THE EU ACT?
	3.1. Legal basis
	3.2. Subsidiarity: Necessity of EU action
	3.3. Subsidiarity: Added value of EU action
4.	OBJECTIVES: WHAT IS TO BE ACHIEVED?
	4.1. General objectives
	4.2. Specific objectives
5.	WHAT ARE THE AVAILABLE POLICY OPTIONS?
	5.1. What is the baseline from which options are assessed?
	5.2. Policy measures and policy options
	5.2.1. Discarded policy measures

	5.2.2. Retained policy measures and policy options overview	35
	5.3. Description of policy options	40
	5.3.1. Policy option 1 40	
	5.3.2. Policy Option 2 43	
	5.3.3. Policy Option 3 45	
	5.4. Discarded Policy Options	47
6.	WHAT ARE THE IMPACTS OF THE POLICY OPTIONS?	
	6.1. Economic impacts	49
	6.1.1. Impact on alternative fuels vehicles and infrastructure markets	
	6.1.2. Administrative burden for public authorities	56
	6.1.3. Infrastructure costs	56
	6.1.4. Costs and benefits on vehicle and vessel manufacturers	67
	6.1.5. Impacts on SMEs / professional vehicle users and businesses	
	6.1.6. Functioning of the internal market and competition	
	6.1.7. Impact on innovation and industry competitiveness	
	6.2. Social impacts	
	6.2.1. Impacts on households and consumers	
	6.2.2. Impacts on employment and social skills	
	6.2.3. Impact on persons with disabilities and those with reduced mobility	
	6.2.4. Impact on public health	
	6.3. Environmental impacts	
	6.3.1. CO ₂ emission reduction	
	6.3.2. Air pollutants emission reduction	74
7.	HOW DO THE OPTIONS COMPARE?	
	7.1. Effectiveness	76
	7.2. Efficiency	77
	7.3. Coherence	79
	7.4. Proportionality and subsidiarity	80
	7.5. Summary of comparison of options, including stakeholder views	81
	7.6. Infrastructure needs depending on the level of stringency of CO ₂ standards for LDVs	82
	7.7. Sensitivity analysis on sufficiency and share of fast chargers	84
	7.8. Sensitivity analysis on the requirements for HDVs charging points	87
8.	PREFERRED OPTION	89
	8.1. Context	89
	8.2. Identifying the preferred option	
	8.3. REFIT (simplification and improved efficiency)	91
9.	HOW WILL ACTUAL IMPACTS BE MONITORED AND EVALUATED?	
AN	NEX 1: PROCEDURAL INFORMATION	

ANNEX 2: STAKEHOLDER CONSULTATION	97
ANNEX 3: WHO IS AFFECTED AND HOW?	. 107
ANNEX 4: ANALYTICAL METHODS	. 113
ANNEX 5: METHODOLOGY FOR THE DEFINITION OF POLICY OPTIONS AND MEASURES	. 132

Glossary

Term or acronym	Meaning or definition
ACEA	European Automobile Manufacturers Association
AFI	Alternative Fuels Infrastructure
AFID	Alternative Fuels Infrastructure Directive 2014/94/EU
AFV	Alternatively Fuelled Vehicle
BEV	Battery Electric Vehicle
CNG	Compressed Natural Gas
EMSP	Electric Mobility Service Provider
ESR	Effort Sharing Regulation
ETS	EU Emission Trading System
EV	Electric Vehicle: covers BEV, FCEV and PHEV
FCEV	Fuel Cell Electric Vehicle
FQD	Fuel Quality Directive 98/70/EC
GDP	Gross Domestic Product
GHG	Greenhouse gas(es)
HDV	Heavy-Duty Vehicles, i.e. lorries, buses and coaches (vehicles of more than 3.5 tons)
HEV	(Not Off-Vehicle Charging) Hybrid Electric Vehicle (so not including PHEV)
ESO	European Standardisation Organisations
FEGP	Fixed Electrical Ground Power
ICEV	Internal Combustion Engine Vehicle
IEA	International Energy Agency

LCA	Life-Cycle Assessment	
LCV	Light Commercial Vehicle(s): van(s)	
LDV	Light-Duty Vehicle(s), i.e. passenger car(s) and light commercial vehicle(s) (van(s))	
LPG	Liquefied Petroleum Gas	
LNG	Liquefied Natural Gas	
NEDC	New European Driving Cycle	
NGO	Non-Governmental Organisation	
NIR	National Implementation Report	
NO _x	Nitrogen oxides (nitric oxide (NO) and nitrogen dioxide (NO_2))	
NPF	National Policy Framework	
OPS	Onshore Power Supply	
PHEV	Plug-in Hybrid Electric Vehicle	
РМ	Particulate matter	
RED II	Renewable Energy Directive (EU) 2018/2001	
STF	Sustainable Transport Forum	
WLTP	Worldwide Harmonised Light Vehicles Test Procedure	

1. INTRODUCTION: POLITICAL AND LEGAL CONTEXT

1.1. Political context

The **European Green Deal**¹ puts climate action at its core, by setting an EU climate neutrality objective by 2050. The Commission proposal for a **European Climate Law** turns this commitment into a legally binding target and also proposes a new colletive, net greenhouse gas emissions reduction target of at least 55% below 1990 levels by 2030 for the Union. The European Parliament and the Council have found a provisional political agreement on the European Climate Law setting into law the objective of a climate-neutral EU by 2050 and of the collective net greenhouse gas emission reuction target of at least 55% by 2030.

The Commission's Communication on a **Sustainable and Smart Mobility Strategy**² confirms the ambition of the European Green Deal to achieve a 90% reduction in the transport sector emissions by 2050 and sets out various milestones to show the sectors path towards achieving this objective. Those include among others the ambition to have at least 30 million zero-emission cars and 80,000 zero-emission lorries in operation by 2030 and that by 2050 nearly all cars, vans, buses as well as new heavy-duty vehicles will be zero-emission. This is also in line with the Zero Pollution ambition set up by the European Green Deal.

A comprehensive and easy to use network of recharging and refuelling infrastructure is a prerequisite to enable the widespread uptake of zero- and low-emission vehicles. Such an achievement is also of central relevance to the recovery of the European economy after the COVID pandemic – in particular of the automotive sector – and reflected accordingly in the Annual Growth Strategy 2021³ under the 'recharge and refuel' flagship initiative.

This impact assessment addresses the needs, options and benefits for revising **Directive 20014/94/EU** on the deployment of alternative fuels infrastructure (AFID, in the following: the Directive) in order to ensure the necessary deployment of interoperable and user-friendly public accessible infrastructure for recharging and refuelling zero- and low-emission vehicles.

This initiative forms part of the overall effort to bring the Union on track to climateneutrality, deliver on the long-term climate, environmental and energy objectives and build back better in terms of economic recovery, among other. It is **part of a package of initiatives adopted under the "Fit for 55" package**⁴ **approach** of the Commission in 2021. It is particularly complementary to the legislative proposal for setting new CO₂ emission performance standards for cars and vans post 2020 – together both policy initiatives create a coherent approach to vehicle and infrastructure market take up.

¹ COM(2019)640 final

² COM (2020) 789final

³ COM/2020/575 final ⁴ COM (2020) 690 final

1.2. Legal context

The Directive establishes a common framework of measures for the deployment of publicly accessible alternative fuels infrastructure. Building-up such publicly accessible infrastructure to enable the uptake of zero- and low-emission vehicles shall reduce oil dependence and mitigate environmental impacts specifically of road and waterborne transport. While it covers a range of fuels, including electricity, hydrogen, biofuels, natural gas and synthetic and paraffinic fuels, it particularly defines certain minimum requirements for fuels that require distinct infrastructure (electricity, gas, hydrogen).

The directive obliges Member States to develop National Policy Frameworks (NPFs) that shall enable to develop the market for alternative fuels and the infrastructure to support them. Member States have to assess the current state and future prospects, set targets for deploying the infrastructure and the measures necessary to meet them (electricity and natural gas for both roads and ports whereas hydrogen is voluntary). There is no common methodology for informing the development of NPFs. Member States have to ensure by certain dates a coverage of the TEN-T core network with appropriate recharging and refuelling infrastructure ("appropriate" not being defined). The directive also norms certain user information (e.g. on comparison of alternative fuels unit prices, on fuel labelling). Member States report every three years on the implementation of their NPFs.

Member States are required to support the commercial development of infrastructure, whereas public financing should support the development of infrastructure in early stage of market development and cases of market failure. This is further clarified by the revised Electricity Directive that bans Distribution System Operators to own and operate recharging points unless there is proof that no private operator is willing to do so.

The directive equally norms common technical specifications in its Annex II. Some of those technical specifications have been supplemented by means of delegated acts under the directive, following the implementation of a standardisation requests that the Commission had mandated to the European Standardisation Organisations (ESOs).

The Directive also addresses to some extent the role and responsibility of operators of recharging and refuelling points accessible to the public, for example with respect to a general obligation for price transparency, non-discrimination and the obligation to offer ad hoc payment solutions (users to charge without entering into a contract with the operator).

1.3. Policy context

The common scenarios underpinning the Climate Target Plan and the Sustainable and Smart Mobility Strategy showed at least 30 million zero-emission cars and 80,000 zero-emission lorries in operation by 2030 and also showed that by 2050 nearly all cars, vans, buses as well as new heavy-duty vehicles will be zero-emission while also the other transport modes need to shift towards zero emission fuels. The directive aims at ensuring that sufficient publicly accessible recharging⁵ and refuelling infrastructure is in place for

⁵ Publicly accessible recharging infrastructure includes all recharging point that provide open, non-discriminatory access and therefore include recharging points on private grounds if those grounds are accessible to the public, including for example supermarkets, shopping malls, parking lots, etc. In contrast, private recharging points are located in areas where access is restricted to specific users, e.g. in private garages and workplaces. At present, around 90% of all recharging events take place at private recharging points. However, post 2030 the shar of recharging at publicly accessible points is expected to increase and only between 60% - 85% of all recharging will take place at private recharging.

all modes to ensure that the low and zero emission vehicles and vessels coming into the market are supported by a sufficient number and full geographic coverage of interoperable infrastructure.

The directive is an important complement to other policy instruments that address European policy objectives on climate change, transport, energy and environment. As the main policy instrument for alternative fuels infrastructure it interacts with a broad range of different policy instruments, many of which are also revised under the "Fit for 55" package. They include:

- CO₂ emission performance standards: The regulations on EU emission standards for cars and vans⁶ and heavy duty vehicles⁷ set emission standards for vehicle manufacturers fleets. They provide a strong push for deployment of zero- and low-emission vehicles, creating demand for alternative fuels infrastructure. The Impact Assessment of the revision of the CO₂ standards for cars and vans will provide an analysis on the numbers of zero- and low-emission vehicles needed to contribute to the increase in overall climate ambition by 2030. The revision of the directive enables this uptake by providing sufficient infrastructure.
- <u>Energy and fuels policy</u>: the Renewable Energy Directive⁸ and the Refuel Aviation⁹ and FuelEU Maritime initiatives¹⁰ set obligations on the supply of, or demand for, renewable and low carbon transport fuels. The Fuel Quality Directive¹¹ addresses the reduction of the GHG emission intensity of road transport fuels. The CO₂ emission standards for cars and vans and trucks address newly registered vehicles and ensure the increased supply and affordability on the market of new efficient and zeroemission vehicles. Fuels related legislation provides incentives for the use of lowcarbon and renewable transport fuels in the existing vehicle fleet. Those are complementary instruments aiming at the reduction of transport emissions and creating demand for alternative fuels infrastructure in line with the EU Strategy for Energy System Integration¹².
- <u>Related infrastructure policy</u>: the Energy Performance of Buildings Directive¹³ (EPBD) addresses private recharging infrastructure by stipulating requirements for roll-out of recharging infrastructure in buildings. The EPBD is complemented by flanking action in the context of the strategy "a renovation wave for Europe"¹⁴. AFID and EPBD are required to work together to provide a sufficient level of recharging infrastructure; the relationship of public and private recharging infrastructure has been thoroughly addressed in this Impact Assessment¹⁵. The Regulation on the Guidelines for the Trans-European Transport Network¹⁶ enables at present the rollout of alternative fuels infrastructure as part of the deployment of innovation and new technology actions in form of individual projects on the TEN-T network corridors, which are established by that Regulation. Those projects have grown in scale over the years, leading to a substantive, but far from complete equipment of the TEN-T with

⁶ Regulation (EU) 2019/631 ⁷ Regulation (EU) 2019/1242

⁸ Directive (EU) 2018/2001 - RED IIthis

⁹ COM(2021)561, proposal for a regulation of the European Parliament and of the Council on ensuring a level playing field for sustainable air transport.

¹⁰ COM(2021)562, proposal for a regulation of the European Parliament and of the Council on the use of renewable and low-carbon fuels in maritime transport.

¹¹ Directive 2009/30/EC ¹² COM/2020/299 final

¹³ Directive 2010/31/EU

¹⁴ COM(2020) 662 final

¹⁵ Annex 7.2 for further detail

¹⁶ Regulation (EU) No1315/2013

alternative fuels infrastructure. This initiative and the initiative for the revision of the Regulation on the TEN-T guidelines are fully complementary. This initiative establishes concrete requirements for the deployment of recharging and refuelling infrastructure along the TEN-T core and comprehensive network, in urban nodes and in TEN-T ports and airports. Those requirements will be referenced in the proposal for the revision of the TEN-T regulation, so that there is a coherent policy framework

- Other policies set incentives for low- and zero-emission vehicles and vessels and their recharging and refuelling infrastructure, by internalising the climate and environmental externalities (the Eurovignette Directive¹⁷, the Emission Trading System¹⁸ and the EU Energy Taxation Directive¹⁹, currently under revision), by boosting vehicle demand through public procurement (the Clean Vehicles Directive²⁰) and by setting new requirements for electric vehicle batteries (proposal for a Batteries Regulation²¹). The pollutant emission standards, Euro 6 for cars and vans²² and Euro VI for buses and lorries²³ require that all vehicles, including those fuelled with alternative fuels, do not emit, on the roads, more than the prescribed emission limits.
- The EU's 2021-2027 long-term budget, together with NextGenerationEU, supports • accelerated investment in alternative fuels infrastructure through Member States' recovery plans under the Recovery and Resilience Facility (RRF). That support can be complemented by extended financing under the Connecting Europe Facility but also the InvestEU instrument and the European Structural and Investment Funds. Horizon Europe will address research and development strand, particularly through the 2Zero and Batteries Partnerships and the Fuel Cell and Hydrogen Joint Undertaking.

This Directive is fully complementary and delivers additional value added to these instruments. It is the main policy instrument to set the overall requirements for technical interoperability of alternative fuels infrastructure, related consumer information and rollout of publicly accessible infrastructure. In light of the above, the revision of this Directive sits within the broader context of the 'Fit for 55% package'. The interactions between this impact assessment and particularly the impact assessment supporting the revision of the CO_2 emission standards are most relevant, but furthermore also with the Renewable Energy Directive, the Energy Efficiency in Buildings Directive, the Energy Taxation Directive, the EU ETS, the FuelEU maritime and RefuelEU aviation and the revision of the TEN-T regulation. This impact assessment is therefore building on the analytical work of the Climate Target Plan²⁴, which takes into account the interaction and combination of the various policies. The interactions are further explored and assessed in the next sections.

1.4. **Evaluation of the existing Directive**

A REFIT ex-post evaluation showed that the Alternative Fuels Infrastructure Directive has supported the development of policies and measures for the roll-out of alternative fuels infrastructure in Member States, particularly through the requirement to develop National Policy Frameworks (NPFs) (see Annex 10). Despite the great differences in

¹⁷ Directive 1999/62/EC

¹⁸ Directive 2003/87/EC

¹⁹ Directive 2003/96/EC ²⁰ Directive (EU) 2019/1161

²¹ COM(2020) 798/3

⁽https://ec.europa.eu/environment/waste/batteries/pdf/Proposal_for_a_Regulation_on_batteries_and_waste_batteries.pdf)

²² Regulation (EC) 715/2007

²³ Regulation (EC) 595/2009

COM/2020/562 final

ambition and supportive policy measures across Member States, those policy frameworks have started to help building a medium-term perspective on infrastructure for electricity, natural gas and hydrogen until 2030 in all Member States.

However, shortcomings of the current policy framework have also been pointed out and the key objective of the Directive, namely to ensure a coherent market development in the EU, has not been met. Shortcomings arise in particular in the following three areas that are further addressed in chapter 2:

- The uptake of alternatively fuelled vehicles and deployment of corresponding infrastructure is not coherent across Member States. It has not led to a complete network of infrastructure allowing seamless travel across the EU. This is in particular the case for electric recharging points and hydrogen refuelling stations as well as with respect to on-shore power supply (OPS) and LNG infrastructure in ports. Furthermore, infrastructure for zero emission heavy-duty vehicles (HDV) is largely missing across the EU. The overall ambition for the deployment is not sufficient to meet the EU's GHG reduction target of 55% by 2030 and the 2050 climate neutrality objective in view of the necessary significant increase of zero and low-emission light and heavy duty vehicles as well as vessels.
- While standards have been developed and prescribed to ensure interoperability between the vehicles and infrastructure, new technologies are emerging requiring further common technical specifications to ensure interoperability. In this context, and while alignment with electricity market legislation has been ensured, for the mass uptake of electric vehicles in the future, further provisions may be required to fully enable smart recharging through appropriate standards.
- User aspects have already been addressed to a certain extent in the Directive but this has not lead to full user information, uniform and easy to use payment methods and full price transparency across the EU.

The evaluation concluded that six years after the adoption of the Directive, the overall European market for alternative fuels infrastructure is still in a rather early development phase, though markets in some parts of the Union are maturing. The development of infrastructure has, however, largely kept pace with the development of the vehicle fleets that show different trends (see Annex 6 for further detail). In view of the overall relevance of ensuring sufficient infrastructure to support the needed uptake of vehicles and vessels, the evaluation recommended to retain the legislation but to revise it. The results of the ex-post evaluation are reflected in this impact assessment.

Main ex post evaluation conclusions	Impact Assessment
Conclusions on relevance	
The issues and challenges identified at the time of the	The impact assessment further develops
adoption as well as the general and specific objectives of the	the general and specific objectives of the
Directive are still applicable.	directive
Conclusions on effectiveness	
The directive has had a positive but relatively limited	Policy measures are defined to enlarge
contribution towards the uptake of AFV and AFI but there is	the scope and further strengthen
an expected positive, more sizeable contribution for the future	investments in AFI in line with the
when more AFV will come into the market. However, the	needed contribution to the EGD
directive is not effective in providing an evenly distributed	objectives for all transport modes
infrastructure across the EU and does not address all transport	
modes, e.g. electric recharging and hydrogen refuelling	
infrastructure for HDV	

Table 1: Links between conclusions of the ex-post evaluation and the impact assessment

The implementation appears to have only partly succeeded in developing a clear and consistent policy framework	Policy measures are defined to further strengthen the development of a fully consistent policy framework
There are positive contribution of the Directive on promoting interoperability, but impact is constrained due to ongoing issues in ensuring harmonised payment and consumer information and transparency.	Policy measures are defined to continue developing standards and to harmonise payment and consumer information and transparency
Conclusions on efficiency	
The costs appear proportionate in relation to the benefits. Cost for the development of the NPFs and the NIRs required in the context of the implementation of the AFID were limited. No conclusions can be drawn on the efficient use of Member States' budgets on implementing national policies and infrastructure deployment targets	The NPFs will be maintained as a policy instrument in the policy options.
Conclusions on coherence and coordination	
The directive is internally coherent but does not fully reflect the recent policy developments set by the EGD and the 2030 CTP, considerably increasing the climate ambition and establishing 2030 climate target of at least 55% as well as 2050 climate neutrality objective. This requires large scale rollout of recharging and refuelling infrastructure reflecting recent market developments, e.g. in respect to fast recharging points.	The IA identifies new market developments, and reflects those in the different policy options. Full alignment shall be ensured with other initiatives under the 'Fit for 55' package in terms of baseline scenario, the impact of measures envisaged and their effects on vehicle fleet development.
Conclusions on EU added Value	
EU level intervention brought some benefits which would not have been possible with action at national or local level alone. There is an increased need for EU action in order to deliver on the current policy objectives, to overcome the current fragmentation of the market to meet wider European Green Deal goals, and to define the timeframe for deployment.	EU action continues to be needed to deliver on the policy objectives.

2. PROBLEM DEFINITION

Without further EU level intervention, lack of recharging and refuelling infrastructure is likely to become a barrier to the pervasive market growth in vehicles and vessels that is needed to meet the increased climate ambition of the EU for 2030. The ambition in target setting and support measures for infrastructure rollout varies greatly between Member States, as described in detail in section 2.1. Moreover, ease and transparency of use of recharging and refuelling infrastructure is a prerequisite for user acceptance and final successful vehicle and vessel uptake. Current market practice do not always guarantee this ease of use and problems of interoperability persist. At present, customers are confronted by a myriad of approaches to information on availability and accessibility of infrastructure, diverging use conditions and not fully interoperable services. Without further policy intervention, users of vehicles and vessels will continue to face an infrastructure that is not easy and transparent to use across borders in the EU. The underlying drivers, problems and implications that are relevant for the revision of the Directive are presented in the figure below:

Figure 1: Overview of drivers, problems and implications

Drivers	Problems	Implications
Lack of binding provisions leads to different ambitions by - Member States	Lack of ambition and coherence → in MS infrastructure planning leading to insufficient and	Limited uptake of alternatively
Setting of targets by Member states not consistent with market developments and GHG reduction ambition	unevenly distributed infrastructure	fuelled vehicles with negative impacts on GHG reduction, pollutant reduction and fuel import dependency
Implementation fails to consider necessary requirements/standards for	 Interoperability issues persist in terms of physical connections → and communication standards, incl. connection to the electricity grid 	
ensuring full interoperability Lack of user information about and at refueling and recharging points	electricity grid .	Limited internal market development with limited competition and consumer choice
No uniform payment method available at all recharging points	Publicly accessible infrastructure does not fully correspond to user needs	→

2.1. What are the problems and their implications?

2.1.1. Lack of ambition and coherence in MS infrastructure planning leading to insufficient and unevenly distributed infrastructure

As already noted in chapter 1, there are significant differences in the level of ambition, targets set, and comprehensiveness of the measures adopted among Member States to support the rollout of alternative fuels infrastructure²⁵. `76.5% of respondents to the OPC on this question (232 out of 303) confirmed this problem analysis.


With respect to electric recharging points for road LDV the overall deployment figures match the demand from vehicles at an overall, average EU level. However, large differences in the pace of infrastructure roll-out among Member States clearly have impacts on cross-border continuity and will in some Member States also severely limit the uptake of low- and zero-emission vehicles. At present, more than 70% of all publicly accessible recharging points are located in just three Member States: The Netherlands, Germany and France. The uneven geographical distribution is likely to persist and may even intensify, as the Commission assessment of national implementation reports under the Directive²⁶ in conjunction with the evaluation shows (see chapter 2.3.1, Annex 10).

²⁵ SWD (2021) 637I, 'Evaluation of Directive 2014/94/EU of the European Parliament and of the Council on the deployment of alternative fuels infrastructure'.

²⁶ COM (2021)103 final and SWD(2021) 49i fnal

Figure 2: Amount of recharging points per Member State in 2020

EU Normal + High-Power Public Recharging Points (1-1-2021)



This discrepancy between Member States is not only evident in total numbers but also relative to the number of registered vehicles. While for example the Netherlands already have 7 recharging points deployed per 1,000 registered cars and vans, in 16 Member States less then 0.5 recharging points are installed per regsiered car/van.




Figure 3: Number of Recharging points per 1000 cars and vans, 2020

Furthermore, for electric LDV, there is an increasing gap between the growth rates for vehicle registrations and infrastructure deployment. The strong increase in new battery electric and plug in hybrid vehicle (cars and vans) registrations in 2019 (+50%) and 2020 (+52%) was not nearly met by the increase in publicly accessible recharging infrastructure (+38% and +30% respectively). While the deployment of faster recharging technology can help to address part of the increased vehicle uptake, a continued gap increase would imply a serious risk that infrastructure deployment will not go hand in hand with electric vehicle uptake in the years to come, which is expected to accelerate due to more stringent CO_2 emission standards. This in turn risks to restrict the growth in electric vehicle uptake in particular post 2030.

With respect to other fuels in road transport, hydrogen infrastructure for fuel-cell hydrogen LDV is only addressed by half of the Member States in their NPFs leading to an incoherent development across the EU²⁷ with huge gaps within the road network not allowing for seamless travel across the EU. For CNG and LNG, refuelling networks are developed across the EU albeit with huge differences among Member States. However, the envisaged density of refuelling stations for LNG (every 400 km along the TEN-T core network) and CNG (every 150 km along the core network) has been largely achieved in most Member States (see Annex 6 for further information).

Furthermore, there is currently no coherent approach towards the deployment of electric recharging and hydrogen refuelling infrastructure for HDV across Member States. This means that there is no network of recharging or refuelling infrastructure across the EU, which is problematic since an increased uptake of zero emission trucks is necessary for manufacturers to meet their obligation under the CO_2 emission performance standards by 2025 already.

With respect to ports the existing legal provisions oblige Member States to ensure an appropriate number of LNG refuelling points to allow for circulation along the TEN-T

²⁷ In fact more than half of Member States do not report on hydrogen infrastructure at all in their national policy frameworks or national implementation reports.

core corridor by 2025 for maritime and 2030 for inland waterways. However, the present rate of growth in the network, that will also support the increasing replacement of LNG by biogas and synthetic gaseous e-fuels, appears to be slow. Furthermore, the development of OPS is only taking place in a small number of EU ports²⁸. There is a risk that deployment will continue to happen in a limited and uncoordinated manner. The Sustainable and Smart Mobility Strategy notes that zero-emission sea-going ships should be market-ready by 2030. A non-coordinated approach is likely to not lead to effective identification of needs and preparation of adequate rollout strategies for infrastructure.

Efforts have to be undertaken to decarbonise the aviation sector. Electricity supply for stationary aircraft is a low hanging fruit, but is not yet ensured throughout the EU and in particular not for outfield positions. Work has started on the development of zeroemission aircraft, including large-scale aircraft, where the Sustainable and Smart Mobility Strategy sets the milestone of having such aircraft market ready by 2035. The sector has to equally prepare for the built up of related infrastructure, but a non-coordinated approach is likely to lead to insufficient action. In the rail sector, an increasing number of projects deploy battery electric and hydrogen trains to decarbonise train operations on tracks that can't be electrified. Again the absence of a strategic coordination in Member States risks not to lead to an effective approach.

2.1.2. Interoperability issues persist in terms of physical connections and communication standards

Common technical specifications help ensure full interoperability of physical connections and communication exchange between vehicle, infrastructure and user. The Directive and subsequent delegated regulations, supported by a standardisation request to European Standardisation Organisations (ESOs)²⁹, has mandated various European standards. Those relate to the physical connection between the vehicle and the infrastructure for electricity recharging, natural gas refuelling and hydrogen refuelling for light duty road transport vehicles as well as electric recharging and hydrogen and natural gas refuelling in waterborne transport.

At present, requirements under the Directive focus exclusively on electro-technical issues, such as plugs, outlets and electrical safety specifications, but do not recognise the particular needs of trucks infrastructure. Furthermore, the Directive has not focused on minimum requirements for appropriate communication interfaces and data models, which is particularly relevant for electric mobility. In the Open Public Consultation (OPC), 69% (222 out of 324) of respondents noted that further mandatory technical requirements (standards) are needed to ensure full interoperability of infrastructure and services, whereas only 11% (36 out of 324) thought this was not the case.

The lack of common technical specifications for communication exchange have strong implications on the interoperability and transparent exchange of information among users and the different market actors within the electro-mobility ecosystem. Without further requirements, there will not be a smooth exchange of information on billing, charging session information, reservation, authorization, parking spot information and compatibility with smart charging and vehicle to grid functionalities, as many market operators will take forward their own approaches. With respect to the integration of

²⁸ See annex 4 for more detail

²⁹ COMMISSION IMPLEMENTING DECISION C(2015) 1330 final of 12.3.2015 on a standardisation request addressed to the European standardisation organisations, in accordance with Regulation (EU) No 1025/2012 of the European Parliament and of the Council, to draft European standards for alternative fuels infrastructure.

electric vehicles into the electricity system, the current provisions of the Directive ensure alignment of the rules between recharging infrastructure and the electricity markets, clearly assigning all rights of the final customer in the electricity market to the CPOs. However, future mass vehicle uptake risk putting additional stress to the electricity system especially if the additional electricity demand incurs at peak times. The Impact Assessment for CO_2 emission performance standards³⁰ shows that by 2030 cars and vans would represent around 2% of the EU's electricity consumption that would increase to 10% by 2040 and to 11% by 2050. From an overall network perspective, management of additional electricity demand of that magnitude over the next decades appears to be feasible. However, if this demand would occur at times when the network is already operating at the maximum, grid capacity problems in particular in the distribution grid, could arise when electric vehicles will have reached a significant share in the overall vehicle fleet³¹. To enable smart recharging and thereby help to avoid capacity problems, common communication standards between the recharging point and the electricity grid are required.

Additional technical specifications and standardization work becomes also necessary to ensure full interoperability of the hydrogen refueling ecosystem for heavy duty road transport, including liquid hydrogen refueling. Concerning maritime transport and inland navigation, new standards are required to facilitate and consolidate the entry on the market of alternative fuels, especially in relation to fuel supply for electricity, hydrogen, advanced biofuel, methanol and ammonia bunkering, as well as communication exchange between vessel and infrastructure. Also for OPS further standards may be required considering the variety of ships at berth with different power demand.

The absence of common technical specifications in the areas addressed above risk that many recharging and refuelling services cannot develop in a competitive manner and instead proprietary solutions will develop. This will be detrimental to the internal mobility market, affecting directly consumers, infrastructure operators and service providers and vehicle manufacturers. In consequence, a lack of standardisation risks to harm the uptake of zero- and low-emission vehicles.

2.1.3. Publicly accessible infrastructure does not fully correspond to user needs

The evaluation concluded that there are still gaps and limitations in terms of ensuring access to adequate and relevant consumer information. Consumers cannot easily identify where, how and at what price they can recharge or refuel their vehicles, especially when travelling cross border. In the OPC, 80% (119 of 148) of respondents noted to have often or sometimes problems in finding alternative fuels infrastructure. While the Directive requires that information on the geographic location of the refuelling and recharging points is shared by the operators of the infrastructure, it does not impose quality requirements for those data nor does it specify where such information needs to be displayed. As a consequence, and despite the increasing availability of online platforms and digital applications, there is still no open data framework in place to provide real-time information to users, primarily for electro-mobility, but also for other alternative fuels infrastructure.

³⁰ SWD(2021)614, Impact Assessment accompanying the proposal for a regulation of the European Parliament and of the Council amending Regulation (EU) 2019/631 as regards strengthening the CO2 emission performance standards for new passenger cars and new light commercial vehicles in line with the Union's increased climate ambition..
³¹ smart charging: steering the charge, driving the change, eurelectric,

https://www.eurelectric.org/media/1925/20032015 paper on smart charging of electric vehicles finalpsf-2015-2301-0001-01-e.pdf

The Directive also requires charge-point operators to charge prices for public recharging that are reasonable, easily and clearly comparable, transparent and non-discriminatory. However, the evaluation and OPC revealed that often there is limited information available to the user on the price he will eventually have to pay for a recharging session. In the OPC, only 31% of respondents (37 out of 121) felt well informed on a regular basis. This problem was corroborated in the targeted consultations: prices are often not clearly displayed at a recharging point and are often also not accessible through apps. In addition, many different price components exist, including possible hidden fees that only appear at the stage of billing. This results in difficulties for users to compare end user prices. This lack of price transparency does not allow informed consumer choices and is detrimental to competition in the recharging services market.

Furthermore, the Directive sets provisions on ad hoc payment to ensure that no user gets stranded due to difficulties of payment.³² However, because the Directive does not set clear provisions for a common unified ad hoc payment method (such as credit/debit bank card payment), different ad hoc payment options using different technological solutions emerged, making it difficult for users to actually pay for a recharging service, e.g. by requiring pre-registration or the purchase of pre-payment cards.. In the OPC, 65% of respondents (72 out of 113) confirmed this problem. This issue may also incur in the future for other refuelling infrastructure, e.g. hydrogen, once private users will purchase hydrogen cars/vans and will depend on publicly accessible refuelling stations.

The OPC identified a clear need to change provisions on interoperability and user information, which will particularly facilitate cross-border trips: 79% of respondents to the OPC (255 out of 324) noted this to be very important or important.

All those aspects make it more difficult and cumbersome to travel across the EU and sometimes even within a Member State with an electric vehicle³³. Such negative user experiences can refrain other consumers from buying alternative fuels vehicles and thereby become a barrier for their uptake. Moreover, this market fragmentation can be detrimental to competition, can imply higher costs for the different market actors and can aggravate innovative service development.

This problem ultimately affects consumers. It also affects infrastructure services providers and entities that operate in the market of supplying infrastructure data to consumers.

2.2. What are the problem drivers?

2.2.1. Lack of binding provisions leads to different ambitions by Member States

Transport network coverage for road transport

The Directive requires each Member State to adopt a national policy framework (NPF) for the development of the alternative fuels market in the transport sector and the deployment of its relevant infrastructure. In particular, the NPFs have to comprise

³² Article 4(9) of the Alternative Fuels Infrastructure Directive requires that all electric vehicle users can recharge at any publicly accessible recharging point "without entering into a contract with the electricity supplier or operator concerned". The ad hoc charging requirement has been included in the Alternative Fuels Infrastructure Directive to ensure that any EV-driver can recharge at any recharging point in the EU, without necessarily being a customer of the operator of the recharging point in question. In other words, if an EV-driver turned up at a recharging point operated by a CPO with whom he (or his EMSP) did not have any contractual relationship, he could still be certain that he could recharge his EV at that recharging point.

³³ The consultations addressed all alternative fuelled vehicles. However, problems with user information and ease of use were exclusively mentioned with respect to electric recharging

national targets and objectives for the deployment of alternatives fuels infrastructure³⁴, taking into account national, regional and union-wide demand. However, there is no clear and explicit link with reaching greenhouse gas reductions, which has become essential under the European Green Deal. In addition, Member States had to provide the necessary measures to reach national targets and the objectives set out in the NPFs. However, Member States are free to set their own targets and are not bound by any methodology to determine the need for infrastructure.

In its 2017 assessment of the NPFs (including in its 2019 update)³⁵ and in its Assessment of the National Implementation Reports (NIR)³⁶ in 2021 which informed the overall evaluation of the Directive, the Commission concluded that the NPFs and NIRs are not fully coherent from an EU-wide perspective in terms of the priorities they set. Member States' ambition with regard to the uptake of alternative fuels and their targets for infrastructure varied significantly in the absence of a common methodology to set targets. For example, the share projected by Member States for electric cars and vans in the total fleet for 2030 varies between less than 1% for Cyprus and Greece and up to 45% in the case of Luxembourg. For 2020, 10 Member States planned to have less than 1000 recharging points installed and 16 less than 2000 and large parts of the TEN-T core network do not have recharging points installed every 60 km as recommended³⁷. In conclusion, a coherent network of infrastructure has not developed across the EU, even if the last two years saw considerable increase in overall investment. In the OPC, a majority of respondents noted for most of the different use cases of alternative fuels infrastructure that NPFs were not a fully adequate tool to solely rely on (see annex 2 for detailed breakdown).

Transport network coverage for waterborne transport

The Directive requires that LNG vessels can circulate along the TEN-T core network by 2025 (maritime) and 2030 (inland waterways) respectively without setting a clearer mandate as to which ports need to be equipped with LNG bunkering facilities. The directive equally requires that each NPF assesses the need for shore-side electricity – at sea and inland ports – and that this be installed, unless there is no demand or costs are disproportionate.

The assessment of the application of this Directive³⁸ identified that plans to deploy LNG in maritime and inland ports for 2025 varied greatly between a few countries with high ambition (e.g. Spain, with a target of 42 maritime ports and Italy with a target of 12 maritime ports and 20 inland ports) and most others were there was no or little consideration of bunkering facilities for LNG.

With respect to shore side electricity, the evaluation found that 23 Member States assessed the need for shore-side electricity supply for inland waterway vessels and seagoing ships in their NPFs. Following their assessment, BE decided to increase on-shore power supply (OPS) in all ports, EL aimed to install supply at tourist ports and major maritime ports, while EE, FR, MT, and RO all established specific targets either for the year 2025 or 2030. Furthermore, AT, BG and SI noted the need for further studies to be carried out to better understand the benefits. The other Member States either did not

³⁴ Member States had to set national targets for the roll out of electric recharging and CNG infrastructure for cars and light duty vehicles and LNG for heavy duty vehicles. Targets setting for hydrogen was optional for Member States. .
³⁵ SWD/2017/0365 final

³⁶ SWD/2017/0365 final
³⁶ SWD/2021/49 final

³⁷ See annex 6 for detailed description and detailed maps

³⁸ COM (2021) 103 final

specifically address the issue or concluded that it is not economically viable to install OPS supply considering the current market demand and as such no objectives were set.

For the shipping sector it can therefore be concluded that the legally binding provisions for LNG under the current Directive will ensure that a sufficient network will develop on the TEN-T core network, which is of particular relevance to sea ports. However, the lack of clear provisions with respect to OPS makes it unlikely that a coherent network of OPS develops in TEN-T core maritime and inland waterway ports in the timeframe foreseen by this Directive and corresponding to the expected increase following the ambition of the refuel EU maritime initiative.

Scope

The Directive currently defines a number of specific fuels as alternative fuels³⁹. However, since the adoption of the Directive, some technology advancements have taken place. The 2020 update of the Commission's Report on advanced alternative fuels ⁴⁰ lists, for example, road electrification technologies, electrification/hybridisation of aircrafts used for short-distance and training flights, use of new fuel technologies in waterborne transport (e.g. advanced biofuels, ammonia, methanol, hydrogen as well as electricity for inland waterways and short sea shipping/ferries) or development of hydrogen fuel cell powertrains in rail transport. Moreover, while the scope of the Directive does not exclude recharging and refuelling stations for heavy-duty vehicles, it was formulated with a primary focus on light-duty vehicles. The inclusion of hydrogen into the NPFs has been voluntary and only half of the Member States addressed hydrogen. As a result of this approach and of rapid technology development in this segment, the Directive is currently not fully adjusted to cater for the infrastructure requirements of battery- and fuel-cell electric powertrains in the heavy-duty road sector, which is the focus, in particular, of the Hydrogen strategy 41 .

Furthermore, questions have been raised whether the current scope diverts resources away from the infrastructure for zero-emission vehicles by including of natural gas as an alternative fuel. The use of fossil fuels is regarded to not contribute to overall emission reduction, but delay the necessary transition to zero-emission mobility. 55% of respondents the OPC (165 out of 268) asked for the exclusion of natural gas and thereby of CNG and LNG infrastructure from the scope of the directive, with strong presence of environmental NGOs, the electricity sector, electric mobility industry representatives and citizens. However, 45% (133 out of 298) of respondents, in particular representatives from the gas industry, biogas and biofuel producers, waterborne transport industry and parts of the automotive industry argued that LNG is still indispensable for maritime transport, as also noted under the FuelEU maritime initiative, and for long-distance road haul due to a lack of market-ready alternatives. Furthermore, biogas and e-gases use the same refuelling infrastructure as natural gas. Fossil natural gas can therefore be increasingly blended and phased out with low-carbon and renewable fuels (biogas and renewable synthetic e-gas) and thus fully contribute to the climate-neutrality objective.

39 electricity, hydrogen, biofuels, (Article 2, point i, Directive 2009/28/EC, synthetic and parrafinic fuels, natural gas including biomethane, in gaseous and liquefied form and liquefied petroleum gas. ⁴⁰ https://ec.europa.eu/irc/en/publication/advanced-alternative-fuels-technology-development-report-2020

- 41 COM(2020) 301 final

2.2.2. Setting of targets by Member states not consistent with market developments and GHG reduction ambition

The Commission's 2017 assessment of Member State NPFs⁴² and the 2021 assessment on the NIRs⁴³ identified that in many Member States, projections on the uptake of alternative fuelled vehicles were rather low and consequently the infrastructure targets risk to be insufficient to support the expected growth in alternatively-fuelled vehicles. Since national policy frameworks were adopted (by end 2016), the EU has committed⁴⁴ to reduce the EU's greenhouse gas emission by 2030 by at least 55%, compared to the previous 40% reduction target. This has a major impact on the required uptake of sustainable alternative fuels, vehicles and infrastructure. In order to achieve these ambitious targets, the uptake of low and zero-emission vehicles and the related infrastructure needs to accelerate significantly in all market segments of light-duty and heavy-duty vehicles. Efforts will need to be considerably greater than the efforts reported by Member States under the Directive. This does not only relate to road transport but equally to other transport modes such as waterborne transport and aviation.

56% of OPC respondents (160 out of 288) noted that NPFs are not the right instrument and 31% (89 out of 288) noted that they are only partially sufficient in view of the increased policy ambition for 2030. Of those who responded to the question who should set mandatory deployment targets, 53% (142 out of 268) favoured direct EU legislation, whereas 38% (102 out of 268) considered the national level, but following a common methodology.

Furthermore, recommendations for using specific metrics to determine sufficient infrastructure are no longer adequate. The Directive recommends to have 1 recharging point per 10 electric vehicles. This recommendation on the number of recharging points per vehicle does not reflect variations in market requirements. The Sustainable Transport Forum of the Commission reviewed the recommendations and concluded that they should be elaborated further⁴⁵, including consideration of the larger demand for alternatively-fuelled vehicles, the increased vehicle ranges and different power levels of recharging points and their locations; e.g. a 350 kW recharging point can serve a considerably higher number of vehicles per day than a normal charger of 7 kW.

2.2.3. Implementation fails to consider necessary requirements/standards for ensuring full interoperability

The Directive sets common technical specifications for physical connectors. With the latest set of technical specifications added by means of Commission Delegated Regulation (EU) 2019/1745 those technical specifications set under the Directive have proven to be highly relevant.

However, new needs for technical specifications under the Directive have emerged as described in chapter 2.1.2 that are currently not foreseen under annex II of the Directive. These concern particularly the interoperability and transparent exchange of information among the different players within the electric vehicle charging system and standards for

⁴² SWD(2017) 365 final

⁴³ COM/2021/103 final

⁴⁴ EUCO conclusions, 11 December 2020, EUCO 22/20

⁴⁵ https://ec.europa.eu/transport/sites/transport/files/2019-stf-consultation-analysis.pdf

recharging heavy-duty vehicles and refuelling liquid and gaseous hydrogen. In addition, maritime transport, inland navigation and aviation will also benefit from further common technical specifications to facilitate and consolidate the entry on the market of alternative fuels, especially in relation to fuel supply for electricity and hydrogen as well as hydrogen based fuels.

In line with the Commission's Strategy for Smart Energy System Integration⁴⁶the costefficient integration of an increased number of electric vehicles in the electricity system must be ensured. However, the Directive does currently not require common communication standards between the recharging point and the electricity grid that is a prerequisite for the development of smart and bidirectional recharging services in an open and competitive market⁴⁷.

Without a clear, updated legislative mandate to develop such standards at the EU level, there is a risk that such standards will not develop in a timely manner and hence delay market uptake of emerging technologies and services. In the OPC 78% of respondents (216 out of 278) noted it very important or important to revise the related provision of the Directive.

2.2.4. Lack of user information about and at refuelling and recharging points

Location and availability of recharging and refuelling points

A key issue for consumers is the concern that it may not be possible to find a suitable refuelling/recharging station before running out of fuel/electricity. Contributing to this, particularly on long-distance journeys on highways, is the lack of information on the distance to the next suitable recharging/refuelling station. Although the AFID requires that 'the data indicating the geographic location of the refuelling and recharging points accessible to the public of alternative fuels covered by this Directive are accessible on an open and non-discriminatory basis to all users', it does not specify where such information needs to be displayed. Furthermore, the evaluation also found out that action by some Member States (individually and on basis of EU funded activities) should be expected to contribute towards improving the availability and quality of information, but that this will not ensure consistent data provision and access to data across the EU network. 70% of respondents to the OPC (231 out of 324) agreed that users should get information on locations based on coherent requirements.

Digital Connectivity

A prerequisite for providing such location data, but in particular dynamic data on the availability on recharging points and on prices through digital means, is that recharging/refuelling points are digitally connected. The ability to manage contract-based payments for electric charging at other stations (i.e. when roaming) also requires stations to be digitally connected. According to estimates, by 2019 around 45% of the 1.3 million public, semi-public and private recharging points across Europe were digitally connected;

⁴⁶ COM/2020/299

⁴⁷ In addition to the common communication standard also the vehicle and the recharging points need to comply with minimum technical standards to enable smart and bidirectional recharging. When it comes to the recharging point the revision of the directive will also define what functionalities a "smart recharging point" needs to meet. See also chapter 5 for further detail on the role of smart recharging points.

by 2024 it is expected that over 60% of the recharging points will be digitally connected. 48

In the OPC, 90% of respondents (244 out of 269) agreed that information, including based on dynamic data, should be made available to the user by digital means. In the OPC, 62% (200 out of 324) noted that consumers should have real-time access to reliable information about the location and availability of recharging points, which requires digital connectivity of infrastructure.

Information on pricing and billing

An additional key feature to ensure user acceptance is that prices are clearly communicated before the recharging session. The Directive already requires that prices charged by the operators at publicly accessible recharging points are reasonable, easily and clearly comparable, transparent and non-discriminatory. However, no detailed provisions regulate the way prices need to be displayed.

Despite these legal requirements, 30% of respondents to the OPC (80 out of 276) noted to never or seldom have full information about prices charged, 28% (76 out of 276) noted this to be sometimes the case and 33% (92 out of 276) did not know, whereas only 11% (29 out of 276) noted that they always had full information. This confirms a practical problem with the current implementation. 67% (187 out of 278) supported a harmonisation of the display of prices at the EU level.

Moreover, for contract-based charging – which is not currently addressed in the provisions of the Directive - the actual invoiced amount often included extra charges, such as roaming charges that are not communicated beforehand to the consumer.

2.2.5. No uniform ad hoc payment method available at all recharging points

The Directive requires that users must be able to recharge their electric vehicle at any publicly accessible recharging point on an ad hoc basis, i.e. without needing to enter into a long-term contract with the operator or energy supplier. This requirement has been implemented in very diverse ways across the EU. Charge point operators developed individual solutions varying between Member States, and even within Member States. Ad hoc solutions offered at recharging points include credit card payments, pre-paid cards or payments through charge point operators' specific apps that need to be downloaded by the user. The use of some of these payments solutions is extremely cumbersome and may even not allow for spontaneous ad hoc charging at some charging points (.e.g. when a prepaid card is required).

According to a recent assessment⁴⁹, many charge point operators do not provide a user friendly ad hoc charging possibility to drivers. Instead, to be able to easily use a publicly accessible recharging station, a driver must sign up for a contract with its operator. A recent overview of various aspects on price transparency in four Member States⁵⁰ found that ad-hoc payment systems are not widely used or offered in the Netherlands, but it is more common to use dedicated cards or web-based apps. The report concluded that ad-hoc payment is better developed in Germany and Austria but less so in France. Still, a

⁴⁸ EV Charging Infrastructure in Europe and North America, Berg Insight, 2020

 ⁴⁹ https://www.beuc.eu/publications/beuc-x-2019-032_making_electric_cars_convenient.pdf
 ⁵⁰ Cross-border charging: The necessity of price transparency in Europe, NKL, 2020, The study examined the situation in four Member States (DE, NL, FR, AT) and Norway.

test of 53 recharging points in Germany conducted by the German automotive club ADAC in May 2018 found that ad hoc charging was not possible in 23% of recharging cases in one of the most advanced markets in the EU⁵¹. Only 8% of respondents to the OPC (9 out of 113) noted that they never faced difficulties when trying to pay. Similarly, representatives of the hydrogen sector also noted challenges with regard to uniform payment options.

2.3. How will the problem evolve?

2.3.1. Lack of ambition and coherence in MS infrastructure planning leading to insufficient and unevenly distributed infrastructure

As outlined in chapter 2.1.1 the trend towards an uneven distribution of recharging infrastructure for road transport is likely to continue and even to intensify. While there has been continuous development of AFI across the EU, progress has been very uneven across Member States, both in terms of planning and actual deployment of AFI. Deployment has been fragmented resulting in some well served hotspots but also large gaps in coverage leading to a network that is not sufficiently dense and widely spread to remove concerns around AFI availability. Furthermore, there are also indications that the roll out of AFI is not consistent with market and technological developments, as planning and deployment occurs at a different and mostly slower pace than markets for vehicles.

In the absence of an intervention, these problems and limitation are likely to continue to exist, with rapid developments in vehicle uptake not accompanied by an effective deployment of the needed AFI in a coherent manner throughout the EU. Those expected developments can be best demonstrated by comparing the Member States target setting as per their NPFs and NIRs⁵².

Based on these targets as reported by 17 Member States it can be concluded that the problem of incoherent development in recharging infrastructure will continue to grow. For example, in Germany and Luxembourg there will be more than 20 recharging points for 1000 registered cars/vans, while other Member States will have very little recharging infrastructure with less than 2 recharging points serving 1000 cars/vans⁵³. Such a disparity in infrastructure development will not allow for easy cross-border travel. It also risks to limit the uptake of zero-emission vehicles in those Member States that provide only very little infrastructure. This is likely to undermine the accelerated uptake of vehicles to meet the increased 2030 climate ambition.

 $^{^{51}}$ e-Laden – noch zu wenig Kundenservice (in German), ADAC, 2018 $^{52}_{\rm S2}$ SWD (2021)49 final

⁵³ Bulgaria, Cyrpus, Greece, Ireland, Latvia, Malta, Slovakia all plan to have less than 2 recharging points per 1000 cars/vans.




Figure 4: Targeted number of recharging points per 1000 registered cars/vans 2030, based on NIR targets of Member States

Source: National Implementation Reports, Assessment Report on the National Implementation Reports.

In conclusion, the planned AFI deployment by Member States under their NPFs and NIRs is not ambitious enough to align with the infrastructure needs induced by other policies (as outlined in the European Green Deal, the 2030 Climate Target Plan and the Smart and Sustainable Mobility Strategy). However, all policies need to contribute together to the ultimate goal of achieving necessary substantive emission reductions from the transport sector.

Such shortcomings are equally to be expected in other road transport segments. For example, only a limited number of Member States plan for hydrogen infrastructure. It will not allow for the development of a coherent network across the EU. The same goes for the heavy-duty segment, which is currently not specifically addressed in the Directive nor in most Member States' NPFs. Besides generally requiring faster recharging and refuelling, the heavy-duty segment's needs and use cases differ significantly from those of light-duty vehicles, and in particular of personal cars. Different use cases and related recharging/refuelling needs can be defined in relation to e.g. urban delivery, regional distribution, planned and unplanned long-haul freight transport. Furthermore, the need to integrate recharging and refuelling times in the logistics and operational planning including by coordinating them with mandatory driver breaks as well as loading/unloading times at logistics hubs and/or at destination - will play a factor in defining the way the infrastructure is used; interactions with requirements for safe and secure parking places needs also to be taken into account. Confidence in the possibility to recharge and refuel seamlessly across borders is a crucial pre-condition for the deployment of alternative fuels in the long-haul transport sector. Without a clear European policy framework in this area it is very unlikely that a sufficiently dense European network particularly of electric charging and hydrogen refuelling stations will develop that allows the deployment of an appropriate share of low- and zero-emission vehicles into the heavy duty segment.

In contrast, the network of CNG and LNG refuelling stations across the EU's road network is already existent and largely mature. Punctual re-enforcements are needed to accommodate the expected uptake in particular of LNG HDV. However, CNG and LNG

vehicles can only contribute to the necessary emission reductions if natural gas will be gradually decarbonised and finally fully replaced by biogas and renewable low-carbon egases. Such decarbonisation of fuels pathways can be ensured through the existing refuelling infrastructure that can accommodate gaseous drop-in biofuels and renewable low carbon synthetic fuels needed to contribute to climate objectives.

What concerns other transport modes, it is unlikely that the On Shore Power Supply (OPS) will develop in EU ports without strengthening of the legislative requirements as only a few Member states currently plan to do so. This is in contrast to the clearly described ambition in the European Green Deal to oblige docked ships to use shore-side electricity and the FuelEU maritime initiative that aims to ensure that all containerships, cruise ships and Ro-Pax ships are equipped with OPS by 2030. Similarly from the NPFs it is not obvious that the current provisions in the Directive can ensure that alternative power trains in the shipping sector and their corresponding fuels infrastructure in ports will develop. For the maritime sector, the FuelEU maritime initiative will lead to increased demand for alternative fuels, including LNG as a short-term available fuel alternative, while zero-emission sea-going vessels are targeted for 2030.

In the absence of any provisions on aviation it is unlikely that electricity supply for all stationary aircrafts will become available. Increase demand for sustainable aviation fuels as required by the RefuelEU aviation initiative can be met by existing infrastructure. However, in the absence of any provision it is unlikely that a coherent strategic planning for the development of needed infrastructure needed for large-scale zero-emission aircraft will develop.

2.3.2. Interoperability issues persist in terms of physical connections and communication standards

As described in previous chapters, common technical specifications have been mandated in particular for physical connections through the Directive. However, as discussed in section 2.2.3, several issues still remain and new needs have emerged. While improvements will continue to take place, there is a real possibility of moving towards a fragmented ecosystem, where multiple standards will compete for a long time to become dominant, generating additional costs to operators and users. The lack of interoperability of both physical connections and communication standards could strongly prevent the progress towards a wider use of alternatively-fuelled vehicles, conditioning user aceptance. In particular:

- Interoperability and exchange of information among the different players within the electric vehicle charging ecosystem would continue to grow, however, identification and authentication of users, as well as payment methods and smart recharging solutions could develop under multiple different solutions at different paces across the EU, but not at the speed required and without the information transparency expected from users. Additionally, mass market development is likely to be affected due to user reluctancy. Certain areas of the charging ecosystems would not reach an agreement to common technical specifications, being ruled out by proprietary solutions, continuing and further deepening a plethora of non-user-friendly approaches in consequence.
- Standards for recharging HDV and refuelling HDV with liquid and gaseous hydrogen are required, but would develop at lower pace and would have less market impact if not transposed into European law.

• In addition, maritime transport and inland navigation would witness slower adoption of common technical specifications and hence a slower entry on the market of alternative fuels, especially in relation to supply of electricity and hydrogen as well as hydrogen based fuels.

2.3.3. Publicly accessible infrastructure does not fully correspond to user needs

Ever since alternatively-fuelled vehicles started gaining traction in the market, issues regarding availability of adequate consumer information have existed. With different industry players using different ways of communicating information to consumers, the problem is likely to continue to exist if there is no action to ensure a harmonised way of and a minimum set of data to be communicated by the recharging and refuelling point operator to consumers.

With respect to the lack of user information about and at recharging and refuelling points, the evaluation of the Directive found that some progress should be expected to continue to contribute towards improving the availability and quality of information (see Annex 10). Work under the Programme Support Action "Data collection related to recharging/refuelling points for alternative fuels and the unique identification codes related to e-Mobility actors" is of relevance here.⁵⁴ However, withouth further policy intervention, the evolution will likely be limited to single Member States and not ensure consistent access to such information across the EU transport network. It is likely that important limitations in terms of the availability of information on the location of AFI infrastructure would remain, whereas other essential variables not included in the Directive would not become available. It could also become more problematic to make data accessible through the National (or Common) Access Points (NAPs) as established in the Directive 2010/40/EU on Intelligent Transport Systems.

Also without further harmonisation on EU level, individual companies will decide on the way to present prices to consumers. Such bottom-up approach would not lead to truly transparent prices across the EU.

Lack of information or filtered information on alternative fuels infrastructure locations, availability and prices, will hamper the development of a truly competitive alternative fuels services market. Only with full upfront information on their different recharging and refuelling options can consumers identify the recharging or refuelling point that best meets their needs, allowing markets to develop as competitive markets.

With respect to ad hoc payment method that has to be available at all recharging points, it is expected that without further harmonisation, individual charge point operators will continue to provide individual ad hoc payment solutions that will continue to pose problems of accessibility and understanding for consumers especially when travelling across borders.

⁵⁴ It is the goal of the support action under which 15 member States collaborate to support better consumer awareness and buy-in to the use of alternative fuels by making available better information about the location and availability of these infrastructures. https://ec.europa.eu/transport/content/programme-support-action-addressed-member-states-data-collection-related_en

3. WHY SHOULD THE EU ACT?

3.1. Legal basis

To ensure the correct functioning of the internal market the Treaty on the Functioning of the EU (TFEU) establishes the EU's prerogative to makes provisions for the Common Transport Policy, Title VI (Articles 90-91) and for the trans-European networks, Title XVI (Articles 170-171). With this legal framework in mind, EU action allows better coordination for even and widespread deployment of AFI, instead of relying on the uncoordinated action of individual Member States only. This coordinated approach helps facilitating travel across the EU for consumers and transport operators. It also helps to remove lack of alternative fuels infrastructure as a potential barrier, encouraging the vehicle industry to commit to vehicle production knowing the infrastructure is in place.

3.2. Subsidiarity: Necessity of EU action

At the time of the development of the AFID, the impact assessment (European Commission, 2013) identified an EU initiative in this field as necessary - Member States did not have the instruments to achieve pan-European coordination (among vehicle manufacturers, infrastructure providers, national authorities and final users) in terms of technical specifications of infrastructure and timing of investments, and AF technology standards were not common EU-wide, thereby discouraging potential industry players, and leading to the fragmentation of the internal market.

According to the Directive itself, establishing a common framework of measures and promoting a broad market development of AFs for different transport modes and fuel types "cannot be sufficiently achieved by the Member States individually, but can rather, by reason of the need for action to meet the demand for a critical mass of alternatively fuelled vehicles and for cost-efficient developments by European industry, and to allow Union-wide mobility of alternatively fuelled vehicles, be better achieved at Union level". Subsequent documents have provided further justification of the ongoing need and added value for action at EU level. According to the Commission's Clean transport good practice examples published in 2016, EU intervention in the case of AFI was justified by the fact that the build-up of a European AFI "allows for free movement of goods and persons, with vehicles running on alternative fuels across the whole EU" and "facilitates the development of a single EU market for alternative fuels and vehicles which will permit the industry to benefit from economies of scale".

3.3. Subsidiarity: Added value of EU action

The evaluation of this Directive, in conjunction with the assessment of national implementation reports of Member States under this Directive, also underlined the EU added value of the intervention in the sector, in terms of its effectiveness, efficiency and synergies that it brings. The evaluation showed that the development of a common EU framework for alternative fuels infrastructure has contributed towards avoiding the fragmentation of measures in relation to the promotion of AFIs, and thereby supporting Member States in the development of the AFI network, creating a level playing field within the industry and facilitating the free circulation of AFVs throughout the EU. All Member States have seen an increase in the level of AFI that, despite the gaps, suggest a relatively more coherent network with fewer gaps that what would have been the case in

the absence of EU level intervention. Through encouraging interoperability, relevant technical standards and setting of targets on similar timescales, EU level action has provided some cost savings and better value for money by facilitating economies of scale, avoiding duplication of effort and resources, and providing funding investments for infrastructure. The implementation of the Directive (and its supporting activities) have facilitated cooperation and information exchange on alternative fuels between the relevant industry and public actors which would otherwise likely not exist.

Without EU intervention it would be very unlikely that a coherent and complete network of fully interoperable alternative fuels infrastructure develops across all Member States that will ensure that travelling across the EU with an alternatively fuelled vehicle is possible. This in turn is a prerequisite for the uptake of such vehicles across the EU which is vitally important for the EU to meet its GHG reduction ambition.

4. OBJECTIVES: WHAT IS TO BE ACHIEVED?

4.1. General objectives


The general objectives of this initiative are to contribute to achieving climate neutrality by 2050 (i.e. achieve net zero GHG emissions by 2050) and to contribute to the reduction of air pollution. To this end, and in line with the 2030 Climate Target Plan, the objective is to reach at least 55% net greenhouse gas emission reductions by 2030 compared to 1990 and the environmental goals of European Green Deal. This requires a coherent policy architecture for GHG reduction in transport, including the provision of sufficient and user friendly alternative fuels infrastructure as a prerequisite for the uptake of alternatively fuelled vehicles.

In particular, the transition to a climate-neutral economy requires a robust policy framework in the area of alternative fuels, in particular addressing renewable and low-carbon fuels, with the main aim of supporting the deployment of zero-emission vehicles, and infrastructure for all transport modes that must be open to future innovations. This initiative seeks to ensure the availability and usability of a dense, wide-spread network of alternative fuel infrastructure throughout the EU. All users of alternatively-fuelled vehicle/vessel/aircraft shall circulate at ease across the EU, enabled by key infrastructure such as motorways, ports and airports.

4.2. Specific objectives

This initiative is designed to effectively address the existing barriers that hamper the further deployment of a dense network of interoperable infrastructure. The specific objectives (SOs) and their correspondence with the problem drivers are presented in Figure 5.

Figure 5: Correspondence between the specific objectives and the problem drivers



SO1: Ensuring sufficient infrastructure to support the required uptake of alternatively fuelled vehicles across all modes and in all MS to meet the EU's climate objective. It is essential to increase the number of recharging and refuelling points across Member States and across modes to ensure that sufficient infrastructure is available for the expected rapid uptake of alternatively fuelled vehicles and vessels in all Member States required to meet the EU's 2030 climate ambition and 90% GHG emission reduction from transport by 2050.

SO2: Ensuring full interoperability of the infrastructure. Interoperability relates to both, physical interfaces and communication protocols as a prerequisite to provide assurance to investors about investments in recharging and refuelling infrastructure across all modes. Furthermore for road transport, it ensures that services – including smart and bidirectional recharging - can develop in a competitive manner.

SO3: Ensuring full user information and adequate payment options. Sufficient and accurate information for consumers, including information on location, accessibility, prices, payments and compatibility of fuels and recharging infrastructure are a prerequisite for users to purchase alternatively fuelled vehicles. They guarantee certainty and transparency about the use case; users know that they can use the vehicle without hassle and without surprises anywhere in the EU. Adequate payment options are highly relevant in this context – they ensure that users do not get stranded in front of recharging or refuelling points and always have a common and easy to use payment option at hand.

5. WHAT ARE THE AVAILABLE POLICY OPTIONS?

5.1. What is the baseline from which options are assessed?

The EU Reference Scenario 2020 (REF2020) is the common starting point for the impact assessments for all the initiatives of the "Fit for 55" package and for this reason it is also used as a baseline for this impact assessment. The EU Reference scenario 2020 reflects the agreed 2030 EU climate and energy targets, the main policy tools at EU level to implement these targets as well as the aggregate ambition and, to the extent possible, the range of foreseen national policies and measures of the final National Energy and Climate Plans (NECPs) that Member States submitted in 2019 according to the

Governance Regulation⁵⁵. The EU Reference scenario 2020 also takes into account the impacts of the COVID-19 pandemic that had a significant impact on the transport sector. More detailed information about the preparation process, assumptions and results are included in the Reference scenario publication⁵⁶. The most relevant information for this impact assessment is also presented in Annex 4.

The Reference scenario projects that EU level policies like CO_2 standards for vehicles, together with the national contributions put forward in the NECPs and national incentives for the uptake of electric vehicles would result in an uptake of around 44 million electric light duty vehicles (30 million battery electric and 14 plug-in hybrid vehicles) by 2030. It shows that emissions from transport including intra-EU aviation and intra-EU maritime would go down by around 17% by 2030 relative to 2015 (or by 11% when all intra-EU and extra-EU aviation and maritime emissions are considered). The REF2020 scenario models the impacts of targets and policies already adopted, but not the revised EU climate ambition for 2030 or the target of net-zero emissions by 2050. Post-2030, there are no additional policies driving the decarbonisation. However, several of the measures in place today will continue to deliver emissions reductions in the long term. By 2050, the CO_2 emissions from transport including intra-EU aviation and intra-EU maritime are projected to be 39% lower relative to 2015 (27% lower when all intra-EU and extra-EU aviation and maritime emissions are considered).

With regard to infrastructure, for road transport, in the baseline the trend towards an uneven distribution of *recharging infrastructure* is projected to continue, as explained in chapter 2.3. Eighteen Member States⁵⁷ set targets for the deployment of recharging infrastructure for 2030 in their NPFs and NIRs, summing up to 1.9 million public recharging points in those 18 Member States. The total number of recharging points at EU level is projected to increase from 165,106 in 2019 to slightly over 2.3 million by 2030⁵⁸. For *hydrogen infrastructure*, the number of refuelling points is projected to increase from 127 in 2019 to 1,371 by 2030, which is however not expected to allow the development of a coherent network across the EU by that date⁵⁹. The network of *CNG and LNG refuelling stations* across the EU's road network is already mature. The number of CNG refuelling stations is projected to go up from 3,519 in 2019 to 8,299 by 2030, while the number of LNG refuelling stations from 242 in 2019 to 3,527 by 2030. The uptake of liquid and gaseous drop in biofuels and synthetic fuels will be ensured through the existing refuelling infrastructure.

Less than 50% of all TEN-T **maritime ports** are currently equipped with LNG bunkering facilities. However, of the 22 Member States that have core TEN-T maritime ports, half are already planning to deploy *LNG bunkering infrastructure* in their core ports. In the baseline, 71 core TEN-T maritime ports out of 90 are projected to have LNG bunkering facilities in place by 2030. The total installed capacity for the *OPS infrastructure in the maritime ports* has been increasing since the 2000s and it is currently around 90MW

⁵⁵ Regulation (EU) 2018/1999.

⁵⁶ See the Reference scenario 2020 publication..

 ⁵⁷ The Member States that set targets for the recharging infrastructure in their NIRs are: AT, BG, CY, CZ, DE, DK, EL, FI, FR, HR, HU, IE, LU, LV, MT, NL, SI and SK.
 ⁵⁸ The Member States that set targets for 2030 contributed 82% of the total number of recharging points in 2019, according to the EAFO

³⁰ The Member States that set targets for 2030 contributed 82% of the total number of recharging points in 2019, according to the EAFO database. The number of public recharging points in these Member States is projected to increase from 135,134 in 2019 to 1,886,045 in 2030. For the 9 Member States that have not set a target for the future, it has been assumed that their share in terms of total number of recharging points at EU level in 2030 would be similar to that in 2019. This implies that the number of recharging points in these Member States would go up from 29,972 in 2019 to 418,315.

⁵⁹ According to the NIRs, infrastructure will develop only in a few Member States. In Germany alone, more than 1000 hydrogen refuelling stations are planned while many Member states do not plan any station.

across the EU, according to EAFO database. This trend is projected to continue, reaching 174 MW by 2030⁶⁰.

Based on the NPFs, 36 core TEN-T inland ports are planned to offer *LNG bunkering* infrastructure by 2030, out of the 85 inland TEN-T core ports in the EU. By 2030, it is also planned that 139 inland ports (67 core TEN-T ports and 72 comprehensive TEN-T ports) will have **OPS** installed in at least one berth.

Electricity supply for stationary aircrafts beyond what is already established and infrastructure for battery electric or hydrogen trains on railway lines that cannot be electrified are not projected to develop by 2030 in the baseline, in the absence of provisions on aviation and rail.

The Reference scenario does not include the "Fit for 55" initiatives. In order to ensure consistency with the other "Fit for 55" initiatives and in particular with the revision of the regulation on CO₂ standards for vehicles, the policy options are designed in the context of the MIX policy scenario⁶¹. The MIX scenario is also consistent with the "TL MED" option of the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles. More explanations on the approach are provided in section 6 and Annex 4.

5.2. **Policy measures and policy options**

As a first step, a comprehensive list of possible policy measures was established after extensive consultations with stakeholders, expert meetings, independent research and the Commission's own analysis. This initial list is presented in Annex 5.2. This list was subsequently screened based on the likely effectiveness, efficiency and proportionality of the proposed measures in relation to the given objectives, as well as their legal, political and technical feasibility.

5.2.1. Discarded policy measures

As a result of this analysis, several measures were not retained in the policy options, although, in some cases, their important role as complementary measures, supporting for example the climate objective for the maritime transport sector, is fully recognised. Based on the initial screening and tested in the OPC and through a dedicated stakeholder survey, a range of policy measures were discarded in the context of this impact assessment, also because some of the aspects will be addressed through other EU legislation or soft policy instruments.

The key discarded measures are the following:

Specific targets for electric recharging for two- and three-wheelers: In the absence of dedicated policy measures on the demand side, the uptake will be largely determined by national and regional policies which would make it impossible to determine adequate targets at EU level. Moreover, connectors for two- and three-wheelers can also be installed at recharging points preliminary designed for cars and vans, making it not necessary to create a dedicated infrastructure.

⁶⁰ The stakeholder input from the consultation for the impact assessment support study suggests that the lower level of deployment in the baseline could be linked to the technical and financial challenges of installing the infrastructure ⁶¹ See annex 4 for a detailed description on the different scenarios

Specific deployment targets for rail such as for hydrogen refuelling, electric recharging points or electrification of railway lines: First projects are being developed in the EU on hydrogen and battery electric trains while electrification off the TEN-T core and comprehensive network is a clear EU policy priority and investments are ongoing. Those investment decisions are taken under specific consideration of the local conditions, including their specific benefits and costs. Through EU wide targets for hydrogen refuelling and battery recharging infrastructure it would not be possible to take such local condition into account. Such targets run a high risk to require unnecessary or non-optimised investment in infrastructure.

Targets for infrastructure for emerging alternative fuels in ports: Zero emission powertrains using fuels such as ammonia, hydrogen and electricity are being developed and tested in the shipping sector. However, at this stage only very few vessels are in operation. In addition, the modelling done in support of the impact assessment accompanying the FuelEU maritime initiative only shows a negligible share of those fuels in shipping until 2035. The Sustainable and Smart Mobility Strategy of the Commission notes 2030 as the milestone by when zero-emission sea-going vessels should become available to the market. A review clause at the end of 2026 under the revised Directive is well suited to ensure that the market situation can be reviewed and on that basis the Commission can decide to propose further targets for ports. For hydrogen, the policy options include mandates for hydrogen refuelling stations in urban nodes. Those can be installed in multimodal hubs such as ports and serve different transport modes at those locations. Furthermore, more detailed provisions can be better introduced into the revised NPF requirements ensuring the development of alternative fuels on TEN-T corridors for inland waterways and short sea shipping.

Targets for infrastructure to fuel hydrogen or electric (hybrid) aircrafts: First electric and hybrid planes have already been developed. The European Union Aviation Safety Agency announced⁶² the certification of an electric airplane, the Pipistrel Velis Electro, the first type certification world-wide of a fully electric aircraft. Furthermore, Airbus has revealed⁶³ three concepts for the world's first zero-emission commercial aircraft which could enter service by 2035. All of these concepts rely on hydrogen as a primary power source. However, as for ports above, the Commission does not yet have a clear indication with respect to the concrete market uptake of such aircrafts. The Sustainable and Smart Mobility Strategy notes 2035 as the milestone by when zeroemission large-scale aircraft should be available to the market. Therefore, possible infrastructure targets will be analysed under the review clause end of 2026 when the markets will be more mature. In the meantime, Member States can be required through the national policy frameworks (NPF) to assess the emerging needs for recharging (electricity) and refuelling (hydrogen, other fuels) infrastructure for rail, ports and airports on their territory every two years and report in the National Implementation Reports. This should form the basis for developing a strategic framework of operation at national level. Furthermore, a dedicated infrastructure for Sustainable Aviation Fuels (e.g. biofuel blends) is not required as those fuels can be used in the existing refuelling infrastructure of airports.

Dedicated infrastructure for high blend biofuels (e.g. E85). Biofuels used in the EU are largely drop-in fuels that do not require a specific infrastructure. However, high blend

⁶² https://www.easa.europa.eu/newsroom-and-events/news/easa-certifies-electric-aircraft-first-type-certification-fully-electric

⁶³ https://www.airbus.com/newsroom/press-releases/en/2020/09/airbus-reveals-new-zeroemission-concpt-aircraft.html

biofuels require a dedicated infrastructure. Those are only used in a few Member States, in particular in Finland. Vehicles require special engines that allow them to use such fuels next to ordinary liquid fuels. However, very few manufacturers produce such vehicles or have announced that they will manufacture them in the future. In addition, the use of sustainable biofuels in the road sector will remain largely stable in the next two decades and is expected to decline post 2040 with an envisaged shift of sustainable biofuels towards other transport sectors (maritime/aviation), indicating that there is no need for shifting towards high biofuel blends in road transport that require a dedicated infrastructure. In the OPC and in dedicated interviews, stakeholders have not indicated the need of dedicated biofuels infrastructure. While individual Member States may still wish to build up their own dedicated biofuels infrastructure, there does not seem to be sufficient demand to justify EU-wide rules for dedicated biofuels infrastructure. Furthermore, vehicles that can use for example E85 can also use conventional fuels allowing such vehicles to travel across the EU without the need for dedicated EU wide biofuels infrastructure.

Exemption of certain recharging points from quality requirements. The Directive distinguishes between publicly accessible and not publicly accessible infrastructure. In particular, with respect to recharging points, publicly accessible infrastructure needs to meet certain quality and information requirements. Some stakeholders have therefore argued that "semi-public" recharging points, e.g. located at privately operated parkings at supermarkets, shopping malls, etc. could be exempted from certain quality requirements to reduce investment costs. This issue was also discussed at a dedicated workshop under the Sustainable Transport Forum, with the vast majority of stakeholders indicating that such exemptions would severely risk to jeopardise the overall objective to have a sufficient coverage of fully interoperable infrastructure accessible to all drivers across the EU.

Price setting issues. The Directive prescribes that prices charged by the operator of recharging points must be reasonable but without further specification what this should mean in practice. Over the last years there have been a number of complaints that prices charged by Charge Point Operators (CPO) to EV-drivers were very high and that the operators also charged different prices to different Electro Mobility Service Providers (EMSP). In some Member States, anti-trust authorities further analysed individual practices in this regard but have not taken action. As there is currently no evidence that there is a structural issue with discriminatory or unreasonable price setting, no policy options was considered that would further interfere in the business-to-business or business-to-customer price setting of charge point operators.

Contract-based payments through roaming. The Directive only addresses ad-hoc payments. It does not address in detail contract-based payments that requires roaming when travelling across the EU. In order for roaming to function, a bilateral agreement must be established between the operator of a recharging point (CPO) and the driver's EMSP. As not all charge point operators offer the same conditions to all EMSPs, some calls have been made by individual stakeholders to regulate the CPO – EMSP contract setting. Such a policy measure was not further analysed in the impact assessment because of a lack evidence that there is a structural problem and because any measure would interfere heavily in the contractual freedom between the different market actors. Furthermore, further improvements are addressed under the policy options to ensure that every driver can easily pay at every recharging point in the EU. Therefore, contract based payments through roaming are not an absolute necessity to ensure that drivers can easily circulate across the EU.

Access to recharging and refuelling infrastructure to citizens with disabilities has been addressed in the evaluation support study, the impact assessment support study and in the OPC. In this context it is important to note that while the rules of the Directive on accessibility requirements for products and services⁶⁴ will apply from 2025 onwards to payment terminals, the Directive does not apply to alternative recharging and refuelling infrastructure in its totality. It is up to Member States to decide if they apply accessibility requirements of the built environment. Stakeholders representing the interests of people with disabilities, did not indicate any concrete problems with the existing infrastructure, neither in their repsonses to the questionnaires nor in the interviews. While those stakeholders issued some general statements on ensuring the usability of infrastructure for all citizens in line with the Directive on the accessibility requirements for products and services⁶⁵ and identifying for example the height of the connector as an important issue, they did not establish any additional concrete requirements for the roll out of infrastructure. In the absence of concrete requirements from stakeholders, no concrete policy options could be formulated and quantitatively assessed that would address the specific need of citizens with disabilities. Those aspects will nevertheless need to be addressed by Member States in their NPFs. In addition the Commission may consult its expert group, the Sustainable Transport Forum, on this issue and in addition proposes a mandate to ESOs to review the situation and develop, if need be, concrete standards concerning the the usability of infrastrucure for all citizens.

Smart Recharging – aspects addressed in other EU legislation: the uptake of electric vehicles can potentially cause congestion in the electricity grid and therefore may make expensive grid improvement necessary in some areas. However, introducing smart and bidirectional recharging and thereby shifting charging to times when there are capacities in the network or providing back up storage through electric vehicles batteries can significantly reduce such investments in electricity grids. A number of conditions must be met to ensure that smart charging can take place and is rewarded by the markets, including functioning electricity flexibility markets, technical aspects on the vehicle side, and access to battery data to ensure the development of competitive markets on the service provision side. Those aspects are outside the scope of AFID and are dealt with in other pieces of EU legislation, in particular electricity market legislation⁶⁶.

Near real-time access to the battery data. In order to allow the development of fully competitive markets in the area of smart and bidirectional recharging, many stakeholders pointed to the need to have near real-time access to the battery data to efficiently manage the charging process. This data is currently only available to the car manufacturers. While non-discriminatory access to such battery data is crucial for the development of competitive markets, the issues needs to be seen in the wider context of access to invehicle data, including for example maintenance data. Those aspects are being addressed in the ongoing work on access to in-vehicle data, where also the issue of access to battery data is being addressed in detail⁶⁷.

⁶⁴ Directive (EU) 2019/882

⁶⁵ Directive (EU) 2019/882

⁶⁶ Directive (EU) 2019/944, Regulation (EU) 2018/858

⁶⁷ https://ec.europa.eu/transport/sites/transport/files/2017-05-access-to-in-vehicle-data-andresources.pdf.

5.2.2. Retained policy measures and policy options overview

The retained policy measures have been grouped in 3 policy options (POs) as presented in Table 2. It presents the links of the retained policy measures with the specific policy objectives and the POs.

	Option 1	Option 2	Option 3
Targets Road	Fransport, publicly accessi	ble infrastructure (SO1)	L
Electricity Cars and LDV	Mandatory fleet based target at national level	Option 1 plus Plus mandatory target on TEN-T core and TEN-T comprehensive network from 2025	Option 1 plus option 2 plus Mandatory target for petrol stations from 2025
Electricity HDV	Mandatory target on TEN-T core and TEN-T comprehensive from 2025 Plus overnight parking on safe and secure parkings	As Option 1 plus Mandatory target on urban nodes	As option 2 plus Mandatory target for every filling station on TEN-T core network
LNG HDV	No change	Mandatory target along TEN-T core network	As option 2
Hydrogen for HDV also accessible to LDV	Mandatory target for 2030 for TEN-T core network Plus mandatory target for urban nodes Minimum capacity 1 t per station	As option 1 plus Minimum daily capacity for all stations of 2t Mandatory provision for liquid hydrogen	As option 2 plus Mandatory targets as in option 2 but already for 2025
Targets Shippi	ng (SO1)		
LNG in inland ports	No changes	Delete existing provision for LNG bunkering	As option 2
LNG in maritime ports	No changes	No changes	Mandate for LNG bunkering in all TEN-T core ports in 2030
Shore side electricity supply inland ports	Mandatory OPS for all TEN-T core ports by 2025.	As option 2 plus Mandatory OPS for all TEN-T comprehensive ports by 2030.	Mandatory OPS for all TEN-T core and comprehensive ports by 2025.
Shore side electricity supply in maritime ports	Mandatory OPS for all TEN-T core ports. 1 OPS installation per port in terminals receiving cruise, container, and Ro-pax ships above 5000GT by 2030.	Mandatory OPS for at least 90% of demand for all TEN-T core and comprehensive ports at terminals receiving: cruise, container, Ro-pax ships above 5000GT by 2030.	Mandatory OPS for at least 90% of demand for all EU Ports (TEN-T core, comprehensive ports and non TEN-T ports) at terminals receiving: cruise, container, Ro-pax ships above 5000GT by 2030.
Targets Aviation	on (SO1)		

Table 2: Overview	of specific	objectives.	measures and	policy options
	or specific	objectives,	measures and	poney options

		A	As set is 2			
Electricity Supply for	At TEN-T core and comprehensive airports:	As option 1 plus	As option 2			
stationary	Mandatory targets for	At TEN-T core and				
aircrafts	stationary commercial	comprehensive airports:				
	passenger aircrafts at all	Mandatory targets for				
	gates in 2025	stationary commercial				
		passenger aircrafts at all outfield positions by 2030				
Intoronorohilit	y requirements (SO2)	outlied positions by 2000				
-	· · ·					
Physical Standards	for all fuels and transport r	chnical specifications for new nodes	mandatory physical standards			
Communicat	All new charge points to	New Annex introducing tech				
ion	be equipped at least with	developed/completed by offi				
Standards	open standards OCPC	organizations and subsequen				
for e- mobility	and OCPO	legislation through delegated	1 acts.			
-						
Consumer Info	ormation (SO3)	1				
Ad hoc	Bank card (debit and	As option 1	As option 1			
payments	credit) mandatory on all	But all new fast chargers	But all new fast chargers			
	new recharging points.	(>50kW) must provide	(>50kW) must provide			
		NFC or terminal payment	terminal payment			
Price	Operators of recharging	As option 1, plus EMSPs mu				
transparency	and refuelling points	existing price components to				
	inform at the station	recharging session via a dedi	icated application.			
User	Mandatory requirement	Option 1 plus				
Information	on all operators of		· · · · · · · · · · · · · · · · · · ·			
	alternative fuels	Mandatory requirement on o data to Member States NAPs				
	infrastructure to provide static data to Member	data to Member States NAPS	5.			
	States NAPs					
Signposting	No changes	Along TEN-T core and	As option 2 plus: along TEN-			
~-9-P 000008		comprehensive inside	T core and comprehensive			
		service areas	signposting outside service			
			areas (along the corridor)			
Legal Instrum	Legal Instrument / Administration					
Legal	No changes: Directive	No changes: Directive	Switch to regulation			
instrument						
Reporting /	No changes: MS	MS reporting through	MS reporting through NIRs			
Monitoring	reporting through NIRs	NIRs following further	following further specified			
C		specified guidelines set in	guidelines set in EU			
		EU legislation every 2	legislation every 3 years			
		years				
	1					

The uptake of zero- and low-emission vehicles is driven by different policy initiatives under the 'Fit for 55' package, including most notably the CO_2 emission performance standards for cars and vans. The Directive must ensure that sufficient infrastructure is available to allow that all those vehicles can come into the market and a lack of infrastructure does not become a barrier for the market uptake. In this logic, the policy options look at ensuring that sufficient infrastructure is available to serve the number of zero- and low-emission vehicles that is anticipated under the Fit for 55 package approach as necessary to meet the EU's climate ambition and achieve at least 55% emission reduction by 2030. This Impact Assessment is drawing here on the findings of the Impact Assessment of the CO_2 standards for cars and vans. The methodology to determine sufficient recharging and refuelling infrastructure is described in Annex 7.2. In the course of the development and assessment of the policy options, a sensitivity analysis has been carried out to test the results of different approaches to the assessment of the sufficiency of infrastructure as presented in the POs (see section 7.6).

In order to ensure that sufficient infrastructure will be available across all modes and in all Member States (SO1), mandatory deployment targets are considered to offer strong prospects, given that the indicative target setting applied under the current Directive has not delivered on this objective in all Member States.

When it comes to road transport, the analysis considers mandatory quantified targets on the basis of a minimum recharging capacity to ensure sufficient supply for the national fleet of electric vehicles on the Member State level (PO1). Fleet based targets are relevant for electric LDVs because of the more limited range of electric vehicles compared to other vehicles, the relatively long charging times (requiring more recharging points per vehicle than for example hydrogen stations per vehicle), and the great numbers of electric vehicles expected to come into the market post 2020. The rapid increase of electric LDVs require a spatially inclusive and comprehensive network of recharging points throughout the Member States.

To ensure full cross-border transport connectivity in the TEN-T core and comprehensive network, distance based targets on the TEN-T core and comprehensive network can be set in addition to fleet based targets (PO2). In addition, targets can mandate infrastructure for specific locations such as petrol stations to further determine common locations across the EU (PO3). The three policy options therefore all rely on fleet based targets but for PO2 and PO3 more specific requirements are considered for the installation of recharging points by Member States to ensure a full spatial coverage allowing for cross-border connectivity.

For hydrogen LDV and HDV, but also battery-electric HDV no fleet based targets are considered as the refuelling patterns are distinctively different from electric recharging for LDV. Instead POs propose a mix of distance based targets along the TEN-T network and location based targets in urban nodes, as defined in the TEN-T regulation. The different policy options reflect increasing ambitions in terms of size of the refuelling and recharging stations and the prescribed locations. Similarly, the provision of the current Directive for Member States to provide for an appropriate number refuelling points for LNG accessible to the public (for trucks) by 2025 is maintained, in view of the need for addressing outstanding gaps in the network.

For maritime and inland waterway ports mandatory targets have already been set for LNG refuelling in the Directive but could be strengthened for maritime ports, anticipating that such LNG infrastructure will increasingly serve higher biogas blends and e-gases. For on shore power supply (OPS) binding requirements, expressed in the form of quantified minimum targets, are considered as a measure to ensure that container, cruise and Ro-Pax ships will be offered OPS in ports and thereby enable the maritime sector to meet their obligations under the FuelEU maritime initiative. FuelEU maritime initiative proposes a goal-based approach and requires fuels used in navigation and at berth to meet maximum GHG intensity targets, while also including a reward mechanism for overachievers that will include an additional push for the use of low-carbon renewable transport fuels as part of the so called "basket of measures" approach. AFID

caters for the deployment of infrastructure for certain alternative fuels that require distinct infrastructure and that are market ready. There is hence no overlap between the initiatives. Rather, the initiatives are designed to work coherently with each other. Both focus on the same type and size of vessels for which an OPS requirement is put in place. Both also anticipate an exemption for vessels staying at berth for less than 2 hours for technical reasons (i.e. the time for a vessel to connect and disconnect). Also, AFID does not require 100% coverage of OPS calls in a port but rather 90%. This difference caters for calls which for technical reasons are also excluded from FuelEU Maritime legal draft proposal (such as calls for emergency reasons, repairs etc. or calls from ships using zeroemission technologies). In addition, the maximum demand limit of AFID represents a realistic approach in that maximum energy demand need for a port may not be reached but for a few days in a year, thus a 100% demand would lead to underused investments. Furthermore, AFID introduces a minimum limit of calls below which a port would not be required to invest. This limit is set at quite low level, which indicates only occasional calls (less than once per week in most cases). The number of such calls on the one hand is low enough not to impact FuelEU Maritime initiative and on the other hand does not lead to excessive investments. With regard to the geographical scope (core, comprehensive or all ports) a narrower AFID scope as proposed under PO1 (where a mandate is introduced only on TEN-T core ports) would force a shift in traffic flows for vessels towards the OPS equipped ports as - after a small transitional period - FuelEU demands use of OPS or a penalty is imposed. Here however, it should be underlined that AFID does not restrict a port from investing in OPS, but it introduces in essence a minimum requirement. PO3 covers all ports whereas PO2 covers TEN-T core and comprehensive ports. However, despite the large number of non TEN-T ports, the impact of rerouting would be minimal to those ports. According to EMSA, of the total port calls in 2019 that would be covered under the requirements of the FuelEU Maritime only a small percentage would go to non TEN-T ports (11% of cruise vessles calls, 4% of container ships calls and 8% of Ro-Pax vessels calls).

For aviation, binding requirements for electricity supply to stationary aircrafts are considered to reduce the CO_2 emission of aviation. The provision of Fixed Electrical Ground Power (FEGP) and Pre-Conditioned Air (PCA) to aircraft at the airport gate reduces emissions by allowing the aircraft to obtain electricity direct from the local grid and use the airport's air conditioning system to control the temperature on board instead of using the Auxiliary power Unit (APU) which uses normal jet fuel⁶⁸. Here binding targets for aircrafts at gates (PO1) and aircrafts at gates and outfield positions (PO2 / 3) are considered.

With respect to interoperability (SO2), policy interventions are considered to complement the existing technical specifications already set for e.g. electric car recharging to recharging and refuelling heavy-duty vehicles, hydrogen refuelling, etc. Likewise, new technical specifications, not addressed under the current Directive, are retained to ensure the functioning of a common governance and IT architecture that is fully coherent with the different areas of communication within the recharging and refuelling ecosystems. With respect to communication protocols, PO1 mandates common technical specifications based on open protocols developed by the market. This approach would already cover a part of the EV charging ecosystem, namely the recharging stations software management communication (Open Charge Point Protocol (OCPP)) and the e-

⁶⁸ https://ec.europa.eu/transport/sites/transport/files/2019-aviation-environmental-report.pdf

roaming communication (Open Charge Point Interface (OCPI). In contrast, PO2 and PO3 foresee that the Commission requests to the European Standardisation Organisation (ESOs) to develop and adopt standards covering all areas of the EV charging ecosystem, including communication between the vehicle and the recharging point and overall communication with the grid, thus ensuring full harmonisation.

Regarding user aspects (SO3), different levels of interventions are considered to oblige operators of recharging and refuelling stations to provide full and transparent information about recharging and refuelling prices at the refuelling point as well as static (e.g. location, power of the recharging point, etc.) as in PO1 and additionally dynamic (availability, occupancy, etc.) as in PO2 and PO3 data through National and Common Access Points. When it comes to payments mandatory bank card payment is being assessed with different level of prescription of the technology to be used throughout the different policy options.

While all POs deliver the necessary overall ambition for rollout of alternative fuels infrastructure, they differ in their substance and the regulatory approach to a certain extent. One difference concerns the level of degree to which the policy options address detailed requirements for the physical roll-out in a Member State – here, PO1 is least intervening into Member State action autonomy, whereas PO3 is most heavily intervening. Another difference concerns the level of degree to which the policy options address detailed requirements regarding interoperability, user information and payment services. In this area PO2 and PO3 go beyond PO1 in terms of market segments covered and the level of detail and individual standards when it comes to communication protocols. PO2 and PO3 also differ in terms of the legislative instrument, as PO3 builds on a Regulation. Table 3 provides a tabular overview on the main elements of the policy options.

Nr.	Policy option description	Degree of ambition	Level of intervention
PO1	This policy option introduces substantive changes to the Directive. While the national target setting and reporting under the National Policy Framework remain an important pillar, this approach is strengthened by mandatory fleet based targets for electric recharging points for LDV. For HDV electric recharging points and H2 mandatory distance base targets along the TEN-T network are introduced, including limited provisions for H2 in urban nodes. Mandatory targets are also introduced for stationary aircrafts and OPS in maritime and inland waterway ports. In addition, some quality aspects of the infrastructure are addressed to improve interoperability and user information.	++	++
PO2	This policy option represents an even more substantive change of the directive compared to PO1. In addition to the mandatory fleet based targets for electric recharging points for LDV, it sets distance based targets for all road vehicles infrastructure and strengthens targets in urban nodes for heavy duty vehicle infrastructure. It equally includes more detailed provisions for ports and airports. It also includes a greater level of harmonisation on payment options, physical and communication standards and rights of consumers while charging. It substantiates provisions on price transparency and other user information, including physical signposting of recharging and refuelling infrastructure	+++	+++
PO3	This policy option goes furthest in terms of binding legal instruments by changing the Directive to a Regulation. In addition to the mandatory fleet-based and distance based targets under PO2 it adds further location based targets for electric LDV and adds further targets for HDV. It also adds considerable ambition for ports infrastructure. In addition, it prescribes mandatory terminal payment at new fast-chargers as the sole payment option.	++++	++++

5.3. Description of policy options

5.3.1. Policy option 1

This policy option proposes a number of significant changes to the Directive to fully deliver on the 2030 Climate Target Plan objectives.

Description of the option

This options sets mandatory quantified targets on the basis of a minimum total recharging power to ensure sufficient supply for the national fleet of electric LDV on the Member State level. In addition, this option introduces mandatory distance-based targets for recharging and refuelling infrastructure on the TEN-T core network for hydrogen refuelling stations and electric recharging points for HDV, with an increase in ambition over time. All targets were derived from the methodology explained in detail in annex 7 that determines sufficiency levels for the deployment of infrastructure. Member States will be required to update their National Policy Framework with a view to detailing their planning for implementation of infrastructure rollout, including identification of emerging needs in rail and aviation, and corresponding monitoring and reporting.

Setting of mandatory targets includes (see annex 7.2 for the methodology to determine sufficient infrastructure levels):

- Member States have to ensure that there is always sufficient recharging capacity installed at publicly accessible infrastructure for the electric LDV fleet registered in that Member State. That capacity is prescribed by the Directive as installed capacity per registered electric vehicle⁶⁹. The compliance will be reported every year to the Commission.
- For recharging infrastructure of HDV, distance-based targets apply: Member States must ensure at least 700kW installed capacity, with 350kW (or higher) charging points, every 60 km in each direction on TEN-T core network by 2025 and 1400 kW installed capacity with 350kW (or higher) charging points by 2030. In addition, MS must ensure at least 700kW installed capacity, with 350kW (or higher) charging points every 100 km on the TEN-T comprehensive network by 2030 and 1400 kW installed capacity with 350kW (or higher) charging points by 2035. In addition, a mandatory target for safe overnight parking for heavy-duty vehicles is introduced: by 2030, each safe and secure parking area has at least one recharging point of 50kW minimum.
- For hydrogen refuelling infrastructure, distance-based targets apply: Member • States must ensure every 150 km on the TEN-T core network at least one station serving both directions for heavy-duty vehicles at 700 bar (while 350 bar is optional) by 2030. Light-duty vehicles should be enabled to fuel at all stations. Stations have to provide a minimum daily output capacity of 1t. In addition, a mandatory target for providing at least one hydrogen refuelling station per urban node of the TEN-T network with a capacity of 1t hydrogen per day is defined for 2030. This target is required to ensure that destination refuelling in urban nodes is possible⁷⁰.
- For CNG/LNG refuelling infrastructure, the option foresees no change to the • provisions of the current Directive.

Concerning waterborne transport, this option sets provisions for deployment of OPS on the back of the retained current requirements for provision of LNG infrastructure in TEN-T core ports by 2025. Those include a requirement for inland waterway ports on the TEN-T core network to have by 2025 at least one OPS installation per port. Furthermore, maritime TEN-T core ports shall provide one OPS installation in terminals receiving cruise, container, and Ro-Pax above 5000GT by 2030. Ports whose average annual traffic volume during the past 3 years is less than 25 cruise ship calls, 50 container ship calls, 40 ferry calls are exempted.

For TEN-T core and comprehensive airports, this option introduces a requirement that all stationary commercial passenger aircrafts shall have electricity supply at all gates by 2025.

This option extends the set of technical specifications under the Directive to address interoperability, including requirement for additional physical standards for charge points (e.g., charging standards for trucks, supplementary standards for hydrogen). Moreover, all new charge points need to be equipped with the following communication interfaces and protocols: Open Charge Point Protocol (OCPP)⁷¹ to ensure full communication of the

⁶⁹ This translates into targets of approx. 1.0 kW installed capacity per registered battery electric car/van and 0.66 kW installed capacity per every registered plug in hybrid car/van. A sensitivity analysis is performed in chapter 7.7 to analyse the impact of different fleet based targets, e.g more average installed capacity per car/van. ⁷⁰ Because of the very high costs for hydrogen refuelling stations it is not expected that there will be any private hydrogen refuelling

stations at depots of HDV as they are expected to be develop for electric recharging points. Therefore publicly accessible destination refuelling points must be available at least in urban nodes, the typical origin and destination of long distance HDV trips.⁷¹ https://www.openchargealliance.org/

charging point with the back-end of the charge-point operator and Open Charge Point Interface (OCPI) to enable full communication with roaming platforms.⁷² Moreover, operators have to provide static data to Member States national (or common) access points on location, opening time and specific charging station characteristics as well as clearly display prices following a format to be defined in the directive. Charge point operators must offer bank card payments through either a chip card terminal, an NFC interface or through a QR code leading to a specific payment side for the specific charging event.

How does this policy option address specific policy objectives?

SO1 Increase the number of recharging and refuelling points across Member States and across modes

This option addresses this objective to a large extent. The introduction of fleet based targets for electric recharging points for LDV will ensure that a sufficient number of recharging points will be available in all Member States. However, it is not ensured that sufficient recharging points are installed along the full TEN-T network risking not to ensure full connectivity across TEN-T. Also recharging points in urban nodes to specifically support urban and regional freight transport are not mandated under this option not guaranteeing that this infrastructure develops in all urban nodes. For long distance HDV, the mandatory distance based targets for recharging and refuelling infrastructure for road transport vehicles ensures full coverage in the TEN-T network. It enables effective cross-border connectivity for all alternative fuels HDV vehicles.

Moreover, this option enables a minimum of onshore power supply to ships in TEN-T core ports, which marks a specific but still moderate improvement compared to the current provision. There is also an increase of regulatory ambition for electricity supply to aircraft at gates in airports.

SO2 ensure the full interoperability of infrastructure and infrastructure use services

This option addresses this objective to a considerable extent by extending the efforts to further standardize recharging and refueling infrastructure in response to existing imminent needs, including for heavy-duty road transport. Moreover, requirements to charge point operators to at least ensure equipment with existing open protocols and interfaces will ensure smoother interaction between the vehicle, the charge point and its back-end.

SO3 foresee adequate information for consumers

Requiring charge point operators to display pricing in a standardized manner will help increase consumer acceptance and trust. Furthermore, the provisions for effective data reporting to national access points of Member States can enable further development of infrastructure use services, which will provide for better consumer experience. In particular better user information on e.g. location of infrastructure and the option to pay with bank card at every recharging point will significantly ease travelling especially across borders.

⁷² https://evroaming.org/

5.3.2. Policy Option 2

This policy option thoroughly revises the Directive. It increases the level of policy intervention: it sets the same mandatory national fleet based targets for electric LDV, but adds targets for infrastructure for electric LDV on the TEN-T network and for electric HDVs in urban nodes. It increases the level of ambition for recharging and refuelling infrastructure for HDV. It also introduces stricter deployment targets for waterborne transport and for stationary aircrafts. This policy option introduces ambitious measures in terms of interoperability and user information, including a greater level of harmonisation on physical and communication standards and more user friendly ad hoc payment options. It further substantiates provisions on price transparency and other user information, including physical signposting of recharging and refuelling infrastructure.

Description of the option

In addition to the targets already included in PO1, target setting in PO2 for alternative fuels infrastructure for road transport includes:

- In addition, Member States must ensure at least 300 kw installed capacity, including at least one 150kW recharging point, every 60 km in each direction on the TEN-T core network by 2025 and 600kW installed capacity, including at least two 150kW in each direction on the TEN-T core network by 2030. In addition, Member States must ensure every 60km on the TEN-T comprehensive network 300 kW installed capacity, including at least one 150kW, by 2030 and 600kW installed capacity, including at least two 150kW recharging points, by 2035.
- In addition to the location based targets on the TEN-T network for HDV, Member States have to ensure a minimum of electric recharging capacity (600 kW installed by 2025 and 1.2 MW installed by 2030) in every urban node of the TEN-T network (as defined in the Regulation on TEN-T guidelines⁷³) in particular to serve urban delivery trucks.
- For hydrogen refuelling infrastructure the minimum daily capacity per refuelling station increases to at least 2t of hydrogen. In addition, Member State have to ensure that every 450 km on the TEN-T network a hydrogen refuelling station serves liquid hydrogen to trucks. Moreover, the option norms a requirement to also serve liquid hydrogen in at least one third of urban nodes.
- For LNG refuelling infrastructure, Member States have to ensure that an appropriate number of refuelling points for LNG accessible to the public are put in place by 2025, at least on the TEN-T Core Network, so that LNG heavy-duty vehicles can circulate throughout the Union, where there is demand, unless the cost are disproportionate to the benefits, including environemtnal benefits.⁷⁴

Additional target-setting for waterborne and aviation transport include:

 For inland waterway ports, Member States have to ensure that – in addition to the installation in TEN-T core ports as in PO1 - that 1 OPS is also installed in all TEN-T comprehensive ports by 2030. The policy option removes the requirement under the current Directive for LNG bunkering in TEN-T core ports that foresees that vessels must be able to circulate along the TEN-core network.

⁷³ Regulation (EU) No 1315/2013

⁷⁴ As noted in recital 46 of the current Directive, this is understood to result in a necessary average distance between refuelling points for LNG of approximately 400 km.

- For maritime ports, Member States have to ensure that OPS is installed to cover at least 90%⁷⁵ of demand for all TEN-T core and comprehensive ports at for terminals receiving: cruise, container, Ro-Pax above 5000GT by 2030. Ports whose average annual traffic volume during the past 3 years is less than 25 cruise ship calls, 50 container ship calls, 40 ferry calls, are exempted from this obligation.
- For TEN-T core and comprehensive airports, the option norms a minimum requirement to supply electricity to stationary commercial passenger aircrafts at all gates and outfield positions by 2030.

This options includes a broader range of requirements to address full interoperability. In addition to requirements for additional technical specification for road transport as in option 1, it sets a requirement for additional technical specifications for maritime transport and inland navigation (e.g., a single solution for shore-side battery recharging points for maritime and inland waterways vessels; hydrogen, methanol and ammonia refuelling points and bunkering for maritime and inland waterways vessels). In addition, also particular aviation technical specifications would be considered. The Directive would extend the range of communication aspects covered and also require that instead of prescribing open protocols for recharging points, technical specifications are adopted by European standardization organizations and subsequently transferred into the Directive to fully cover the communication between vehicle and the charging point, the communication of the charging point with the back-end of the charge point operator, the communication with roaming platforms and the communication with the grid. Those would replace the requirements for standards as in option 1. The advantage of adopting standards developed by European standardisation organisations is that those standards are developed with the support and final consent of all Member States and all key industry players, ensuring wide support from all parties concerned.

The option foresees further harmonisation of Member State provisions for recharging infrastructure, e.g. Member States will no longer be allowed to require shutters or any other specific technical requirements to ensure that recharging points can be sold without modifications throughout the EU. Moreover, this option tightens provisions for bank card payment: all new fast chargers (>50kW) have to provide either NFC or terminal payment. Other chargers can also offer QR codes. Moreover, at every charge point, the customer must have the right to choose the payment method before initiating the charge. If automatic authentication under contract-based charging is offered by the charge-point operator, the user must have the right to choose either an ad hoc payment option or pay through another EMSP supported by the CPO.

The option extensively addresses user information aspects. In addition to static information on recharging points and price information through digital means (option 1) option 2 requires CPOs to make dynamic data available (Operational status, Availability, Price ad-hoc). It sets a requirement to install signposting of recharging points and hydrogen refuelling stations within parking and recharging/refuelling areas along the TEN-T core and comprehensive network.

The option prescribes the requirement to Charge Point Operators to display prices at all recharging points. Moreover, Mobility Service Providers must clearly communicate all existing price components (incl. possible roaming fees) to consumers prior to the

⁷⁵ Exact percentage to be determined. Variation of the percentage can be envisaged for each ship type. For technical reasons use of OPS may not be opportune for ship calls of less than 2hr stay at berth. If such calls are excluded the requirements for OPS for RoPax may reduce significantly.

recharging session via a dedicated application (except if only fixed subscription fee applies). Charge Point Operators cannot unduly differentiate (or discriminate) between the prices charged to B2B customers (EMSPs) and the prices charged to B2C customers (i.e. the ad hoc price charged directly to EV-drivers). Price charged to different Mobility Service Providers must equally be non-discriminatory. The current Directive only addresses price setting vis-à-vis the end user but not towards other businesses. Such widening of the non-discriminatory clauses is deemed relevant to ensure that nonfavourable business practice, which currently represents very isolated cases, do not develop into a structural problem in the future.

How does this policy option address specific policy objectives?

SO1 Increase the number of recharging and refuelling points across Member States and across modes

This option extensively addresses this objective. For LDVs, and in addition to ensuring sufficient recharging points in each Member State, it ensures full cross-border connectivity along the TEN-T core and comprehensive network. At the same time, it leaves autonomy and flexibility to public authorities and market actors in Member States as it does not introduce location-based or distance-based requirements with the exception of the provisions for the TEN-T network. For electric, H2 and LNG HDVs it achieves full cross-border connectivity along the TEN-T network and prescribes infrastructure in urban nodes. This option also pushes all TEN-T ports to ambitious infrastructure for onshore power supply to ships at berth, and ensures that electricity is also supplied to aircraft at outfield positions.

SO2 ensure the full interoperability of infrastructure and infrastructure use services

This option addresses this objective to a full extent. The option harmonises data and communication exchange of vehicles, charge points and back ends in a phased way following increasing market maturity, and furthermore sets requirements for the subsequent adoption of physical standards to address all outstanding technical specifications for road, waterborne and aviation infrastructure.

SO3 foresee adequate information for consumers

Consumer information aspects are thoroughly addressed. All users will have full price transparency before charging at public accessible recharging points, on both ad hoc and contract based prices. It secures full flexibility for customers to choose payment options, and ensures easy payment by either terminal or NFC approach at fast recharging points. Requirements for provision of static and dynamic data will help ensure development of innovative market services informing consumers, while this option also addresses physical signpostings that will help easy navigation in the end when circulating at e.g. parking areas along the TEN-T network.

5.3.3. Policy Option 3

This policy option replaces the current Directive with a Regulation and increases further the level of ambition, resulting in a very ambitious mandate for the installation of recharging and refuelling infrastructure in roads and ports, mandating infrastructure on TEN-T core and comprehensive network corridors, at locations and through fleet based targets. Concretely, it extends the mandatory targets of option 2 with additional mandatory deployment targets for electric recharging points on petrol stations and earlier deployment targets for hydrogen stations and increases considerably the ambition of installation of alternative fuels infrastructure in ports.

Equally, strict deployment targets are introduced for waterborne transport and aviation and foresees shortening of the NPF reporting cycle from 3 to 2 years. The option reduces flexibility for charge point operators by making terminal payment at fast chargers the standard ad-hoc payment solution.

Description of the policy option

This policy option combines all distance-, location- and fleet-based target requirements of option 1 and 2. It adds a mandate for deployment of recharging points for LDV:

- by 2025, every petrol station with 12 or more pumps must be equipped with at least one recharging point with a minimum capacity of 150kW and
- by 2030, every petrol station with 8 or more pumps must be equipped with at least one recharging point with a minimum capacity of 150kW

A similar mandate is introduced for trucks (1 recharging point of 350 kW) in all petrol stations that serve trucks. This option also includes a mandate to Member States to ensure that every 150 km on the TEN-T core network there is a CNG refuelling station. The requirements for hydrogen refuelling infrastructure are the same as in option 3, but will have to be met by 2025 already.

In addition, it sets up a high ambition for provision of alternative fuels infrastructure in ports. For inland waterway ports, 1 OPS installation per TEN-T core and comprehensive port has to be achieved by 2025 while LNG. Moreover, the option mandates electricity supply for battery vessels at each TEN-T inland waterway core port by 2030. The option foresees mandatory LNG bunkering in all TEN-T core ports in 2030, thus replacing the existing provision that only prescribes that circulation on TEN-T core ports must be possible without specifying which port must deploy LNG bunkering. The option also requires the OPS provision of option 2 for all EU maritime ports. The option foresees the same requirements for airports as option 2.

The option foresees the same requirements for interoperability of infrastructure as policy option 2, but restricts ad-hoc payment by bank card at new fast chargers (>50kW) to terminal payment. It also prescribes that cables are fixed to AC chargers (helical) and DC chargers. It foresees the same requirements for user information as option 2, but extends the requirement for road signing to be available to the full TEN-T core and comprehensive network. Recharging points and hydrogen refuelling stations must be signalled along the motorways, and not only within parking areas.

A regulation marks a significant change in the legislative instrument, as it directly and automatically applies in its entiety to all Member States and defines precisely the means of achieving certain results, whereas a Directive requires Member States to achieve certain objectives, but leaves them to adopt the measures to incorporate into national law to achieve the objecticves set in the directive. In the consultation, a broader group of participants called for the directive to be changed into a regulation. Option 3 therefore design measures under the instrument of a regulation, including also measures that are binding on specific entities such as petrol stations.

How does this policy option address specific policy objectives?

SO1 Increase the number of recharging and refuelling points across Member States and across modes

This option addresses this objective to a broad extent, particularly by extending the regulatory requirements beyond the TEN-T network by addressing petrol stations. This option extensively addresses this objective by combining fleet-based, distance-based, and location-based (petrol stations and urban areas) targets. It sets a higher level of intervention into the market than option 2 thus affecting the autonomy of planning for public authorities and market actors in Member States. This option also pushes for a very ambitious timeline for provision of OPS in TEN-T ports and leaves no flexibility to ports for installing LNG infrastructure.

SO2 ensure the full interoperability of infrastructure and infrastructure use services

This option addresses this objective to a full extent. Provision for data provisions will enable the development of innovative market services. The option harmonises data and communication exchange of vehicles, charge points and back ends in a phased way following increasing market maturity, and furthermore sets requirements for the subsequent adoption of physical standards to address all outstanding technical specifications for road, waterborne and aviation infrastructure.

SO3 foresee adequate information for consumers

Consumer information aspects are thoroughly addressed. All users will have full price transparency before charging at public accessible recharging points. The option reduces flexibility of charge-point operators by making terminal payment the mandatory method for ad-hoc payment at all new recharging points. Requirements for provision of static and dynamic data will help ensure development of innovative market services, while this option also addresses physical signpostings that will help easy navigation in the end when circulating at e.g. parking areas along the TEN-T network.

5.4. Discarded Policy Options

Some stakeholders in the OPC but also in public workshops and meetings expressed the view that fleet based targets would not be required at Member State level. Instead, distance based targets along the TEN-T core network as well as location based targets at petrol stations would also ensure a sufficient level of recharging infrastructure for LDV that would deliver on the minimum infrastructure requirements for 2030. Following the stakeholder opinions the impact assessment analysed if such policy measures alone would indeed be sufficient to ensure sufficient infrastructure deployment to meet the demands of the vehicle fleet expected under the Climate Target Plan objectives in all Member States. Two policy options (POA and POB) were analysed in accordance with the proposed measures in PO2 and PO3, both excluding fleet based targets.

POA (same distance based targets as in PO2):

• For recharging infrastructure of LDV, Member States must ensure at least 300 kw installed capacity, including at least one 150kW recharging point, every 60 km in each direction on the TEN-T core network by 2025 and 600kW installed capacity, including at least two 150kW in each direction on the TEN-T core network by 2030. In addition, Member States must ensure every 60km on the TEN-T comprehensive network 300 kW installed capacity, including at least one 150kW,

by 2030 and 600kW installed capacity, including at least two 150kW recharging points, by 2035.

POB (same distance based targets as in PO2 plus location based as in PO3)

- As regards a mandate for deployment of recharging points for LDV by 2025, every petrol station with 12 or more pumps must be equipped with at least one recharging point with a minimum capacity of 150kW and
- By 2030, every petrol station with 8 or more pumps must be equipped with at least one recharging point with a minimum capacity of 150kW

Using the same methodology as for the assessment of the policy options 1 - 3, the impact assessment concluded that neither individually nor combined, those two policy options would ensure sufficient recharging infrastructure for LDV in all Member States.

In fact, POA would increase the overall number of recharging points in the EU by around 6,800 recharging points compared to the baseline in 2030 while POB would lead to an increase by around 57,600 throughout the EU. However, this would not sufficiently change the overall deployment of recharging points, leaving 15 Member States short in providing sufficient infrastructure to support the required vehicle fleet under the 2030 Climate Target Plan objective. In 2030, those 15 Member States (BG, CZ, EL, IE, IT, LV, LT, PL, PT, SK, ES, RO, CY, MT, HR) would be short of a combined total of over 700,000 recharging points.

These two policy options would ensure full cross border connectivity but they would not provide sufficient recharging infrastructure to support the national electric vehicle fleets required to meet the objectives of the 2030 Climate Target Plan. The lack of infrastructure would thereby act as a barrier to the uptake of vehicles in 15 Member States not allowing for the required emission reductions. The two policy options have been discarded as they are not coherent with the Climate Target Plan ambition.

6. WHAT ARE THE IMPACTS OF THE POLICY OPTIONS?

This section summarizes the main expected economic, social and environmental impacts of each PO across all transport modes⁷⁶. In terms of time horizon, the assessment has been undertaken for the 2025-2050 period (in five-year steps). The measures that are part of the POs are assumed to be implemented from 2025 onwards, with a particular emphasis on understanding impacts for 2030, but going beyond. The analysis presented in this section covers the EU27 scope. Costs and benefits are expressed as present value using a 4% discount rate.

The impacts of the policy options, focusing on the design of the policy instrument, are assessed in the context of a policy environment achieving the overall 55% emission reduction objective by 2030. This policy context is mainly represented by the MIX policy scenario that follows a combined approach of carbon pricing instruments and regulatory-based measures, and is also consistent with option TL_Med of the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles which provides the vehicle fleet relevant for the

⁷⁶ The analysis in this section is based on the Ricardo et al (2021), *Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EC)*, including modelling performed by E3Modelling with the PRIMES-TREMOVE transport model, and on the analysis of stakeholders' feedback.

design of the policy options. Detailed information on the methodological approach and on the MIX policy scenario can be found in Annex 4.

In view of the need to ensure consistency with other policy initiatives under the Fit for 55 package, this impact assessment has carried out an assessment of cost of infrastructure under the preferred policy option for all options assessing the different target levels in the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicle, (including TL_Low and TL_High, in addition to TL_Med). This analysis is presented in section 7.6.

6.1. Economic impacts

Both quantitative and qualitative assessments of economic impacts have been undertaken for each policy option. In general, quantification of impacts using the PRIMES-TREMOVE model by E3Modelling has mainly focused on the measures covering problem area 1 (in particular road transport), and the measures related to other problem areas (2-3) have mainly relied on input from stakeholders and desk research.

6.1.1. Impact on alternative fuels vehicles and infrastructure markets

In general, investments in quantity and quality of infrastructure will not directly lead to the uptake of alternatively fuelled vehicles which are determined by other policies, e.g. the CO_2 emission performance standards. However, only if sufficient, interoperable infrastructure is available that provides minimum services to consumers, it can be expected that the vehicles as considered necessary to achieve the EU's Climate Target Plan objective will make it into the market.

Measures setting targets for road transport

The measures introducing targets for road transport aim at ensuring that sufficient infrastructure is deployed in all Member States so a lack of infrastructure does not form a barrier for the expected vehicle fleet. The structure of the vehicle fleet, which is the same under all policy options, is driven by the new policy initiatives under the "Fit for 55" package, in particular the revision of the CO_2 emission performance standards for cars and vans (i.e. option TL_Med).

In the policy options, the number of battery electric vehicles (BEV) is projected to increase at a much higher speed than in the baseline and is projected to be more than twice the numbers in the baseline by 2050. By 2030, close to 37 million BEVs would be registered in PO1/PO2/PO3 relative to 30 million in the baseline. This gap is projected to widen significantly post-2030, with 140 million BEVs in 2040 and 235 million in 2050 in PO1/PO2/PO3 relative to 67 million in 2040 and 97 million in 2050 under the baseline. In contrast, PHEV will develop similarly under the policy options and the baseline until 2040 but will only play a limited role in 2050 with 15 million vehicles in PO1/PO2/PO3 compared to 54 million in the baseline.

Similar to electric LDVs, the uptake of electric HDVs is projected to be much higher in the policy options relative to the baseline by 2030 (around 110,000 in PO1/PO2/PO3 vs 50,000 in the baseline). This gap will further widen in 2040 and 2050 when 1 million and 2.4 million vehicles, respectively, are expected under the policy options (i.e. around 10 times more electric HDV by 2050 than under the baseline).

A similar development pattern is projected for fuel cell vehicles, albeit with considerably lower overall numbers than for electric LDV and higher uptake in particular expected post 2040. Relatively similar number of light duty fuel cell vehicles are projected by 2030 in the policy options and the baseline (around 306,000 vehicles in the baseline and 416,000 in the policy options). By 2040, in PO1/PO2/PO3 the number of fuel cell LDVs is projected at 12.8 million relative to 3.9 million in the baseline, while by 2050 the gap is projected to widen even further (38.7 million in the policy options versus 10.3 million in the baseline). Fuel cell HDVs are projected to play a more limited role by 2030 in the baseline and under the policy options. Post-2030 their uptake is however projected to significantly go up: to around 549,000 in the policy options compared to 63,000 in the baseline for 2040 and 1.9 million in PO1/PO2/PO3 by 2050, which is in stark contrast to the baseline where only around 102,000 vehicles are projected.

The overall numbers of LNG and CNG vehicles are projected to go up by 2030 relative to 2020, but to be lower than in the baseline for 2030. The stock of CNG vehicles is projected to reduce significantly post-2030 in the policy options and be less than half a million by 2050. CNG vehicles are expected to be strongly concentrated in only a few Member States. Almost 70% of all CNG LDVs are projected to be registered in Italy by 2030, representing however less than 6% of the fleet, and only in two other Member States (BG, SE) are CNG LDVs expected to represent more than 2% of the fleet. LNG trucks in PO1/PO2/PO3 are projected to grow at a somewhat lower rate than in the baseline and reach around 510,000 vehicles in 2030 and 1.1 million in 2040. They are expected to be gradually replaced by zero emission technologies post 2040.

Number of vehicles (in	Baseline			PO1 / PO2 / PO3		
thousands)	2030	2040	2050	2030	2040	2050
Electric BEV LDV	29,941	67,420	97,033	36,851	140,261	235,076
Electric PHEV LDV	13,987	41,007	54,157	14,343	40,950	14,897
Electric HDV	50	161	231	110	1,022	2,405
Fuel Cell Electric LDV	306	3,906	10,301	416	12,824	38,727
Fuel Cell Electric HDV	3	63	102	60	549	1,877
CNG LDV	4,376	6,265	6,580	3,954	3,237	431
LNG	621	1,246	1,536	510	1,082	918

Table 4: Uptake of vehicles	in the baseline and in the	policy options (in thousands)

Source: Ricardo et al (2021), impact assessment support study, PRIMES-TREMOVE model results (E3Modelling)

What concerns **electric recharging points**, the assessment of national policy planning (on the basis of the implementation reports for AFID) under the baseline shows that 18 Member States (BG, CZ, EL, FI, FR, HU, IE, IT, LV, LT, PL, PT, SK, ES, RO, CY, MT, HR) will not provide sufficient recharging infrastructure by 2030 to accommodate the anticipated number of electric vehicles that meet the 2030 increase in climate ambition. In total, there would be 2.3 million public accessible recharging points under the baseline. They will just be somewhat sufficient to accommodate the vehicle fleet under the baseline. Only 9 Member States are planning for sufficient infrastructure to accommodate the higher fleets under PO1. This gap is expected to increase even further towards 2040 and 2050 when the uptake of electric vehicles takes further pace while infrastructure is not catching up. Around 4.2 million public accessible recharges are projected in the baseline by 2040 and 6.9 million by 2050.

All POs set mandatory targets for Member States to ensure that the infrastructure is sufficient in relation to the LDV fleet. The analysis shows that overall **infrastructure for electric LDV** develops in all Member States by 2030 and beyond, in line with electric vehicle fleet. Based on the sufficiency index of determined as an average capacity of a recharging point for a battery electric vehicle of 1 kW and for a plug in hybrid of 0.66

kW, the POs result in a total installed capacity of 47-58 GW for 2030 at EU level (47 GW in PO1, 49 GW in PO2 and 58 GW in PO3) relative to 29 GW in the baseline. Expressed in terms of equivalent number of recharging points, while assuming an increase in the average capacity of recharging points for the LDV fleet from currently 11 kW to 14-16 kW by 2030 because of the deployment of more fast recharging points compared to 2020 (14 kW in PO1/PO2 and 16 kW in PO3 - because of the additional high power recharging points in petrol stations under PO3), POs show 3.50 to 3.57 million recharging points in the EU in 2030 compared to the baseline of 2.3 million. However, assuming that the share of fast recharging points stays constant as in 2020, the POs show a total number of recharging points of over 4 million (or over 6 million recharging points under the assumption that only normal recharging points of an average of 7.4 kW were deployed). The analysis assuming that the share of fast recharging points stays constant as in 2020 is provided in section 7.7.

Under PO1, recharging infrastructure for LDV risks, however, not to ensure an even distribution along the TEN-T network. Especially in Member States that currently plan for limited infrastructure deployment, there is a risk that the planning is not fully sufficient with respect to the deployment along the TEN-T corridors in terms of distance between recharging stations and the total power provided.⁷⁷ For PO2 and PO3, 11,363 charging points for LDVs are estimated to be deployed on the TEN-T network (including urban nodes) by 2030 and 12,112 by 2040.

All POs lead to approx. 11.4 million recharging points in 2040 and 16.3 million by 2050, providing sufficient recharging infrastructure for the expected fleet uptake until 2050.

Number of recharging points for LDVs	Baseline	Difference to the Baseline			
in 2030	Dasenne	PO1	PO2	PO3	
AT	94,500	0	273	1,776	
BE	89,729	0	228	1,928	
BG	5,000	23,901	24,200	26,730	
CZ	16,900	48,513	48,721	50,925	
DK	29,437	0	198	1,325	
EE	5,666	0	92	363	
FI	25,000	7,365	7,721	8,760	
FR	449,981	56,770	58,302	64,458	
DE	1,000,000	0	1,363	9,310	
EL	10,000	50,261	50,706	54,250	
HU	35,000	9,385	9,637	10,736	
IE	1,200	37,784	37,932	38,921	
IT	62,261	398,103	399,135	411,070	
LV	466	3,285	3,511	3,844	
LT	4,550	14,280	14,395	14,790	
LU	10,320	0	14	144	
NL	182,000	0	203	2,483	
PL	13,622	234,851	235,640	239,835	
PT	43,141	14,512	14,778	16,541	
SK	3,000	13,416	13,574	14,108	

Table 5: Projected deployment of recharging points for LDVs in the baseline and in the policy options in 2030 (difference to the Baseline) by Member State

⁷⁷ Under the NPFs, Member States are not required to report in detail on the planned locations of recharging infrastructure or the numbers planned on the TEN-T network.

Number of recharging points for LDVs	Baseline	Difference to the Baseline			
in 2030	Dasenne	PO1	PO2	PO3	
SI	22,300	0	108	412	
ES	123,099	203,953	205,491	211,873	
SE	70,705	0	738	2,273	
RO	5,541	57,902	58,411	59,649	
CY	100	8,664	8,705	8,875	
MT	362	3,480	3,485	3,523	
HR	671	9,712	9,940	10,127	
EU27	2,304,552	1,196,138	1,207,501	1,269,027	

Source: Ricardo et al (2021), impact assessment support study

The policy options will lead to a considerable increase in **infrastructure for electric HDVs** in the EU by 2030 with over 6,100 charging points in PO1, 6,500 under PO2 and more than 7,600 under PO3 relative to the baseline, under which less than 100 recharging points are deployed. By 2050, the number of recharging points would go up to around 13,000 in PO1 and PO2 and more than 14,000 in PO3. All options provide sufficient infrastructure on the TEN-T network for the expected vehicle uptake, with additional targets in PO2 (urban nodes for delivery trucks) and PO3 (fast recharging points in all petrol stations along TEN-T) adding extra convenience for the users.

For **hydrogen infrastructure** the baseline includes some very ambitious Member State plans. For example Germany alone plans for 1,000 stations by 2030. However, many Member States currently do not plan sufficient investments in hydrogen refuelling infrastructure that would allow for the development of a coherent network across the EU. In all Member States all policy options will provide a similar and sufficient number of refuelling stations. However, the total capacity of those stations will be about twice as high in PO2 and PO3, which will add considerable convenience for the user. In addition, PO3 ensures that the infrastructure required for the vehicle numbers in 2030 is already available in 2025 to provide more investment security for the sector.

What concerns **gaseous fuels**, CNG vehicles are a mature technology and the deployment of CNG refuelling stations largely market driven. The same can be expected for LNG HDV, once a minimum infrastructure along the TEN-T core network is being established and thereby investment security is provided. Such investments into the TEN-T core network have already been triggered through the Directive and Member States planning suggests that sufficient infrastructure will be available in almost all Member States already in the baseline, building on the requirement under the current AFID. For LNG the mandatory target included in PO2 and PO3 would only ensure filling the remaining gaps in the TEN-T core network by 2030, relative to PO1 (where such requirement is not included), and thus ensuring full certainty about cross-border connectivity for those operators using this transitional technology. However, relative to the baseline all options show lower number of LNG refuelling stations due to the lower uptake of LNG HDVs.

For CNG the mandatory deployment targets under PO3 would only increase the total numbers minimally in 2030, relative to PO1 and PO2, by filling in remaining gaps in the TEN-T core network. However, the number of refuelling stations in 2030 would be lower in all policy options relative to the baseline, due to the lower uptake of CNG LDVs. It is also worthwhile noting that because of the expected rapid decline of the number of CNG vehicles post 2035, the required number of refuelling stations will go down to around 600 stations by 2050 which is well below the existing numbers of over 3,000 stations. Equally for LNG, the numbers will go down to around 2,900 refuelling stations by 2050

following the slow replacement of LNG vehicles by zero-emission technologies post 2040.

Infrastructure at EU27		Baseline				
level	2030	2040	2050	2030	2040	2050
LDVs recharging points	2,304,552	4,228,772	6,905,744	3,500,690	11,398,548	16,259,467
HDVs charging points	58	526	636	6,173	10,340	12,694
Hydrogen fuelling facilities	1,371	3,004	4,603	1,852	8,222	20,153
CNG fuelling facilities	8,299	9,042	8,760	7,642	4,741	587
LNG fuelling facilities	3,527	4,505	4,850	2,904	3,914	2,896
	PO2					
Infrastructure at EU27		PO2			PO3	
Infrastructure at EU27 level	2030	PO2 2040	2050	2030	PO3 2040	2050
	2030 3,512,053		2050 16,268,705	2030 3,573,579		2050 16,330,266
level		2040			2040	
level LDVs recharging points	3,512,053	2040 11,410,660	16,268,705	3,573,579	2040 11,472,221	16,330,266
level LDVs recharging points HDVs charging points Hydrogen fuelling	3,512,053 6,493	2040 11,410,660 10,660	16,268,705 13,014	3,573,579 7,612	2040 11,472,221 11,779	16,330,266 14,134

 Table 6: Expected AFI deployment in the baseline and in the policy options for 2030-2050 (number of recharging points/facilities)

Source: Ricardo et al (2021), impact assessment support study

All policy options are considered to provide sufficient infrastructure for the required vehicle fleet in 2030 and beyond hence ensuring that infrastructure is not a barrier for the uptake of vehicles.

Measures setting targets for AFI for waterborne transport

In the case of **LNG bunkering facilities in TEN-T core maritime ports,** that can also be used for decarbonised gases (i.e. bio-LNG and renewable low-carbon e-gas) to fully support the EGD objectives, the new measure is anticipated to contribute to the deployment of new infrastructure although the available evidence suggests that a significant level of deployment is expected to take place already under the baseline.

Article 6 (1) of the current Directive already required Member States to ensure that an appropriate number of refuelling points for LNG were put in place at maritime ports in the TEN-T Core Network by 2025. In the baseline scenario, 71 core TEN-T ports would have such facilities in place by 2030. The new measure under PO3 on LNG bunkering for maritime ports is anticipated to lead to the deployment of 19 additional facilities such that all 90 core TEN-T ports would be covered by 2030. It is also worth noting that, of the 22 Member States that have core TEN-T maritime ports, half are already planning to deploy LNG bunkering infrastructure in their core ports (i.e. as part of the baseline scenario); the other 11⁷⁸ would need to deploy infrastructure in one to three core ports each to meet the new target.

⁷⁸ DK, DE, IE, ES, FR, IT, LV, MT, NL, RO, FI

 Table 7: Expected AFI deployment in 2030 by PO and in the Baseline regarding LNG bunkering for maritime ports (number of facilities)

Type of AFI	Baseline	PO1		PO2		PO3	
		Total	Net	Total	Net	Total	Net
Total LNG bunkering facilities in TEN-T core maritime ports	71	-	-	-	-	90	19

Source: Ricardo et al (2021), impact assessment support study

The **removal of the provision for LNG bunkering in inland ports** in PO3 could stop further deployment of this infrastructure for inland ports. Article 6 (2) requires Member States to ensure that an appropriate number of refuelling points for LNG are put in place at inland ports in the TEN-T core network by 2030. In the baseline scenario, 36 core ports are expected to offer LNG bunkering out of the 85 inland TEN-T core ports in the EU. By removing this provision, it is possible that some of this deployment would not take place. However, the question is also whether there is a need for such infrastructure given the expected limited use of LNG for inland navigation in the future and the availability of other solutions to achieve the environmental goals. Stakeholders that participated in the consultation for the impact assessment support study were also asked about a revision of this provision. Many respondents, including ports representatives, argued that there was no need for specific targets because LNG is not economically viable for inland navigation. As a result, the deployment of this type of infrastructure might no longer take place in the future.

For **OPS infrastructure in maritime ports,** the total installed capacity has been increasing since the 2000s and is now around 90MW across the EU⁷⁹. This trend is expected to continue in the baseline scenario, to reach 174 MW by 2030. However, it will fall short from providing the necessary capacity for servicing the containerships, passenger ships and Ro-Pax vessels that are to be equipped with OPS by 2030, in line with the FuelEU maritime initiative proposal. The total installed capacity is expected to grow significantly compared to the baseline if the new measures are adopted, especially under PO3 which covers all EU ports that meet the minimum requirements. The FuelEU initiative works in tandem to this initiative by mandating the use of OPS by the three types of vessels, thus providing the demand and increasing the business case for ports to install this technology.

monitimo nonta	Fable 8: Expected	d AFI deploymen	nt in 2030 by	PO and in	the Baseline	regarding OPS in
maritime ports	maritime ports					

Type of AFI	Baseline	PO1		PO2		PO3	
		Total	Net	Total	Net	Total	Net
Total OPS installed capacity in maritime ports (MW)	174	856	682	3,676	3,502	4,239	4,065

Source: Ricardo et al (2021), impact assessment support study

⁷⁹ Source: EAFO

For **OPS infrastructure in inland ports,** up to 139 OPS facilities could be deployed in the baseline by 2030. The new measures could contribute to 18-106 additional ports in the EU having OPS depending on the policy option (values represent the upper bound of each option).

Table 9: Expected	AFI deploymen	t in 2030 b	y PO and	l in the	Baseline	regarding OPS i	n
inland ports							

Type of AFI	Baseline	PO1		PO2		PO3	
		Total	Net	Total	Net	Total	Net
Number of inland ports with OPS	139	157	18	245	106	245	106
TEN-T core	67	85	18	85	18	85	18
TEN-T comprehensive	72	72	-	160	88	160	88

Source: Ricardo et al (2021), impact assessment support study

Measures setting targets for aviation

Overall, mandatory targets for stationary aircrafts are expected to have a limited effect on the availability of infrastructure for electricity supply for stationary aircraft above what is expected under the baseline. As required by the 8th indent of Article 3(1) of the Directive, 23 Member States have considered the need to install an electricity supply for use by stationary airplanes - among those Member States^{80,81}, AT, DK, EE and LT stated that electricity supply is already in place in a sufficient number of airports but without proving details on the installations. Other Member States have indicated deployment of electricity supply in major airports, although in most cases it is difficult to identify whether this is sufficient to support all aircraft. Moreover, three Member States (SI, SK, NL) have set targets in their NPFs to install this type of infrastructure.

A large number of airports already provide this type of infrastructure: 82% of respondents to an ACI EUROPE members survey already provide FEGP (fixed electrical ground power).⁸² Furthermore, 46% of them have 81-100% of their stands equipped with FEGP. As a result, the measure is considered to not lead to significant increase in FEGP stations at major airports, but it might be more relevant for medium-sized airports.

Because of the lack of accurate data, it is assumed that the average number of outfield positions across all airports is approximately twice the number of passenger gates. Under these assumptions, the impact under PO2 and PO3 are expected to be significantly greater than under PO1 as these measures support all gates and outfield positions in the EU with FEGP. At the same time, given the high baseline deployment, the total number of FEGP units is expected to grow by around 48%. No impacts on the uptake of aircraft are expected from this measure.

Table 10: Expected AFI deployment in 2030 by PO and in the Baseline regarding electricity supply in airports

	FEGP	Baseline	PO1	PO2/PO3
--	------	----------	-----	---------

⁸⁰ Covering 51 airports - including about half of the busiest EU28+EFTA airports with over 5 million passengers per year and approximately 60% of annual EU28+EFTA airport passengers

⁸¹ AT, BE, BG, CZ, DE, DK, EE, EL, ES, FR, HU, HR, IE, LT, LU, LV, MT, NL, PL, RO, SE, SI, SK

⁸² https://ec.europa.eu/transport/sites/transport/files/2019-aviation-environmental-report.pdf

deployment		Total	Net	Total	Net
Passenger Gates	3,832	4,910	1,078	4,910	1,078
Outfield positions	6,141	6,141	0	9,819	3,678
Total	9,973	11,051	1,078	14,729	4,756

Source: Ricardo et al (2021), impact assessment support study

Measures to promote interoperability and user information of AFI

Measures focusing on promoting interoperability include requirements for ad-hoc payments, the freedom for consumers to choose payment methods, technical specifications for recharging points, physical and communication standards and improved user information. All above measures are expected to positively impact customer experience through improved convenience and reliability of recharging services. While the impact of each of the measures separately may be relatively small, combined, they could be expected to have a higher positive impact, making the entire experience of using an AFV and AFI easier and enabling a higher level of uptake of AFVs. Standards in physical and communication interfaces increase the investment security of AFI investments and the development of such European standards will therefore contribute to the deployment of AFI in all modes.

6.1.2. Administrative burden for public authorities

The costs to public authorities arise mostly from the requirements for Member States to review and update their national policy frameworks (NPFs) and subsequently report on the implementation. In the baseline, based on Member States estimates on costs for developing the NPFs under the current directive, those costs are estimated to be ϵ 3,400,000 (ϵ 126,000 per Member State) for each reporting circle with the main costs being personnel costs for drafting and publication of the document. In PO1 and PO2 the reporting cycle is kept unchanged relative to the baseline. Therefore, no additional costs are expected in PO1 and PO2 relative to the baseline. However, the reporting cycle is shortened from three to two years for PO3, which will slightly increase the overall costs. In addition, monitoring costs may increase for public authorities to report on compliance with the strict targets set under the different policy options. However, the additional costs relative to the baseline can't be quantified; and the provision of standardised data formats, digitised data transfer and a common system of reporting to national access points of Member States will simplify overall reporting under the Directive.

6.1.3. Infrastructure costs

Road transport

Based on the expected deployment of the infrastructure as described in chapter 6.1.1, and using the cost estimates as described in annex 4, total average annual investments for road transport infrastructure for the period up to 2030 for the private sector and public authorites would be between $\notin 0.80$ and 1.55 billion in the different policy options in addition to the baseline. The lowest additional annual average investments relative to the baseline are estimated for PO1 ($\notin 0.80$ billion) and the highest in PO3 ($\notin 1.55$ billion), with PO2 falling in between the two at $\notin 1.07$ billion. For 2031-2050 the average annual investments will increase to $\notin 4.41$ to 4.58 billion in the different policy options in addition to the baseline.

Table 11: Average annual investments for private operators and public authorities for
2021-2030 and 2031-2050 in the baseline and in the policy options (expressed as difference
to the baseline)

Average annual	Baseline		PO1		PO2		PO3	
investments (€ billion)	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50
LDVs recharging points	0.69	1.38	0.53	1.83	0.60	1.87	1.01	2.02
HDVs charging points	0.00	0.02	0.13	0.17	0.14	0.17	0.15	0.17
Hydrogen fuelling facilities	0.27	0.53	0.23	2.55	0.43	2.46	0.47	2.48
CNG fuelling facilities	0.21	0.11	-0.03	-0.07	-0.03	-0.07	-0.03	-0.07
LNG fuelling facilities	0.31	0.10	-0.06	-0.02	-0.06	-0.02	-0.06	-0.02
Total	1.49	2.15	0.80	4.45	1.07	4.41	1.55	4.58

Source: Ricardo et al (2021), impact assessment support study

Average annual maintenance costs for private operators are estimated at $\notin 0.05$ to 0.16 billion in addition to the baseline for the period up to 2030 and $\notin 1.12$ to 1.21 billion compared to the baseline for 2031-2050. Maintenance costs are attributed only to the private sector.

 Table 12: Average annual operation costs for private operators for 2021-2030 and 2031-2050 in the baseline and in the policy options (expressed as difference to the baseline)

Average annual	Baseline		PO1		PO2		PO3	
operation costs (€ billion)	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50
LDVs recharging points	0.05	0.24	0.02	0.30	0.03	0.31	0.05	0.35
HDVs charging points	0.00	0.00	0.01	0.03	0.01	0.03	0.01	0.03
Hydrogen fuelling facilities	0.04	0.32	0.03	0.91	0.05	0.95	0.12	0.95
CNG fuelling facilities	0.12	0.17	-0.01	-0.09	-0.01	-0.09	-0.01	-0.09
LNG fuelling facilities	0.05	0.18	-0.01	-0.04	-0.01	-0.04	-0.01	-0.04
Total	0.26	0.91	0.05	1.12	0.07	1.17	0.16	1.21

Source: Ricardo et al (2021), impact assessment support study

The total additional costs relative to the baseline for the private and public sector for the period 2025 - 2050, expressed as present value over 2021-2050, are estimated between \notin 49.9 billion in PO1 and 58.9 billion in PO3, with PO2 falling in between (\notin 53.3 billion). However, as explained in section 6.1.1, for PO1 especially in Member States that currently plan for limited infrastructure deployment, there is a risk that the planning is equally insufficient with respect to the deployment along the TEN-T corridors in terms of distance between recharging stations and the total power provided for LDVs.

Table 13: Total capital and operation costs for private operators and public authorites in the baseline and in the policy options (difference to the baseline), expressed as present value over 2021-2050⁸³

Total costs in the baseline and POs	Baseline	PO1
-------------------------------------	----------	-----

⁸³ Operation costs are attributed only to private operators.

(difference to the baseline), expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total
LDVs recharging points	16.2	2.4	18.6	21.7	2.7	24.4
HDVs charging points	0.2	0.0	0.2	2.5	0.3	2.9
Hydrogen fuelling facilities	7.9	2.6	10.6	19.4	5.8	25.2
CNG fuelling facilities	4.5	2.5	7.0	-0.8	-0.7	-1.6
LNG fuelling facilities	4.1	2.0	6.1	-0.6	-0.4	-1.0
Total	33.0	9.5	42.5	42.2	7.7	49.9
Total costs in the baseline and POs (difference to the		PO2			PO3	
baseline), expressed as						
PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total
	CAPEX 22.5	OPEX 2.8	Total 25.3	CAPEX 27.0	OPEX 3.3	Total 30.3
PV (€ billion)						
PV (€ billion) LDVs recharging points	22.5	2.8	25.3	27.0	3.3	30.3
PV (€ billion)LDVs recharging pointsHDVs charging pointsHydrogen fuelling	22.5 2.5	2.8 0.3	25.3 2.9	27.0 2.7	3.3 0.3	30.3 3.1
PV (€ billion) LDVs recharging points HDVs charging points Hydrogen fuelling facilities	22.5 2.5 21.3	2.8 0.3 6.3	25.3 2.9 27.7	27.0 2.7 21.2	3.3 0.3 6.9	30.3 3.1 28.0

Source: Ricardo et al (2021), impact assessment support study; Note: Assumed economic lifetime of investments is 10 years for electricity recharging infrastructure and 15 years for hydrogen, CNG and LNG fuelling facilities; annualised capital costs are derived assuming a weighted average costs of capital of 8%. For calculating the present value, a discount rate of 4% is assumed.

Around 46-48% of the total costs in the policy options over 2025-2050 (expressed as present value over 2021-2050) are estimated to be dedicated to electric recharging infrastructure for LDVs in POs, 3% for recharging points for HDVs, 38-40% for hydrogen refuelling points, 5-6% for LNG and 5-6% for CNG refuelling infrastructure. However, when looking at the additional costs relative to the baseline, the costs of CNG and LNG fuelling facilities would decrease relative to the baseline due to the lower uptake of the CNG and LNG vehicles.

The costs per recharging point and per refuelling station are expected to decrease over time due to economies of scale. Annex 4 provides the evolution of the capital costs per recharging point and refuelling station for 2020-2050, in five years steps. On one hand, the unit capital costs per type of recharging and refuelling station would decline over time, driven by the larger uptake of zero emission vehicles and the induced learning effects, also on the infrastructure side. On the other hand, the change in the structure of recharging points (i.e. the increase in the average capacity due to the larger share of fast chargers) and the higher capacity per refuelling station in the policy options pushes the costs up. In addition, the larger uptake of zero emission vehicles in the policy options is incentivised by more stringent CO_2 standards for vehicles. As the number of zero emission vehicles increase in the policy options relative to the baseline, due to the changes in the structure of recharging points and refuelling stations. Total costs therefore increase in the policy options relative to the baseline, due to the changes in the structure of recharging points and refuelling station as well as due to the higher number of zero emission vehicles.

Costs for authorities

Meeting the AFI targets set in the policy options will require a significant level of public support and contribution to the totat investment cost presented in the section above. This is expected to be needed for as long as the level of demand from vehicles remain at comparatively low levels and will not allow for the commercial viability of investments. However, with increasing vehicle fleets also the level of support is expected to go down to a point where public support will only be needed for infrastructure in remote locations with little demand. This is reflected in the assumptions that up to 50% public financing will be required for hydrogen and recharging stations with the remaining financing expected to come from the private sector. The share of public financing will however go down to 10% on average post 2030. For natural gas only little financing is required until 2030 while no support is expected to be required post 2030. No public support is required to cover operation costs as those costs are full covered by the operators of the recharging and refuelling infrastructure. The assumptions about the share of public support up to 2030 draw on information about the existing national and EU level support schemes.

Table 14: Estimated public support for road recharging and refuelling infrastructure, expressed as share of investments

Type of AFI	Up to 2030	After 2030
Slow/normal charging points for LDVs	40%	10%
Fast/Ultra-fast charging points for LDVs on the TEN-T network	40%	10%
Charging points for HDVs	50%	10%
Hydrogen fuelling stations	50%	10%
CNG fuelling stations	10%	No funding
LNG fuelling stations	10%	No funding

Source: Ricardo et al (2021), impact assessment support study. The estimations are based on public financing under existing national and EU level support schemes. A detailed analysis is provided in the support study.

Under the assumptions in Table 14, and drawing on the total average annual investments in Table 11, public support in comparison to the baseline is estimated at $\notin 0.39$ to 0.71 billion on average per year up to 2030 and $\notin 0.45$ to 0.47 billion on average per year for 2031-2050 (see Table 15). The rest of investments in Table 11, more specifically $\notin 0.42$ to 0.84 billion on average per year up to 2030 and $\notin 3.96$ to 4.11 billion on average per year for 2031-2050 would come from the private sector.

Table 15: Average annual investments by public authorities for 2021-2030 and 2031-2050 in
the baseline and in the policy options (expressed as difference to the baseline)

	r J -r								
Average annual	Base	line	PC)1	PO2		PC	PO3	
investments (€ billion)	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	
LDVs recharging points	0.28	0.14	0.21	0.18	0.24	0.19	0.40	0.20	
HDVs charging points	0.00	0.00	0.07	0.02	0.07	0.02	0.08	0.02	
Hydrogen fuelling facilities	0.13	0.05	0.11	0.25	0.22	0.25	0.24	0.25	
CNG fuelling facilities	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
LNG fuelling facilities	0.03	0.00	-0.01	0.00	-0.01	0.00	-0.01	0.00	
Total	0.46	0.19	0.39	0.45	0.51	0.45	0.71	0.47	

Source: Ricardo et al (2021), impact assessment support study

At Member State level, the costs for the public sector vary significantly.

Some Member States have already very ambitious plans under the baseline (e.g. Germany for recharging points and hydrogen). The increase in the average annual investments for public authorities in the policy options relative to the baseline in this case is explained by the difference in the type of recharging points and hydrogen fuelling facilities deployed. For example, for recharging stations for LDVs, the average capacity would increase from around 12 kW in the baseline to 14-16 kW in the policy options. For hydrogen fuelling facilities, the capacity would increase from around 0.4 t per station in the baseline to 1 t per station in PO1 and 2 t per station in PO2 and PO3.

Table 16 presents the average annual investments for public authorities for all policy options relative to the baseline. It also shows their share in the GDP. While higher average annual investments are expected in Germany, France, Italy, Spain and Poland, when expressed as a share of GDP they would be less than 0.02% in all Member States in PO1 and PO2 and less than 0.03% in PO3. The highest share of public investments would be required for recharging points for LDVs and hydrogen fuelling facilities.

Some Member States have already very ambitious plans under the baseline (e.g. Germany for recharging points and hydrogen). The increase in the average annual investments for public authorities in the policy options relative to the baseline in this case is explained by the difference in the type of recharging points and hydrogen fuelling facilities deployed. For example, for recharging stations for LDVs, the average capacity would increase from around 12 kW in the baseline to 14-16 kW in the policy options. For hydrogen fuelling facilities, the capacity would increase from around 0.4 t per station in the baseline to 1 t per station in PO1 and 2 t per station in PO2 and PO3.

Table 16: Average annual investments by public authorities by Member State for 2021-2030
in the policy options (expressed as difference to the baseline, in €million) and share of GDP

MS	Average an up to 20	nual public i 30 - differenc seline (€ milic	nvestments ce to the	GDP at market prices 2020 (€ million)	% share of additional AFI investments in GDP		al AFI
	PO1	PO2	PO3		PO1	PO2	PO3
AT	5	7	12	375,562	0.001%	0.002%	0.003%
BE	4	7	12	449,571	0.001%	0.001%	0.003%
BG	7	9	16	60,643	0.011%	0.015%	0.027%
CZ	13	18	24	213,589	0.006%	0.008%	0.011%
DK	3	5	9	309,145	0.001%	0.002%	0.003%
EE	1	2	3	27,167	0.004%	0.008%	0.011%
FI	6	9	13	237,467	0.003%	0.004%	0.006%
FR	35	47	67	2,278,947	0.002%	0.002%	0.003%
DE	68	113	138	3,332,230	0.002%	0.003%	0.004%
EL	13	16	27	165,830	0.008%	0.010%	0.016%
HU	4	7	10	135,529	0.003%	0.005%	0.008%
IE	8	10	13	366,506	0.002%	0.003%	0.003%
IT	65	73	109	1,651,595	0.004%	0.004%	0.007%
LV	3	5	6	29,334	0.011%	0.017%	0.022%
LT	4	5	6	48,794	0.007%	0.010%	0.013%
LU	1	1	2	64,143	0.001%	0.002%	0.002%
NL	6	10	17	796,914	0.001%	0.001%	0.002%
PL	43	49	62	521,515	0.008%	0.009%	0.012%
PT	8	10	15	202,709	0.004%	0.005%	0.008%
SK	4	5	7	91,105	0.004%	0.006%	0.007%
SI	1	2	3	46,297	0.003%	0.005%	0.008%

MS	up to 20	nual public i 30 - differeno seline (€ milio	ce to the	GDP at market prices 2020 (€ million)	% share of additional AFI investments in GDP		
	PO1	PO2	PO3		PO1	PO2	PO3
ES	50	61	82	1,119,976	0.004%	0.005%	0.007%
SE	12	17	23	472,260	0.002%	0.004%	0.005%
RO	14	18	22	217,821	0.007%	0.008%	0.010%
CY	2	3	3	21000.3	0.009%	0.012%	0.015%
MT	1	1	1	12823.8	0.006%	0.009%	0.010%
HR	3	5	б	49,104	0.007%	0.010%	0.012%
EU27	385	514	709	13,297,247	0.003%	0.004%	0.005%

Source: Ricardo et al (2021), impact assessment support study

Measures setting targets for AFI for waterborne transport

Based on the expected infrastructure deployment described in section 6.1.1, the following costs were estimated for the different shipping targets. For LNG bunkering in maritime **ports**, infrastructure costs include:

- Capital costs linked to costs of installing LNG bunkering and storage tanks, acquisition of land, connection to natural gas pipeline, construction of quay for bunkering, other engineering works and licence costs.
- Operational costs linked to costs of pipeline, LNG terminal take-out fee, personnel / safety training and transhipment costs from import hub.

The nature and extent of these costs can vary significantly from port to port, given the differences in capacity requirements, existing infrastructure in ports, and type of bunkering implemented (i.e. Ship-to-Ship (STS), Pipeline-to-Ship (PTS), and Truck-to-Ship (TTS)). The key factors influencing the overall cost differences is the cost of truck, vessel and terminal, and the capacity. Furthermore, not all costs apply to each of these bunkering options. For example, construction of a quay and connection to the pipeline is only relevant for Pipeline-to-Ship. Even within each bunkering option, the costs are highly variable depending on the nature of each installation. The capital costs (CAPEX) of each bunkering method are estimated to be €0.2-100 million per port for TTS, compared to €23-73 million per port for STS and €33-237 million per port for PTS. Similarly, the operational costs (OPEX) vary between each port and bunkering method, although to a lesser degree.

The infrastructure is assumed to be deployed between 2025 and 2030. For the purposes of this impact assessment, we have assumed 3 scenarios in which all ports are equipped with the same type of bunkering method, thus representing a lower bound (in case of TTS) and an upper bound (in case of PTS). Based on the individual specificities of each port, the solution to fulfil the obligations under PO3 at EU level will likely include a combination of the bunkering methods. The total infrastructure costs are estimated to be between $\pounds 1.1$ and 3 billion relative to the baseline, expressed as present value over 2021-2050.

 Table 17: Infrastructure costs of policy option 3 in comparison to the baseline regarding LNG installations for maritime ports, by bunkering method (EU total)

Infrastructure costs	STS	TTS	PTS
Costs required to install 19 LNG bunkers under PO3 (difference to the b	aseline)	-
CAPEX (€ billion)	0.912	0.952	2.565
OPEX per year (€ billion)	0.048	0.001	0.001
NPV 2021-2050 compared to the baseline (€ billion)	1.7	1.1	3

Source: Ricardo et al (2021), impact assessment support study; Notes: For calculating the present value, a discount rate of 4% is assumed.

The costs of **OPS installations for maritime ports** are also specific to each port and ship type. They are associated to different elements in an OPS installation, including a building/shelter and technical equipment (e.g. switchgear, transformers and frequency converters). Furthermore, cost increases with the power demand requirements such that installations in cruise berths, which require more power, will be more expensive than in ferry berths.

Overall, CAPEX can vary between $\notin 1$ and $\notin 25$ million depending on the size and complexity of the installation⁸⁴. The average capital cost per MW of OPS capacity installed was estimated at $\notin 1.5$ million for cruise ships, $\notin 1$ million for container ships and $\notin 1.2$ million, for Ro-Pax vessels. In addition, a ratio of operating and maintenance costs per installed MW per year has been used to estimate OPEX (estimated to be around $\notin 4,300$ per year and per MW installed)⁸⁵.

Overall, total OPS infrastructure costs are estimated to range between $\notin 1.2$ billion and $\notin 6.5$ billion relative to the baseline for the period between 2025 and 2050, expressed as present value over the 2021-2050 horizon.

 Table 18: Summary of infrastructure costs of policy options in comparison to the baseline regarding OPS installations for maritime ports

Infrastructure costs	PO1	PO2	PO3
OPS capacity installed in MW (net from baseline)	652	3,502	4,065
CAPEX (€ billion)	0.975	4.6	5.3
OPEX per year (€ billion)	0.002	0.015	0.017
NPV 2021-2050 compared to the baseline (€ billion)	1.2	5.5	6.5

Source: Ricardo et al (2021), impact assessment support study; Notes: For calculating the present value, a discount rate of 4% is assumed.

The deployment requirements for installations of **OPS at inland ports** are the same as those for maritime ports. That is, OPS installations in inland ports still require the same building/shelter and technical equipment. However, inland vessels are typically much smaller than seagoing ships and therefore the power needs for each OPS installation is much less. Thus, the costs will be lower than for maritime ports. For the purposes of this impact assessment it has been assumed that power deployed in each installation is the same for all ports. Specifically, each installation comprises 12 CEE 400V sockets and 4 Powerlock 400V sockets, which are suitable for cargo vessels and river cruise vessels,

⁸⁴ Based on the analysis of projects submitted for funding through INEA and referenced with literature, source: (DNV GL, 2018)

⁸⁵ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

respectively. Thus, the CAPEX and OPEX is assumed to be the same for each OPS installation across all inland ports in the EU.

The CAPEX for each installation was taken from the infrastructure costs of OPS deployment in Basel and is equal to $\notin 2.5$ million, while the OPEX costs have been derived using the same method as for maritime ports, based on the operation costs reported by five EU ports⁸⁶. Overall, total infrastructure costs are estimated to range between $\notin 65$ million and $\notin 412$ million relative to the baseline, expressed as present value over 2021-2050. Infrastructure is assumed to be deployed between 2022 and 2025 in the case of PO1, and between 2022 and 2030 in the case of PO2 and PO3.

 Table 19: Summary of infrastructure costs of policy options in comparison to the baseline regarding OPS installations for inland ports

Infrastructure costs	PO1	PO2	PO3
Number of inland ports equipped (net from baseline)	18	106	106
CAPEX (€ million)	45	265	265
OPEX per year (€ million)	0.09	0.532	0.532
NPV 2021-2050 compared to the baseline (€ million)	65	357	412

Source: Ricardo et al (2021), impact assessment support study; Notes: For calculating the present value, a discount rate of 4% is assumed.

Costs for authorities

In light of the total infrastructure costs to achieve the targets, it is expected that a part of the total investment costs as presented in the previous section will be covered through public support. This is particularly relevant to help port authorities overcome the high capital costs associated with the deployment of OPS and to a lesser extend LNG bunkering. This will be needed until the market is mature enough such that the demand for these technologies/fuels ensures that the business model for deployment is viable. The public funding will comprise a combination of national policy instruments and EU level funding. According to the impact assessment support study, support is expected to amount to 20% for LNG bunkering and 25% for OPS up to 2030 while no support is expected to be required post 2030⁸⁷.

On the basis of the above scenario, the total public investments expected for the period 2021-2030 are provided in the table below. The average annual investments are estimated at \in 25.5 million to 190.4 million relative to the baseline scenario, where a number of Member States are already expected to invest in AFI under the current plans.

baseline				
Type of AFI	Unit	PO1	PO2	PO3
LNG for maritime	(€ billion)			0.1824-
	(E DINION)	-	-	0.513
OPS for maritime	(€ billion)	0.244	1.150	1.325
OPS for inland shipping	(€ billion)	0.01125	0.06625	0.06625
Cumulative for 2021-2030	(€ billion)	0.25525	1.21652	1.57365 –

Table 20: Estimated costs to authorities for shipping, by policy option compared to the baseline

⁸⁶ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

⁸⁷ The estimations are based on public financing under existing national and EU level support schemes. A detailed analysis is provided in the support study.

				1.90425
Average annual per year for 2021-2030	(€ billion)	0.0255	0.1217	0.1574 – 0.1904

Source: Ricardo et al (2021), impact assessment support study

Measures setting targets for aviation

The main capital costs associated with FEGP installation are evenly split between hardware costs and adapting the power supply network in airports to ensure it extends to all stands⁸⁸. The size of the aircraft determines the system required and in turn the cost.⁸⁹ It can be assumed that capital costs scale linearly with the power capacity of the system.

In the survey carried out as part of this study, an approximation of capital costs of $\in 100,000$ per stand was provided if electricity provision to the stand is already established for other purposes as well. In the case where airports do not already have electricity provision, the capital costs per stand is around $\in 200,000^{90}$. These costs are comparable to the costs reported in another study⁹¹, which ranged from $\in 102,000-300,000$.

On this basis, total infrastructure costs are estimated to range between \notin 227 million for PO1 and \notin 949 million for PO2 and PO3. Infrastructure is assumed to be deployed between 2022 and 2025.

Table 21: Infrastructure costs of policy options in comparison to the baseline regarding electricity supply to aircraft

Infrastructure costs	PO1	PO2	PO3
CAPEX (€ million)	160.5	671.8	671.8
NPV 2021-2050 compared to the baseline (€ million)	227	949	949

Source: Ricardo et al (2021), impact assessment support study; Notes: For calculating the present value, a discount rate of 4% is assumed.

Costs for authorities

By introducing the mandates in the revision of the directive, the number of airports and the number of stands needed at each airport will increase. Given that large airports are already well equipped, the majority of investment costs will be directed at smaller airports. In the survey, ACI Europe underlined that smaller airports would benefit the most from additional support, especially as it is not easily implemented in many small airports because they frequently 'reconfigure' to accommodate seasonal/annual schedule/aircraft type changes. As such, public support will likely be needed to cover the investment costs of small airports, most likely from national funding. However, it is difficult to determine the proportion of costs covered in such cases, as there is no information available on this. At the same time, it can be expected that the level of public support will increase as a proportion of total costs from PO1 to PO2 and PO3 as the

⁸⁸ There is also a possibility to connect an aircraft via Ground Power Units (GPUs) that do not require laying of the cables.

⁸⁹ Specifically, wide-body aircraft need a system double in power capacity to that of narrow-body aircraft, while an A380 would require the systems four times the power capacity of a standard FEGP.
⁹⁰ This is provided that the airport decides to construct a fixed FEGP that is connected to electricity. There is also a possibility of providing

⁹⁰ This is provided that the airport decides to construct a fixed FEGP that is connected to electricity. There is also a possibility of providing electricity on a mobile Ground Power Units (GPUs). For the purpose of establishing the economic costs, only FEGP are taken into account. ⁹¹ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

number of infrastructure needed increases, particularly for small airports, where support is needed.

Measures to promote interoperability and user information

Introducing interoperability requirements will lead to varying investment requirements but will also unlock some cost reductions through common technical specifications for AFI. The evaluation support study shows that the provision of relevant standards on an EU level has not introduced any unnecessary costs; on the contrary, since the Directive norms compulsory common technical specifications (while CEN/Cenelec standards are voluntary) it mitigates costs and prevents supplementary costs that otherwise would have been provoked by multiplication of systems ⁹². Common technical specifications ensure interoperability between Member States and avoid costs such as redundant infrastructure or underutilised infrastructure due to incompatibility between manufacturers. This observation has been reiterated by stakeholders in the impact assessment consultation process in view of areas where no or limited common technical specifications exist under the current AFID (including communication protocols). Here, standards such as ISO 15188 are nearing completion: whereas the final cost cannot be concretely assessed yet, there is widespread stakeholder support that a final comprehensive approach that is backed by all industry actors will bring much greater benefits than cost.

Mandatory bank card payment functionality will likely be the biggest source of costs for this problem area and will lead to added costs for complying with the requirements of the Directive for an ad hoc payment system to be available at each charging point.⁹³ As a baseline, it is estimated that 25% of new slow chargers are installed with a bank card payment options (one of Chip + Pin, NFC or QR code) and 50% of new fast chargers are installed with such an option. All policy options allow CPOs to install one of three payment options for ad hoc charging on slow chargers. For the estimates, an equal split was assumed between the three payment methods. The same split was used for fast chargers under PO1. Under PO2, an equal split between Chip + PIN and NFC terminals installations was assumed for fast chargers. PO3 requires that all fast chargers include Chip + PIN terminals.

Single-use QR code displays are expected to be significantly cheaper than the card terminals since they only require a display and software integration. No estimate for the cost of including a QR code system is available. The impact assessment support study estimated $\in 100$ in investment costs and $\in 10$ annual operating costs for the analysis.

03

€833

Table 22. Costs associated with au not payment options	
	PO1/PO2/P0
Chip + PIN terminals	

Table 22: Costs associated with ad hoc payment options

One-off costs (per unit)

⁹² Final report evaluation support stud	y 'Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure', 2	021
	y Evaluation of the Directive on the Deployment of Alternative rules initiastructure, 2	021.

⁹³ The cost data used to develop an assessment of the total costs is based on information provided by AFI providers in the context of the targeted consultation and on estimates in literature (California Air Resources Board).

	PO1/PO2/PO3	
Ongoing costs (per unit/year)	€178	
NFC payment terminals		
One-off costs	€667	
Ongoing costs	€143	
QR code displays		
One-off costs (per unit)	€100	
Ongoing costs (per unit/year)	€10	

Source: Ricardo et al (2021), impact assessment support study

The costs for policy measures proposed for ensuring interoperability and improving the user experience are expected to be limited, especially in comparison to the expected benefits:

- The freedom for the consumers to choose the payment method is likely to represent a small cost derived from necessary back-office/software changes.
- Introduction of physical standards may lead to retrofit costs to adjust existing infrastructure to fit the new technical specifications. The new standards will also require investment into AFI production to fit the new requirements. However, single-standard infrastructure is cheaper to produce than multi-standard infrastructure and will unlock economies of scale and ultimately the additional costs could be almost negligible.
- Back-office/software changes will also be required with the introduction of communication standards for e-mobility. The required adoption of the OCPP standards in PO1 is likely to require less investment since it is already widely adopted. Several responses to the AFID OPC also noted that the use of open standards and protocols such as OCPP will lower costs. Investment in compliance with the OCPI standard (also for PO1) consists of a one-time cost of engineering staff time, but concrete costs are not available. PO2 and PO3 will cover a larger number of communication areas of the EV charging system and may therefore lead to additional costs for CPOs to implement all standards. However, standardisation will also allow AFV and AFI producers to streamline the development and production of the product parts and software involved in communication.
- Most of the measures above also include some work from official standardisation organisations to develop the technical specifications and standards. Therefore, the specifications are not determined as of yet and no associated cost can be estimated for their development (by both the standardisation bodies and the industry and government players participating in those efforts) and implementation (mostly for industry stakeholders).

Introducing requirements that ensure transparency and information availability will lead to some investment requirements for CPOs and EMSPs. Ensuring ad hoc price transparency as required under PO1 will not require significant investments and will be limited to IT, app and website adjustments – the same is true for contract-based price transparency in PO2 and PO3. Installation of physical display at the recharging stations, as proposed under PO2 and PO3, will lead to additional costs for installing such displays at each recharging station. While it was not possible to determine the costs of such displays, it is expected that many charge points already include such a display, and as

such for those this would be a matter of software changes to display the price as per the measure.

The requirement for non-discrimination on prices charged to consumers is unlikely to require any additional investments, although it may lead to changes in business models, thus impacting revenues of AFI operators. A requirement for the provision of static and dynamic data by CPOs to Member State NAPs is unlikely to result in significant costs beyond those associated with software changes.

The most significant expenditure with regards to requirements for consumer information is related to roadside indicators on refuelling stations/charging areas along the TEN-T Core and Comprehensive networks. Cost data based on two roadside indicator suppliers' product catalogues is used to estimate costs for the signs, posts and foundation. An installation cost of \notin 200 per sign is assumed⁹⁴. It is assumed that 50% of recharging and refuelling stations are already marked by indicators within the parking or recharging/refuelling area and will not require additional investment; for the remaining ones, it is assumed that one signpost would be needed. In addition, 25% of stations are assumed to be already marked by roadside indicators; for the remaining ones, two sign posts would be needed (one of each direction in the road).

 Table 23: Costs associated with roadside indicators along TEN-T Core and Comprehensive (2030)

	PO1	PO2	PO3	
Recharging/refuelling area signposts				
One-off costs (per unit)	€537	€537	€537	
Number of units for EV recharging hubs	0	1,777	1,777	
Number of units for hydrogen refuelling stations	0	355	355	
Total costs	-	€1,144,938	€ 1,144,938	
Roadside signposts				
One-off costs (per unit)	€1,372	€1,372	€1,372	
Number of units for EV recharging hubs	0	0	5,330	
Number of units for hydrogen refuelling stations	0	0	1,066	
Total costs	-	-	€8,775,724	
Total costs	-	€1,144,938	€9,920,661	

Source: Ricardo et al (2021), impact assessment support study. The number of units are based on the number of recharging/refuelling sites expected in PO2 and PO3.

6.1.4. Costs and benefits on vehicle and vessel manufacturers

For vehicle and vessel manufacturers, all POs will enable to increase the uptake of zero and low-emission vehicles, but for road only as a result of the revised CO2 emission performance standards and other legislation addressing the demand side. Sufficient provision of infrastructure ensures that vehicle manufacturers can realise increasing cost

⁹⁴ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

reductions because of growing vehicle fleets. ⁹⁵ Manufacturers also get new business opportunities with selling mobility services to their customers.⁹⁶

For the broader AFI sector, the new targets but also measures related to interoperability will increase the demand for recharging and refuelling infrastructure and supporting services and thus will bring benefits for the manufacturers of related equipment and other businesses along the value chain (i.e. suppliers of parts/components, software developers, and other support services providers). The measures will provide certainty to the AFI market and, as the measures become more demanding through the policy options, the business opportunities for AFI manufacturers will increase. Furthermore, the increase in the level of investment expected should also help reach the relevant economies of scale for the manufacturers of AFI as well as the service providers, allowing for efficiencies and cost reductions for the relevant businesses.

6.1.5. Impacts on SMEs / professional vehicle users and businesses

It was not possible to quantify these impacts. However, no area was identified in the analysis, where significant and disproportionate cost for SMEs, in comparison to all enterprises, would result from the changes under the different policy options. All policy options increase certainty of long-term market demand in all Member States, though at different degree. This will generally benefit all enterprises that are active in this market. Moreover, provisions for common data provision to the national access points of Member States will create a data basis on which enterprises can develop new market services, providing opportunities for innovative SMEs.

With increasing market ramp-up, project volumes and market competition will grow. It could become more difficult for SMEs to compete with larger enterprises in the market for access to sites, particularly if permitting and concession practice benefit the incumbents. However, those impacts are subject to intervention of EU competition law and planning, permitting and concession policy which are in the responsibility of Member States authorities.

Corporate fleets already today sign responsible for a significant market take-up of zeroemission cars. Such fleet operators will benefit from the revision of the Directive, as provisions ensure secure vehicle use for both short- and long-term distance anywhere in the EU. While there is a benefit under all options, PO2 and PO3 ensure certainty for fleet operators in terms of full coverage of the TEN-T core and comprehensive network and hence full cross-border connectivity. The revision particularly creates long-term certainty for logistic operators that alternatively fuelled trucks and particularly zero-emission trucks will be able to recharge and refuel when they go long-distance on the TEN-T network, supporting the market take up of such vehicles.

 $^{^{95}}$ The Impact Assessment for the CO₂ standards for cars and vans expects a slight decrease in turnover of the automotive sector. Cost increase due to the provisions of stricter CO₂ standards, most strongly until 2030 and thereafter continuously decreasing (up to17-18% by 2030, 5-13% in 2035, 3-4% in 2040.)

⁹⁶ All automotive OEMs offer recharging services to their customers; and quite a few OEMs have also started with the operation of own infrastructure. Major OEMs, for example, have formed the charge-point operator IONITY.

6.1.6. Functioning of the internal market and competition

Impacts have been qualitatively assessed. All policy options are expected to have a positive impact on the functioning of the internal market, both through increasing the even spread of the infrastructure and through simplifying its use throughout the Union, including through better ad-hoc payment services. All options provide for a level playing field. PO2 and PO3 will lead to subsequent standardisation of the interoperable communication exchange between the electric vehicle, the charge point and the backend of the charge-point, as well as with the electricity grid, creating a better level-playing field in line with the increasing maturity of the market. But these two options also foresee better equipment of ports and airports with relevant alternative fuels infrastructure and powering units, yielding additional benefits of a better functioning of the internal market in that sector.

All policy options lead to more uniform provisions for customer information that will enable the customer to better understand and compare available services and their cost at charging points of different operators. This will facilitate competition among operators and service providers, facilitated by improved requirements for data sharing through the national access points. Again, PO2 and PO3 excel in terms of their impact on market, as the requirement to share both certain static and dynamic data will enable better customer information and hence greater competition.

6.1.7. Impact on innovation and industry competitiveness

All the POs are considered having a positive impact on innovation, particularly in the area of innovative user services, related business models but also in the development of more innovative recharging and refuelling technologies. Vehicle innovation such as higher battery power, more efficient fuel cells or higher recharging and refuelling capability will remain key drivers for innovation in recharging and refuelling infrastructure technology, whereas the impact of the revision of this Directive is particularly expected in the area of service innovation and new business models. Extending the rollout of recharging and refuelling infrastructure throughout the Union coupled with the requirement to share static and dynamic data as included under PO2 and PO3 will particularly enable better innovation of use services at greater scale, enabling quicker spread of innovation in the EU.

Competitiveness of enterprises active in installing and operating recharging and refuelling infrastructure will increase under all policy options, as higher demand for recharging and refuelling practice as triggered by the CO_2 emission performance standards for cars and vans, but also for heavy-duty vehicles, will lead to better profitability of operations, complemented by decreasing cost of technologies. Policy options affects also the competitiveness of the automotive sector, because the provision of sufficient infrastructure has an impact on the market uptake of zero-emission vehicles which again influences the competitiveness of the automotive sector.

6.2. Social impacts

6.2.1. Impacts on households and consumers

Impacts on consumers will largely come from common physical and communication standards that will ease the use of infrastructure and help new services to develop to the benefit of the consumers. Benefits will come from improved information on infrastructure adding certainty about location, accessibility and use (pricing) conditions as well as price transparency that will reducing informational cost of households and allow consumers to take informed choices and reduce costs. Introducing requirements for bank card payment will likely increase the investment cost of some charge points, in some case considerably (up to around €800 per charger for a PIN terminal). This could negatively impact the costs of mobility and mobility services for consumers, as some of these costs could be passed to consumers. However, these costs are balanced by bringing positive impacts as bank card payments will increase price transparency, ease the use of zero-emission vehicles, have positive impacts on the level of demand and on competition on the AFI market and thus counterbalancing any possible additional costs. Moreover, the further standardisation of infrastructure and infrastructure use services and the resulting possibilities for smart recharging services will benefit consumers who are in a position to offer their vehicle to support such smart recharging services and receive remuneration in return. Moreover, the Impact Assessment for the CO₂ standards for cars and vans demonstrates overall benefits for consumers and society, resulting particularly from fuel cost savings and lower maintenance cost. Here, again, the revision of AFID helps ensure that those benefits for consumers can be fully accrued.

Costs impacts for consumers from a wide availability of AFI is likely to be indirect. More infrastructure will increase competition and will likely reduce charging and refuelling costs. It will equally enable more zero- and low-emission vehicles to come into the market driving down the vehicle costs.

6.2.2. Impacts on employment and social skills

The impact of the targets on employment is expected to be positive, although it has not been possible to quantify these. By increasing the demand for new infrastructure and supporting services, the new measures can lead to the creation of new jobs in construction, manufacturing, electricity, among other sectors. The impact is expected to increase with the level of ambition of the targets through the policy options. Those jobs are highly location-specific and cannot easily be relocated outside the EU, meaning a full benefit to the European employment market.

The measures introduced to promote interoperability will benefit the AFV and AFI markets and will require additional investments. This will have a small positive impact on employment in the industry. The introduction of standards may adversely impact some producers that do not currently comply with such standards; however, this is likely to be negligible.

6.2.3. Impact on persons with disabilities and those with reduced mobility

The qualitative analysis of this impact area concludes that while a lack of accessibility for persons with disabilities would negatively impact their mobility there is currently no evidence of such an issue. This is evidenced by the fact that none of the representatives of those person groups indicated any concrete problems with the existing infrastructure in the consultations.

6.2.4. Impact on public health

Enabling changes in the use of fuels are likely to result in reduced air pollutant emissions and subsequent positive impacts on public health. For road transport, NOx and PM emissions are projected to decrease by 7-8% relative to the baseline in 2030 and by over 90% by 2050. These decreases are mainly driven by the higher uptake of zero-emission vehicles relative to the baseline, enabled by the deployment of infrastructure, but also by other policies part of the "Fit for 55" package and other forthcoming initiatives as

explained in section 6.3. The policy options would results in $\in 1.8$ billion savings in the external costs of air pollution relative to the baseline in 2030, $\in 9.6$ billion in 2040 and $\in 10.3$ billion in 2050. Expressed as present value over the 2021-2050 period, the total savings amount to $\in 75$ billion relative to the baseline.

External costs of air pollution compared to the Baseline (bil.	2015		Baseline		PO	1 / PO2 / I	203
€'2015)		2030	2040	2050	2030	2040	2050
External costs of air pollution	60.9	22.0	15.0	10.8	20.2	5.4	0.5
% change to Baseline					-8.4%	-64.0%	-95.3%

Table 24: External costs savings on air pollution from road transport

Source: Ricardo et al (2021), impact assessment support study, PRIMES-TREMOVE model results (E3Modelling)

The introduction of electricity as a power source at ports (inland and maritime via OPS) and airports will ensure that air pollutant emissions from stationary vessels and aircraft will be minimal. Additionally, the provision of LNG bunkering facilities at maritime ports will enable the increased refuelling with decarbonised gas (i.e. bio-LNG and e-gas), which have positive air pollutant reduction benefits compared to their diesel and heavy fuel oil counterparts. Finally, at airport level, the introduction of such measure will bring further positive impacts, from the reduction of the noise emitted on the ground, as it is an important source of noise for those who live in the vicinity of the airport, for passengers and airport workers.

6.3. Environmental impacts

The analysis of environmental impacts covers the following impact categories arising from measures identified under each policy option:

- CO₂ emissions.
- Air pollutant emissions.

Environmental benefits represent the key rationale for taking action towards the faster and broader deployment of alternative fuels infrastructure. The PRIMES-TREMOVE model has been used to quantify the impacts of selected measures/options on CO_2 emissions and air quality, in particular those relating to road transport. Environmental impacts from interoperability and consumer information can't be quantified and are not further assessed.

6.3.1. CO₂ emission reduction

As explained in section 6.1.1, investments in the quantity and quality of infrastructure will not directly lead to the uptake of alternatively fuelled vehicles, which are determined by other policies like for example the CO_2 emission performance standards. However, only if sufficient and interoperable infrastructure is available that provides minimum services to consumers, it can be expected that the vehicles as considered necessary to achieve the EU's Climate Target Plan objective will make it into the market.

 CO_2 emissions are capped by the Emissions Trading System. Considering its assumed extension to the road transport sector (and the maritime sector) this would also set the impulse for the road transport sector that the required emissions reductions are delivered according to the ETS cap - even if the infrastructure does not deliver and the CO_2 emission performance standards for vehicles are not met. For example, in the foreseen

case of a separate ETS for road transport this would result in a higher price of allowances to deliver the same emissions reductions and higher reduction in the road traffic if the uptake of zero emission vehicles is not possible.

Road Transport

On tank to wheel basis, the CO₂ emissions from road transport⁹⁷ are projected to decrease by 5.3% in 2030 in all policy options relative to the baseline. The reduction in emissions relative to the baseline would be much higher post 2030 (65.1% decrease in 2040 and 99% decrease in 2050), due to the higher uptake of zero-emission vehicles and renewable and low carbon fuels in road freight transport. It should be recalled that all policy options already include all other policy initiatives part of the "Fit for 55" package and other initiatives (e.g. CO_2 emissions standards for vehicles, carbon pricing, improvements in the efficiency of the transport system, etc.) and these contribute to the CO₂ emissions reductions from road transport.

Table 25: Tank to wheel CO_2 emissions from road transport in the policy options and the baseline

Tank to wheel CO2 emissions from	2015		Baseline		PO1 / PO2 / PO3			
road transport		2030	2040	2050	2030	2040	2050	
Road transport emissions in Mt of CO2	722	574	453	389	543	158	4	
% change to 2015		-20.5%	-37.2%	-46.1%	-24.7%	-78.1%	-99.5%	
% change to Baseline					-5.3%	-65.1%	-99.0%	

Source: Ricardo et al (2021), impact assessment support study, PRIMES-TREMOVE model results (E3Modelling); Note: excluding powered two-wheelers.

On well to wheel basis⁹⁸, CO₂ emissions from road transport would go down by 19.3% in the baseline scenario by 2030, by 35.6% in 2040 and by 44.3% by 2050 relative to 2015. In all policy options, higher emissions reductions are projected (23.9% decrease in 2030, 75.5% in 2040 and 98% by 2050 relative to 2015) due to the higher uptake of zeroemission vehicles, but also due to the power generation sector that is set to achieve decarbonisation by 2050. The power generation mix plays an important role in this time perspective considering the large scale electrification of road transport.

The reduction in external costs of CO₂ emissions is projected at €445 billion relative to the baseline over the 2021-2050 period, expressed as present value. These have been monetised using the Handbook on the external costs of transport⁹⁹.

Waterborne Transport

For OPS (both maritime and inland waterway), the CO₂ emissions reduction only applies when the vessel is at berth. While OPS reduces onboard emissions at berth, consideration also needs to be given to the emissions associated with power generation as such, as similar to road transport the source of this electricity will have an influence on the overall emissions reductions achieved. This is particularly relevant for 2030 because, as explained above, the power generation sector is set to achieve decarbonisation by 2050. The emissions reductions are driven by the replacement of marine gasoil with electricity supply for auxiliary engines and is directly correlated with the number of vessels that are

⁹⁷ Excluding powered two-wheelers.

⁹⁸ Only EU emissions for the domestic production are covered by the quantified well to wheel emissions. Worldwide upstream emissions related to the sourcing of fossil fuels are not reflected in this modelling exercise. For biofuels, well to wheel CO2 emission factors reflect the ⁹⁹ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative

Fuels Infrastructure (2014/94/EU)', 2021.

capable of using OPS. Hence, PO3 shows the highest cumulative reduction as this measure serves all maritime ports with OPS such that all ships can use electricity when at berth. The greatest reduction in emissions is expected to be derived from container ships, which emit the highest volume of CO_2 at berth. For the period up to 2050, the cumulative reduction of CO_2 emissions on well to wheel basis is between 48.4 million tonnes of CO_2 in PO1 and 83 million tonnes of CO_2 in PO3, which corresponds to 1.5 to 2.5% of total maritime emissions during that period. We note, however, that in the context of total EU maritime CO_2 emissions the impact of OPS is limited, even for the most ambitious policy option covering all EU maritime ports.

Type of AFI	Baseline	PO1		P	02	PO3		
		Total	Net	Total	Net	Total	Net	
Up to 2030	0.3	5.3	5	8.2	7.9	8.7	8.4	
2031-2050	3.3	46.7	43.4	72.8	69.5	77.8	74.5	

Table 26: CO₂ emissions impact of policy options concerning OPS for maritime in million tonnes, on well to wake basis

Source: Ricardo et al (2021), impact assessment support study

Given the nature of OPS, the environmental impacts for inland waterway can be considered to be of the same nature as maritime. Specifically, CO_2 emissions reduction occurring at berth, with the extent of the reduction deepening on the energy mix in electricity production. It is however worth noting the total EU CO₂ emissions generated by inland navigation are significantly lower than those of the maritime sector due to the smaller vessels and much lower number of vessels. Given the limited information available on the current environmental performance of inland navigation, in particular when vessels are at berth, it has not been possible to calculate an estimated CO_2 reduction. Nevertheless, it is expected that PO2 and PO3 would have the greatest impact as each of the policy options have the greatest AFI deployment, covering all TEN-T Core and Comprehensive ports.

Unlike OPS, the provisions for LNG bunkering will impact the CO₂ emissions in ports when vessels are at berth and when vessels are in operation, though the exact extent is subject to discussion following continued assessments of fossil LNG emissions. However, the impact assessment accompanying the FuelEU maritime initiative has shown that fossil LNG will be gradually replaced with liquified biomethane (or bio-LNG) from 2030 onwards and renewable low-carbon synthetic e-gas from 2035 onwards. By 2050, renewable and low carbon fuels are projected to represent the large majority of gaseous fuels used in maritime. Such decarbonised gases (bio-LNG and e-gas) use the same infrastructure as the LNG and are projected to represent 21% of the fuel used in international shipping by 2050, according to the impact assessment accompanying the FuelEU maritime initiative.

Aviation

The use of FEGP in airports allows the aircrafts engines and auxiliary power unit (APU) located in the tail to be switched off once the aircraft is on stand. FEGP provides an alternative to the traditional jet fuel used to run APUs, as it runs on grid electricity and thus has a much lower carbon intensity. The exact fuel burn and environmental impact of running APUs are dependent on various factors such as aircraft type, weight and turnaround times. Furthermore, unlike aircraft main engines, APUs are not certificated for emissions, and the manufacturers generally consider information on APU emissions rates as proprietary. As a result, little data are publicly available to serve as a basis for

calculating APU emissions and the extent of environmental benefits that FEGP brings is difficult to quantify and we can only provide a general assessment.

In the context of total aviation emissions, the environmental impact of FEGP is limited because APUs account for a small proportion of CO_2 emissions in aviation (approximately 1% or 1.4 Mt of CO_2 in 2018). Consideration needs to be given to the emissions associated with power generation and as such, the source of this electricity will have an influence on the overall emissions reduction achieved in the 2030 perspective. In particular, if renewable energy is used, near- zero emissions of CO_2 and other air pollutants can be achieved when the aircraft is on stand, representing a 1% reduction in total aviation CO_2 emissions.

6.3.2. Air pollutants emission reduction

Road Transport

By 2030, driven by the uptake of zero-emission vehicles enabled by the deployment of infrastructure, NOx and PM emissions from road transport¹⁰⁰ are projected to decrease by 6.6% and 7.6%, respectively, relative to the baseline. The reductions in air pollution emissions relative to the baseline are much higher post-2030, due to the larger penetration of the zero emission vehicles for both LDVs and HDVs (i.e. 60.5% decrease for NOx and 62.3% decrease for PM emissions in 2040 and over 90% decrease in 2050 for both NOx and PM emissions). Similarly to CO_2 emissions, it should be recalled that all policy options already include all other policy initiatives part of the "Fit for 55" package and other initiatives, and these contribute to the air pollution emissions reductions from road transport.

As explained in section 6.3.1, CO_2 emissions are capped by the Emissions Trading System. Considering its assumed extension to the road transport sector (and the maritime sector) this would also set the impulse for the road transport sector that the required emissions reductions are delivered according to the ETS cap - even if the infrastructure does not deliver and the CO_2 emission performance standards for vehicles are not met. For example, in the foreseen case of a separate ETS for road transport this would result in a higher price of allowances to deliver the same emissions reductions and higher reduction in the road traffic if the uptake of zero emission vehicles is not possible. The higher price of allowances for road transport would also result in lower air pollution emissions relative to the baseline, driven by the reduction in the road traffic and the energy use in road transport.

Air pollution emissions from road	2015		Baseline		PO1 / PO2 / PO3			
transport		2030	2040	2050	2030	2040	2050	
NOx emissions (ktons)	2,850	1,000	733	547	934	290	32	
% change to 2015		-64.9%	-74.3%	-80.8%	-67.2%	-89.8%	-98.9%	
% change to Baseline					-6.6%	-60.5%	-94.1%	
PM2.5 emissions (ktons)	131	58	38	27	54	14	1	
% change to 2015		-55.7%	-70.8%	-79.7%	-59.1%	-89.0%	-99.1%	

Table 27: Air pollutant emissions from road tran	sport in the policy o	ptions and the baseline
--	-----------------------	-------------------------

¹⁰⁰ Excluding powered two-wheelers.

% change to Baseline					-7.6%	-62.3%	-95.4%
Source: Picardo et al (2021) impact ass	semant cu	aport study	DDIMES	TDEMOV	E model re	culte (E3M	Indelling)

Source: Ricardo et al (2021), impact assessment support study, PRIMES-TREMOVE model results (E3Modelling); Note: excluding powered two-wheelers.

Waterborne Transport

The reduction of air pollutants and improvement on local air quality is the main environmental benefit for both OPS and LNG as they both offer substantial reductions in air pollutants. Given that air quality is considered the top priority for ports¹⁰¹ this environmental impact represents a significant benefit to those in the maritime and inland waterway sectors. The uptake of LNG will impact both local air quality and air pollutants produced when the vessel is in operation, while OPS has a much more localised impact. As vessels spend less time at berth than navigating, understandably the volume of air pollutants at berth is limited when compared to the total emissions of a ship. However, unlike when navigating, the emissions of a vessel at berth have a direct impact at portcities (as ports are often or within the cities) and the coastal areas. As these cities are often densely populated, the impact of emissions at berth is therefore disproportionately affecting these areas.

Electricity generation is typically located some distance from densely populated areas, whereas dockside shipping emissions will often occur close to city centres as a consequence of a port's typical location. As with CO_2 emissions, consideration needs to be given to the emissions associated with power generation. While coal- fired power plants emit more CO_2 , they have lower emissions of nitrogen oxides, particulate matter and sulphur oxides, compared with those associated with burning marine diesel fuel with a 0.1 sulphur content. Hence, all policy options supporting OPS are expected to have a positive impact on air pollutants, with the effect increasing as the policy options become more ambitious and the frequency of use of OPS from vessels more widespread.

The uptake of LNG in maritime is also expected to result in a reduction on air pollutants under PO3 as a result of the uptake of LNG vessels. LNG contains little sulphur and LNG engines are tuned to emit low NOx emissions, which makes LNG an attractive fuel for ships that operate in Emission Control Areas (ECAs), where ships must comply with more stringent air quality standards. This is similar for decarbonised gases (bio-LNG and e-gas).

Aviation

An additional benefit of using FEGP in replacement of jet fuel powering APUs is the reduction of air pollutants at ground level. The main air pollutants considered here are NOx, HC, CO and PM_{10} . As noted previously, consideration needs to be given to the emissions associated with power generation, although this is a minor issue as power generation occurs at some distance from airports. Nevertheless, it is expected that lowers emissions of air pollutants compared to the burning of jet fuel in APUs. As such, the measure will offer benefits across all air pollutants and the effects will increase the policy options become more ambitious.

As already highlighted in the section on GHG reduction, the extent of the reduction of air pollutants is difficult to assess on the basis that the exact fuel burn and environmental impact of running APUs are not well documented and dependent on various factors such

¹⁰¹ Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.,

as aircraft type, weight and turnaround times. Nevertheless, at Zurich Airport, it was estimated that FEGP and PCA provision at all stands would offer a reduction of NOx pollutants while stationary by 96% of APU emissions¹⁰².

7. How do the options compare?

7.1. Effectiveness

The effectiveness of the options is compared against the general and specific policy objectives as described in section 4. For the overview, Table 28 presents the objectives and the indicators that have been developed to monitor the level of achievement of the objectives. The effectiveness of each policy option in achieving the objectives is presented in detail in annex 8, using the indicators described below.

General objective	Specific objective	Indicator
Support the uptake of low and zero emission vehicles and vessels through sufficient and fully interoperable infrastructure and thereby contribute to	SO1: Ensuring sufficient infrastructure to support the required uptake of alternatively fuelled vehicles across all modes and in all MS to meet the EU's climate objective	 Increase of number of public accessible recharging and refuelling points on roads, OPS and other alternative fuels infrastructure in ports and Electricity supply for stationary aircrafts
achieving climate neutrality by 2050 (i.e. achieve net zero GHG emissions by 2050) and to contribute to the	SO2: Ensuring full interoperability of the infrastructure	Extent to which outstanding technology developments are standardised Increase in the directional alignment of the EV charging backend
reduction of air pollution	SO3: Ensuring full user information and adequate payment options	Increase in the extent of customer information available Increase in the provision of data to national access points Availability of one common ad-hoc payment option at all recharging points

 Table 28: Linking of policy objectives to indicators

Concerning SO1, PO1 shows good effectiveness as it links emerging road vehicle fleet demand to overall infrastructure deployment and also ensures sufficient infrastructure to enable full circulation of heavy-duty vehicles. It is, however, less effective with regard to LDV recharging infrastructure on the TEN-T network as it leaves public authorities and operators with greater flexibility for the allocation of infrastructure, by not setting specific requirements for LDV recharging infrastructure on the TEN-T core and comprehensive network. This could impact, however, the overall effectiveness of the

¹⁰² Final report, impact assessment support study 'Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EU)', 2021.

policy to ensure the transition to zero-emission mobility, as insufficient provision of public accessible recharging points could remain in the TEN-T, which can limit full connectivity.

PO1 is also least effective in view of OPS installation in ports, as it only addresses TEN-T core ports. PO2 is more effective than PO1, as it addresses TEN-T LDV infrastructure, recharging infrastructure for HDV in urban nodes and OPS in TEN-T core and comprehensive ports. PO3 is most effective, as it provides recharging points in all larger petrol stations for LDV and HDV. It also ensures greater equipment of ports with alternative fuels infrastructure than PO2.

PO2 and PO3 are more effective compared to PO1, when it comes to SO2 and SO3. They include a greater level of harmonisation on payment options, physical and communication protocols and interfaces standards and rights of consumers while charging. Those options also better substantiate provisions for adequate consumer information and payment options, notably through making available full static and dynamic user information and better harmonised payment options. PO3 can be considered slightly more effective compared to PO2, as it includes a more comprehensive approach to physical signposting of recharging and refuelling infrastructure.

Annex 8 provides a detailed and quantitative overview on the effectiveness of the policy options in relation to the specific objectives.

7.2. Efficiency

Efficiency concerns "the extent to which objectives can be achieved for a given level of resource/at least cost". The combined measures under the three POs have economic, social and environmental impacts. The major costs of the policy options come in the form of capital and operation costs for the installation and maintenance of public accessible recharging and refuelling infrastructure and measures related to interoperability and user information. A summary of these costs is provided in Table 29.

Table 29: Summary of capital and operation costs related to infrastructure – present value
for 2021-2050 compared to the baseline (in €billion)

Costs summary - present value for 2020- 2050 compared to the baseline (bil. €'2015)	PO1	PO2	PO3
Capital and oparation costs related to infrastructure			
Road transport			
LDVs recharging points	24.4	25.3	30.3
HDVs charging points	2.9	2.9	3.1
Hydrogen fuelling facilities	25.2	27.7	28.0
CNG fuelling facilities	-1.6	-1.6	-1.6
LNG fuelling facilities	-1.0	-1.0	-1.0
Waterborne transport			
LNG installations for maritime ports			1.1 - 3
OPS installations for maritime ports	1.2	5.5	6.5
OPS installations for inland ports	0.1	0.4	0.4
Aviation			
Electricity supply to aircraft	0.2	0.9	0.9
Interoperability			
Ad-hoc payments	6.7-10.2	7.0-10.4	7.2-10.6
Mandatory fixed cables	-	-	0.2
User information			
Roadside indicators	-	0.001	0.004

Total capital and operation costs	58.1 - 61.6	67.1 - 70.5	75.2 - 80.5
Source: Ricardo et al (2021) impact assessment support study			

Source: Ricardo et al (2021), impact assessment support study

It is important to keep in mind that these calculations are made on the basis of current estimations on the future costs of the various infrastructure deployment and related capital costs, but also assumptions about future use of recharging and refuelling infrastructure and their impact on overall revenue.

All POs meet the requirement for sufficient infrastructure deployment, however, at different costs. Differences mainly result, as explained in section 6.1.4, from variation in the allocation of infrastructure for road transport and particularly also from the higher level of policy ambition for roll-out of OPS in ports in PO2 and PO3 compared to PO1. PO3 can be considered less efficient than PO2 and PO1, as the interplay of fleet and distance based targets with additional location based targets (petrol stations) for electric LDV is expected to affect open and competitive market deployment. Mandatory targets for specific locations risk that not the optimal location of recharging points is chosen and that potentially this infrastructure is not being used or that investments in more suited locations will not materialise as sufficient recharging capacity has already been installed under a mandate. For hydrogen refuelling infrastructure the higher capacity for each refelling point adds to the overall costs but that is offset by the greater convenience for consumers and less waiting times that in particular for heavy duty vehciles also have cost implications¹⁰³.

The strict approach to addressing requirements for OPS installation in all European ports risks that investments into infrastructure are not everywhere met by sufficient demand and consequently an under-utilisation of infrastructure.

These costs can be balanced against wider cost savings from the achievement of climate and environmental objectives. Benefits are the same across the three POs as they have been designed to provide comparable deployment of recharging and refuelling infrastructure, in line with the objectives of the Climate Target Plan and the "Fit for 55" package and the corresponding developments of zero- and low-emission vehicle fleets. As explained in section 6.3.1 and 6.2.4, for all policy options the reduction in the external costs of CO₂ emissions is projected at €445 billion relative to the baseline over the 2021-2050 period, expressed as present value, and the reduction in the external costs of air pollution emissions at €75 billion relative to the baseline. It should however be recalled that all policy options already include all other policy initiatives part of the "Fit for 55" package and other initiatives (e.g. CO₂ emissions standards for vehicles, carbon pricing, improvements in the efficiency of the transport system, etc.) and these effectively contribute to the CO₂ emissions and air pollution emissions reductions.

All POs are similar in view of SO2 and SO3. While the impact could not be quantified, PO2 and PO3 should be regarded as more efficient than PO1 in relation to improving interoperability as a much wider set of common technical standards is being prescribed, including those between the recharging point and the DSO that ensures that smart recharging solutions can be developed. The same is true for the relation to customer information under specific objective 3. The provision of full static and dynamic data by

¹⁰³ Those cost implications could, however, not fully quantified as at this stage of market development. It is not possible to clearly predct the exact waiting times enforced on commercial actors in case only limited capacity was provided at a hydrogen refuelling station that would go beyond the recommended value resulting from the analysis presented in annex 7.2.

charge point operators and their accessibility to other market actors under those POs is expected to create a whole new range of user services. Real-time information about availability of recharging stations and ad-hoc pricing will address remaining concerns of vehicle users and improve the user experience. The benefits of common standards and user information are regarded to largely outweigh the relative small increase of cost for implementing standards and making data available. PO2 can be regarded as more efficient than PO3 with regard to payment services, as it norms to provide at least one of the two most user-friendly payment options based on bank card payment (terminal or NFC) for fast recharging points, but still leave enough flexibility to market actors to consider their appropriate use in view of the specific market conditions. Whereas PO1 offers greater variety of choice for CPOs but also potentially more hassle for EV-users. Against this backdrop, PO2 can be considered the most efficient option.

7.3. Coherence

In general terms, there are no issues as regards internal or external coherence, inconsistencies or gaps among the policy options. Such outcome of overall coherence and consistency has been ensured by the policy approach as described in section 5. The main level of ambition and the main objective of this policy initiative is fully in line with the key policy objectives of the Union, in particular regarding the long-term objective of achieving climate neutrality by 2050. The POs presented in this Impact Assessment fully respond to the policy ambition that has been outlined by the European Green Deal, the Climate Target Action Plan and the Sustainable and Smart Mobility Strategy.

This initiative is fully congruent with the common economic assessment underpinning the 2030 Climate Target Plan and the Sustainable and Smart Mobility Strategy. In particular, this initiative is complementary and closely links to the policy initiative of revising the CO_2 emission performance standards for cars and vans. Building on the findings of that policy initiative with regard to fleet developments for zero- and lowemission vehicles, the proposed POs are designed to ensure that there is sufficient recharging and refuelling infrastructure deployed everywhere in the Union. For waterborne transport, this initiative is fully complementary to the FuelEU maritime initiative by ensuring that sufficient OPS is installed in ports to provide electricity while cruise ships, RoPax and container vessels are at berth and accommodating the demand for decarbonised gases (i.e. bio-LNG and e-gas). The initiative is also complementary to the RefuelEU aviation maritime, supporting that initiative's push for sustainable aviation fuels that do not distinct refuelling infrastructure with provisions for electricity supply for all stationary aircraft and thus supporting the decarbonisation of the aviation sector.

In addition, this policy initiative also links up to the policy initiative of revising the Renewable Energy Directive, where it ascertains that lack of recharging and refuelling infrastructure does not hamper the overall ramp-up of renewable and low-carbon fuels in the transport sector, where those require distinct infrastructure. There is no equivalent policy instrument at EU level to this Directive that is able to ensure the provision of public accessible recharging and refuelling infrastructure across all modes of transport in a similar manner. In this sense this initiative is also fully coherent with the Energy Performance of Buildings Directive that seeks to regulate the roll-out of private recharging infrastructure in certain parts of the building stock in the Union and which is already drawing on the technical specifications as set out by the Alternative Fuels Infrastructure Directive.

In terms of internal coherence, POs are coherent in their approach to addressing needs of both light- and heavy-duty road transport vehicle infrastructure and ports and airports

infrastructure, where only the scope and level of ambition differs. Compared to PO1, PO2 and PO3 fare slightly better in terms of internal coherence as they cover all relevant segments of the vehicle-to-infrastructure and infrastructure back end ecosystem, including static and dynamic exchange, while also fully addressing outstanding interoperability needs in the waterborne sector.

7.4. Proportionality and subsidiarity

None of the policy options goes beyond what is necessary to reach the overall policy objectives. The proposed intervention ensures the uptake of sufficient infrastructure for recharging and refuelling of alternative fuels vehicles in the Union necessary for delivering on the increased climate and energy ambition for 2030 and the overall objective of reaching climate neutrality by 2050, as stipulated by among other the CO2 standards for cars and vans and the cross-border connectivity for such vehicles in the TEN-T core and comprehensive network.

Experience with the implementation of the current Directive show the need for such revised intervention. At present the implementation process of that Directive leads to an uneven rollout of infrastructure in Member States that is not adding up to the dense, widely needed network of alternative fuels infrastructure. This has been fully demonstrated in the Commission report to Parliament and Council on the application of this Directive¹⁰⁴ and the baseline analysis underpinning this Impact Assessment.

The POs are designed to create a stable and transparent policy framework to help create open and competitive market development, stimulating investment into recharging and refuelling infrastructure in all modes of transport. They are designed to avoid disproportionate impacts on public authorities, operators of infrastructure and mobility service providers, notably by focusing on establishing a common minimum on which markets can build and start deliver further needs as driven by market demand. This is particularly true for the requirements for the waterborne and aviation sector, where the initiative factors in the state of maturity of different alternative fuel solutions and provides the time and flexibility needed to adapt more innovative powertrain technologies and their recharging and refuelling infrastructure needs.

Particularly concerning ports and the particular case of emissions at berth, the specific requirements for the use of OPS are foreseen to be phased-in with a sufficient lead-time and first mandated to only the most polluting ships in ports, i.e. containerships, passenger ships and Ro-Pax ships, to avoid imposing disproportionate impacts to the entire fleet and the ports. On the other hand the initiative is proportionate to the needs for infrastructure ramp-up posed in particularly in the road transport, where requirements for 2025 and 2030 ensure that infrastructure is not becoming a barrier to the needed uptake of zero and low-emission vehicles under the CO_2 emission performance standards for cars and vans.

The provision set under this initiative help the transport sector to adequately contribute to the overall CO_2 emission targets set for the entire EU economy, ensuring that the overall net benefits of such approach can be fully reaped. The proposed level of intervention at EU level is also considered to deliver the highest impact compared to the current approach that addresses the main responsibility for overall target setting to the national level. The nature and scope of the problem is similar across Member States and there is

¹⁰⁴ COM/2021/103 final

evidence of the need and value added of ensuring cross-border connectivity for alternative fuels vehicles in the EU, which duly justifies EU action.

7.5. Summary of comparison of options, including stakeholder views

All POS are meeting the overall effectiveness criteria, though PO2 and PO3 are slightly better suited. PO3 ranks first as it enables the strongest rollout of infrastructure in ports compared to PO2, followed by PO2 and PO1.

As regards efficiency, POs are again very close when it comes to road transport infrastructure deployment, whereas PO3 is least efficient with regard to ports infrastructure, and PO2 is considered to be the most efficient, also in view of its approach to user information and payment services.

In terms of coherence, all options align well to the general policy ambition and agenda of the "Fit for 55" package. PO2 and PO3 can be considered more coherent than PO1, as they address comprehensively the important aspect of data governance for vehicle and infrastructure use services.

Proportionality is also ensured in all POs. All POs intervene more directly into the infrastructure rollout planning at national level, as they set a fleet based sufficiency requirement. But none of the POs interferes into essential Member State competencies for planning, permitting and procuring of infrastructure. Greater level of intervention is warranted by both the requirement to adequately equip the TEN-T core and comprehensive network and ensure cross-border connectivity and to ensure a fully functioning internal market to support the transition to zero- and low-emission mobility by 2050. Moreover, all POs seek to extend necessary minimum requirements for addressing necessary interoperability in the market and ensure relevant consumer information and services that are indispensable to a fully functioning internal market. Such requirements come with an additional burden for operators of infrastructure, mobility service providers and automotive producers but are considered acceptable as greater harmonised provisions enable the quick scaling of the market for recharging and refuelling infrastructure and services in the Union, which will benefit in the end both market actors and consumers through better services at decreasing cost and opportunities for better growth and new innovative business models.

Stakeholders are principally supportive of a revision. A large majority of stakeholders has pointed out the need of an even deployment of sufficient recharging and refuelling infrastructure across the EU, in particular for low and zero emission vehicles. To achieve this objective, around 70% of respondents to the OPC were supportive of mandatory targets for electric recharging points for LDV with 50% being in favour of targets for the whole network while only 20% were opposed to targets covering the whole network. Support was only slightly less developed for mandatory targets for electric recharging points for HDV and for hydrogen refuelling points. What concerns waterborne transport, 50% of respondents were in favour of mandatory OPS requirements for TEN-T ports. Mandatory targets were supported in particular by the automotive industry, operators and manufacturers of infrastructure, NGOs and EV-users while port operators were reluctant.

The vast majority of respondents were in favour of the standardisation approach in PO2 and PO3 with regards to physical and communication standards, including the operators of recharging and refuelling stations as well as the automotive industry and the electricity sector. Also enhanced user information, including dynamic information as in PO2 and PO3, and a common ad hoc payment method was supported by a large majority of stakeholders, in particular by vehicle users and the automotive industry. However, charge

point operators pointed out to the expenses of physical payment terminals (in comparison to QR codes and NFC terminals) and therefore favoured a more flexible approach as in PO1 and PO2.

7.6. Infrastructure needs depending on the level of stringency of CO₂ standards for LDVs

As explained in section 6, the impacts of the POs, focusing on the design of the policy instrument, are assessed in the context of the MIX policy scenario, which is also consistent with option TL_Med of the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles. In view of ensuring consistency with that impact assessment the approach for the recharging infrastructure requirements used in policy option 2 has been also been tested in the context of options TL_Low and TL_High of the respective impact assessment, that assume less stringent and more stringent CO₂ standards, respectively. PO2 (TL_Med) in this section is the same with PO2 in section 6. The results of PO2 (TL_Med) are provided here for comparison purposes.

Changes in the ambition level with respect to the uptake of electric vehicles would not affect the target setting. The fleet based targets are dependent on the number of registered vehicles and hence any increase in vehicle uptake would need to be matched with sufficient infrastructure, e.g. a matching increase in installed recharging capacity (installed power). What concerns the distance based targets, these targets provide for a sufficient level of infrastructure across the TEN-T network. In case of a higher demand at those locations, investments will be triggered through market forces, e.g. private investment will become full profitable not requiring further policy interventions trough target setting. However, higher or lower penetration of electric vehicles would require more/less infrastructure with an impact on the investment costs.

As shown in Table 30, by 2030 3.39 million recharging points would be needed if the CO₂ standards of TL_Low option would be implemented compared to 3.51 million in TL_Med. On the other hand, if TL_High option for CO₂ standards is implemented 3.62 million recharging point would be needed by 2030. The gap becomes larger post 2030. For example, in 2035 8.71 million recharging points would be needed in TL_High relative to 6.31 million in TL_Med and by 2050, 17.37 million recharging points would be needed in TL_High relative to 16.27 million in TL_Med. The analysis assumes the deployment of more fast recharging points over time in TL_Med, TL_Low and TL_High. If the average capacity of recharging points would be kept at the same level as in 2020 this would imply that a higher number of recharging points need to be deployed.

Recharging infrastructure at EU27		PO2 (TL_Med)				PO2 (TL_Low)				
level (in million)	2030	2035	2040	2050	2030	2035	2040	2050		
LDVs recharging points	3.51	6.31	11.41	16.27	3.39	5.66	9.32	15.00		
Recharging		PO2 (TL_Med)				PO2 (TL_High)				
infrastructure at EU27 level (in million)	2030	2035	2040	2050	2030	2035	2040	2050		
LDVs recharging points	3.51	6.31	11.41	16.27	3.62	8.71	13.79	17.37		

Table 30: Expected deployment of recharging points in PO2 in the context of less stringent (TL_Low) or more stringent (TL_High) CO2 standards for LDVs

Based on the expected deployment of recharging infrastructure, average annual investments for the period up to 2030 would be between $\in 1.23$ billion in TL_Low and $\in 1.33$ billion in TL_High, relative to $\in 1.29$ billion in TL_Med (Table 31). For 2031-2035 the average annual investments would increase to $\in 3.85$ billion in TL_High compared to 1.97 in TL_Med.

Table 31: Average annual investments for 2021-2030, 2031-2035 and 2036-2050 in PO2 in the context of less stringent (TL_Low) or more stringent (TL_High) CO_2 standards for LDVs

Average annual investments (€								PO2_high (TL_High)			
billion)	'21-'30	'31-'35	'36-'50	'21-'30	'31-'35	'36-'50	'21-'30	'31-'35	'36-'50		
LDVs recharging points	1.29	1.97	3.68	1.23	1.67	3.23	1.33	3.85	3.60		

Source: PRIMES-TREMOVE model results (E3Modelling)

Average annual maintenance costs for LDVs recharging points (Table 32) are estimated at $\notin 0.07$ billion in TL_Low and $\notin 0.08$ billion in TL_High, relative to $\notin 0.08$ billion in TL_Med for the period up to 2030, at $\notin 0.24$ to 0.34 billion for 2031-2035 and at $\notin 0.54$ to 0.76 billion for 2036-2050.

Table 32: Average annual operation costs for 2021-2030, 2031-2035 and 2036-2050 in PO2 in the context of less stringent (TL_Low) or more stringent (TL_High) CO₂ standards for LDVs

Average annual operation costs	PO2 (TL_Med)			PO2_	low (TL_]	Low)	PO2_high (TL_High)			
(€ billion)	'21-'30	'31-'35	'36-'50	'21-'30	'31-'35	'36-'50	'21-'30	'31-'35	'36-'50	
LDVs recharging points	0.08	0.26	0.64	0.07	0.24	0.54	0.08	0.34	0.76	

Source: PRIMES-TREMOVE model results (E3Modelling)

The total additional costs relative to the baseline for the period 2025 - 2050, expressed as present value over 2021-2050, are estimated between $\in 19$ billion in TL_Low and 33.8 billion in TL_High, with TL_Med falling in between ($\notin 25.3$ billion).

Table 33: Total capital and operation costs in the baseline and in the context of less stringent (TL_Low) or more stringent (TL_High) CO_2 standards for LDVs (difference to the baseline), expressed as present value over 2021-2050

Total costs in the baseline and difference]	Baseline		PO2 (TL_Med)				
to the baseline, expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total		
LDVs recharging points	16.2	2.4	18.6	22.5	2.8	25.3		
Total costs in the baseline and difference	PO2	2 (TL_Low)		PO2 (TL_High)				
to the baseline, expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total		
LDVs recharging points	16.9	2.1	19.0	30.0	3.8	33.8		

Source: PRIMES-TREMOVE model results (E3Modelling); Note: Assumed economic lifetime of investments is 10 years for electricity recharging infrastructure; annualised capital costs are derived assuming a weighted average costs of capital of 8%. For calculating the present value, a discount rate of 4% is assumed.

7.7. Sensitivity analysis on sufficiency, share of fast chargers and smart recharging functionalities

Sensitivity analysis on sufficiency

On the basis of policy option 2, a sensitivity analysis has been carried out to analyse the effects of the introduction of mandatory targets that would require Member States to install a greater number of electric recharging points for LDV than what is considered sufficient following the methodology to determine sufficient recharging and refuelling infrastructure to supply the fleet required to meet the Climate Target Plan objectives (see Annex 7.2). If less infrastructure was deployed in several Member State, it would risk to limit the vehicle uptake in the Member States to a lower number than required to meet the demand resulting from the CO_2 standards for cars and vans. However, deploying more publicly accessible infrastructure by going beyond what is considered sufficient, is not expected to lead to a higher vehicle uptake as reflected in the common modelling framework. There is also no evidence from literature that abundance of infrastructure as compared to a sufficient level would lead to additional vehicle sales.

Instead, vehicles uptake is driven by other policies like e.g. the CO_2 performance standards for cars and vans. In a sensitivity analysis on the basis of PO2, it was checked what effect an increased fleet based target for electric recharging points would have in terms of costs but also in terms of occupancy rates and the share of private charging versus charging at publicly accessible recharging points. More specifically a **20%** increase of the requirements has been assumed. This would represent an equivalent of a recharging point, or installed capacity of 1.2 kW per BEV and 0.79 kW per PHEV.

In this scenario it is assumed that the mandatory targets would be 20% higher, meaning that Member States would be mandated to ensure that 20% more recharging capacity has to be installed than required under PO2. This would result in a total installed capacity at EU level of 58 GW by 2030, relative to 49 GW in PO2. This can be translated into approx. 4.17 million recharging points by 2030 and 21.2 million recharging points by 2050. Accordingly, total costs over 2025-2050, expressed as present value, would increase by approx. 26% compared to PO2. Such an approach would result in the utilisation rates of recharging points dropping for normal recharging points to just above 2.5 hours. Such low utilisation rates would make it hard for operators to establish a profitable business case, shifting the additional investment costs largely to the public sector. However, if the occupancy rates are assumed to remain unchanged to the ones assumed in PO2, such a dense recharging network would support the recharging needs in local areas where around 50% of all recharging events are taking place, in contrast to the assumed 40% on average for the EU.

Recharging infrastructure		PO2		PO2 (20% capacity increase)				
at EU27 level (in million)	2030	2040	2050	2030	2040	2050		
LDVs recharging points	3.51	11.41	16.27	4.17	14.89	21.22		

Table 34: Number of recharging points under the assumption of 20% capacity increase

Source: PRIMES-TREMOVE model results (E3Modelling)

Table 35: Total capital and operation costs in the baseline and under the assumption of
20% capacity increase (difference to the baseline), PV of total costs for 2021-2050

Total costs in the baseline and difference	Baseline				PO2		PO2 (20% capacity increase)		
to the baseline, expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total	CAPEX	OPEX	Total
LDVs recharging points	16.2	2.4	18.6	22.5	2.8	25.3	32.6	4.2	36.8

Source: PRIMES-TREMOVE model results (E3Modelling)

In this scenario the higher density of recharging points will not lead to the uptake of additional electric vehicles and the environmental impact as analysed under PO2 remain equally unchanged. In conclusion, a higher target on EU level than assumed in PO2 will lead to higher infrastructure costs while it will not lead to greater vehicle numbers. The additional costs would largely be borne by the public budget. However, this analysis explicitly refers to an aggregated EU level. Locally large differences exist, especially with respect to access to private recharging that will require different densities of recharging networks between rural and urban areas, and also within each urban area. As such, the proposed sufficiency level represents a basis for determining the mandatory target that applies on a national level only. Public authorities in Member States will continue to be able to determine the share of normal and fast recharging points but also the density of recharging points in the different local areas, respecting the subsidiarity principle.

Sensitivity analysis on the share of fast chargers

In an additional sensitivity analysis it was assessed how a change in the assumption on the average power output of a recharging point would affect the overall numbers on the deployment of recharging points. It is assumed that currently on average a publicly accessible recharging point has a power ouput of slightly below 11 kW. However, it can be expected that with the emergence of new technologies and the greater convenience of fast recharging points, the share of fast recharging points will go up. If that was the case, fewer recharging points would be required to serve a given vehicle fleet, as each fast recharging point can serve more vehicles at the same time as a normal recharging point. The above was also assumed when the number of recharging points was calculated in chapter 6.1.1 when an average power output of around 14kW was assumed for 2030 to calculate the number of recharging points per Member States and the associated costs.

However, it is yet unclear if the trend towards fast recharging points will go ahead and at which speed. This is why in a sensitivity analysis an assessment was carried under the assumption that the share of normal and fast recharging points remains constant over time and that this has no impact on the required aggregated power provided by all recharging points. Under this assumption, the total number of required recharging points would be considerable higher than under PO2 with 4.35 million for 2030 compared to 3.51 million under PO2. Different assumptions on the share of fast recharging points have also an impact on the costs. The higher total number of recharging points under the sensitivity assumptions would tend to increase the costs but as fast recharging points are also considerably more expensive than normal recharging points the average cost per recharging point also goes down. Under the assumptions of this sensitivity analysis, the total costs for 2025-2050, expressed as present value, would go down by 7% compared to PO2. On the other hand, this sensitivity analysis implies higher average recharging times.

Table 36: Number of recharging points under the assumption that the share of fast recharging points remains unchanged over time

Recharging infrastructure		PO2		PO2 (average power output of 11kW)				
at EU27 level (in million)	2030	2040	2050	2030	2040	2050		
LDVs recharging points	3.51	11.41	16.27	4.35	15.84	22.50		
LDVs recharging points			16.27	4.35	15.84	22		

Source: PRIMES-TREMOVE model results (E3Modelling)

Table 37: Total capital and operation costs in the baseline and under the assumption that the share of fast recharging points remains unchanged over time (difference to the baseline), PV of total costs for 2021-2050

Total costs in the baseline and difference	Baseline				PO2		PO2 (average power output of 11kW)		
to the baseline, expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total	CAPEX	OPEX	Total
LDVs recharging points	16.2	2.4	18.6	22.5	2.8	25.3	19.5	2.6	22.2

Source: PRIMES-TREMOVE model results (E3Modelling)

Sensitivity analysis on smart charging functionalities

As outlined in chapter 2.1.2, the total energy demand from electric vehicles in 2030 is expected to be around 2% and will increase to up to 10% by 2040. It is expected that post 2030, around 60% of all recharging events are expected to take place at private recharging points. For smart recharging and bi-directional recharging to take place, the EV needs to be parked for a significant period of time. This is usually the case when charging at private recharging points and at normal publicly accessible recharging points with a power output of 22 kW or lower. However, while there has been progress in developing smart charging and bi-directional charging capabilities, development is still in its early stages but markets are expected to develop further towards 2030. This will be even ore the case when more renewables will come into the electricity system and the required flexibility will be fully rewarded in the electricity markets.

A recent study on recharging and grid integration¹⁰⁵ estimated the costs for equipping a publicly accessible charging point with smart functionalities to be around EUR 300 EUR. These costs are expected to decrease to 136 Euro per charger by 2025 and to 113 Euro per charger by 2030. Once the electricity markets fully rewards flexibility, by 2030, every smart recharging point can create on average a system benefit of more than 100 EUR/year. However, revenues from providing flexibility largely depend on the local conditions, e.g. the need for flexibility in that specific area, that are unlikely to develop evenly across the EU. On the other hand, if a large number of non-smart charging points being developed in certain areas, system integration could be impeded. With increasing shares of variable renewable energy sources in Member States' electricity mix putting pressures on grids, demand response is growing increasingly important as a tool to enable flexibility. The presence of a possibly significant number of non-smart charging points

¹⁰⁵ Final report "Best practices and assessment of regulatory measures for cost-efficient integration of electric vehicles into the electricity grid", 2021.

would hinder the ability of EV users and third parties to participate in demand response. This infrastructure could effectively comprise stranded assets.

7.8. Sensitivity analysis on the requirements for HDV recharging points

As also outlined in annex 7.2 there are uncertainties with regards to the expected uptake of electric heavy-duty vechiles. The overall ambition of the 'Fit for 55' package as well as the upcoming revision of the Regulation on CO2 emission performace standards for heavy duty vehciles is leikley to lead to a much higher uptake of electric heavy duty vehciles as expected at the time the targets under Policy Option 2 were formulated. Also vehicle manufacturers have in 2021 corrected their expected sale figures upwards and have been channeling investments accordingly. Therefore, it is prudent to analyse in a sensitivity analysis what a higher uptake of battery electric HDV vehicles would mean in terms of number of recharging points required and the associated costs.

To do so, three cases were analysed. All cases would assume a considerable increase in power ouput per location that would at least be able to serve twice as many trucks as in Policy Option 2. In cases 1 and 2 the power output would increase by around three times in 2025 and 3.5 times by 2030 while also assuming that larger recharging points of 500 kW or more will be deployed that would be able to charge larger batteries during the drivers break. Case 1 also reduces the distance between recharging hubs on the TEN-T comprehensive network from 100 km to 60 km to take accont of the larger electric HDV fleet. In case 3 it is assumed that twice the number of recharging points is to be deployed at every TEN-T location as under Policy Option 3 in 2025 and 2.5 times more than in 2030, or 2030/2035 for the comprehensive network respectively.

Case 1:

- Recharging hubs along TEN-T core network, every 60 km in each direction. By 2025: 2000 kW capacity and by 2030: 50000 kW capacity;
- Recharging hubs along TEN-T core, every 60 km in each direction. By 2030: 2000 kW capacity and by 2035: 5000 kW capacity.

•

Case 2:

• Same as case 1 but with 100 km distance between recharging pools on the TEN-T comprehensive network.

Case 3:

- Recharging hubs along TEN-T core network, every 60 km in each direction. By 2025: 1400 kW capacity and by 2030: 3500 kW capacity;
- Recharging hubs along TEN-T core, every 60 km in each direction. By 2030: 1400 kW capacity and by 2035: 3500 kW capacity.

Such higher taregts will have a significant impact on the number of recharging points to be deployed. The number of recharging points will go up from 6,493 under Policy Option 2 in 2030 to 15,042 or 13,728 under case 1/2 and to 12,946 under case 3. This trend will continue alo towards 2040 and 2050.

Table 38: number of HDVs charging points in PO2 and sensitivity cases

HDVs recharging		PO2		PO2 (Case 1)			
infrastructure at EU27 level	2030	2040	2050	2030	2040	2050	
HDVs charging points	6,493	10,660	13,014	15,042	24,958	29,618	
HDVs recharging infrastructure at EU27		PO2 (Case 2	2)	PO2 (Case 3)			
level	2030	2040	2050	2030	2040	2050	
HDVs charging points	13,728	20,624	24,042	12,946	19,378	22,664	

Source: PRIMES-TREMOVE model results (E3Modelling)

The average annual investment and operation costs will increase in line with the increased number of recharging points.

Table 39: Average annual investments for 2021-2030 and 2031-2050 in PO2 and sensitivity cases for the HDVs charging points

Average annual	PO2		PO2 (0	Case 1)	PO2 (0	Case 2)	PO2 (Case 3)		
investments (€ billion)	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	
HDVs charging points	0.14	0.19	0.49	0.48	0.45	0.39	0.31	0.31	

Source: PRIMES-TREMOVE model results (E3Modelling)

Table 40: Average annual operation costs for 2021-2030 and 2031-2050 in PO2 and sensitivity cases for the HDVs charging points

Average annual operation costs (€	PO2		PO2 (0	Case 1)	PO2 (0	Case 2)	PO2 (Case 3)		
billion)	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	'21-'30	'31-'50	
HDVs charging points	0.01	0.03	0.03	0.07	0.03	0.06	0.03	0.05	
Source: PRIMES_TREMOVI	E model res	ulte (E3Mo	delling)						

Source: PRIMES-TREMOVE model results (E3Modelling)

Table 41: Total capital and operation costs in the baseline, PO2 and sensitivity cases for the HDVs charging points (difference to the baseline), PV of total costs for 2021-2050

Total costs in the baseline and difference to the baseline.	Baseline				PO2			PO2 (Case 1)		
expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total	CAPEX	OPEX	Total	
HDVs charging points	0.2	0.0	0.2	2.5	0.3	2.9	8.0	0.8	8.8	
Total costs in the baseline and difference to the baseline,	В	aseline		PO2 (Case 2)			PO2 (Case 3)			
expressed as PV (€ billion)	CAPEX	OPEX	Total	CAPEX	OPEX	Total	CAPEX	OPEX	Total	
HDVs charging points	0.2	0.0	0.2	6.8	0.7	7.5	4.9	0.6	5.6	

Source: PRIMES-TREMOVE model results (E3Modelling)

8. PREFERRED OPTION

8.1. Context

When proposing its updated 2030 greenhouse gas emissions reduction target of at least 55%¹⁰⁶, the European Commission also described the actions across all sectors of the economy that would complement national efforts to achieve the increased ambition. A number of impact assessments have been prepared to support the envisaged revisions of key legislative instruments. Against this background, this impact assessment has analysed the various options through which a revision of the Alternative Fuels Infrastructure Directive could effectively and efficiently contribute to the delivery of the updated policy ambition as part of a wider "Fit for 55" policy package.

Methodological approach

Drawing conclusions about preferred options from this analysis requires tackling two methodological issues.

First, as often the case in impact assessment analysis, ranking options may not be straightforward as it may not be possible to compare options through a single metric and no option may clearly dominate the others across relevant criteria. Ranking then requires an implicit weighting of the different criteria that can only be justifiably established at the political level. In such cases, an impact assessment should wean out as many inferior options as possible while transparently provide the information required for political decision- making. This is what this report does for a number of options that would not be sufficient to deliver on the required sufficiency level for infrastructure (see discarded policy option in section 5.3) or risk to lead to an oversupply of infrastructure, leading to very high costs for public authorities (see sensitivity analysis in section 7.6).

Secondly, the "Fit for 55" package involves a high number of interlinked initiatives underpinned by individual impact assessments. Therefore, there is a need to ensure coherence between preferred options of various impact assessments.

Policy interactions

Given the complex interdependence across policy tools and the interplay with the previous methodological issue outlined above, no simultaneous determination of a preferred policy package is thus possible. A sequential approach was therefore necessary.

First, the common economic assessment^{107,108} underpinning the "Communication on Stepping up Europe's 2030 climate ambition" looked at the feasibility of achieving a higher climate target and provided insights into the efforts that individual sectors would have to make. It could not, however, discuss precise sectoral ambitions or detailed policy tools. Rather, it looked at a range of possible pathways/scenarios to explore the delivery of the increased climate ambition. It noted particular benefits in deploying a broad mix of policy instruments, including strengthened carbon pricing, increased regulatory policy ambition and the identification of the investments to step up the climate ambition.

An update of the pathway/scenario focusing on a combination of extended use of carbon pricing and medium intensification of regulatory measures in all sectors of the economy,

¹⁰⁶ COM (2020)562

¹⁰⁷ https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52020SC0176 https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A52020SC0

while also reflecting the COVID-19 pandemic and the National Energy and Climate Plans, confirmed these findings.

Taking this pathway and the Communication on Stepping up Europe's 2030 climate ambition as central reference, individual impact assessments for all "Fit for 55" initiatives were then developed with a view to provide the required evidence base for the final step of detailing an effective, efficient and coherent "Fit for 55" package.

At the aggregate level, these impact assessments provide considerable reassurances about the policy indications adopted by the Commission in the Communication on Stepping up Europe's 2030 climate ambition.

Preferred policy approach

Preliminarily assuming this fact and the analysis above as the framework for the aggregate "Fit for 55" package, the <u>specific</u> analysis carried out in this impact assessment would suggest the following preferred policy approach to the revision of the Directive:

- Setting stringent mandatory national fleet based minimum targets on national level to ensure sufficiency of infrastructure supply (electric recharging points for LDV only) and distance based infrastructure targets along the TEN-T network, including OPS for ports and electricity supply for stationary aircrafts to achieve full sufficient network coverage¹⁰⁹
- Identifying a list of common technical specifications needed and continue the current mandate of the Commission to adopt delegated acts to transfer adopted European standards for physical interfaces as well as communication protocols into the Directive to achieve full interoperability
- Comprehensive minimum requirements related to user information, data provision and a common bank card based payment function to achieve full seamless user experience and enable the internal market to bring about innovative user services building on a commonly used data infrastructure.

The final step of the sequential approach outlined above for the coherent design of the "Fit for 55" proposals will be carried out on the basis of the analysis of this and the other impact assessment reports. The choices left open for policy-makers will be taken, measures fine-tuned and calibrated, and coherence ensured. Until that stage, all indications of preferred measures are to be considered preliminary as preserving effectiveness, efficiency and coherence may require adjustments as the final package takes shape.

In particular, stricter requirements on CO_2 standards for cars and vans that will drive a faster uptake of zero emission - likely electric - cars and vans would be accommodated through the fleet based targets in the directive that will automatically lead to more infrastructure. Only if the targets would be much more stringent than assessed in the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles, higher recharging capacity at refueling points on the TEN-T network could be considered necessary.

¹⁰⁹ In addition, Member States are required to consider as part of their revised national policy frameworks under the Directive the needs for emerging alternative fuels solutions in rail, waterborne and aviation transport and offer a strategic policy orientation.

A complementary document to the full set of individual impact assessments looking at the effectiveness, efficiency and coherence of the final package will accompany the "Fit for 55" proposal.

8.2. Identifying the preferred option

PO3 stands out in terms of overall impact, but also grants less flexibility to Member States and will lead to higher overall implementation costs, in particular for port infrastructure. This will likely lead to an asymmetrical abrupt impact on the deployment of alternative fuels infrastructure in all ports of the EU, constraining the flexibility of all ports in providing infrastructure according to the specific circumstances of their operation.

At the end of the other spectrum of POs, PO1 stands out as addressing all policy objectives. It is still fully in line with the ambition under the Climate Target Plan but risks not to fully achieve complete geographic coverage along the TEN-T network, possibly affecting connectivity along parts of the TEN-T network. It also sees certain shortcomings in ensuring full user-friendliness of services and full interoperability, especially in the area of communication protocols in the electro- mobility segment.

PO2 delivers a better balance of short- (2030) and medium (2040) term impact on the uptake of public accessible recharging and refuelling infrastructure in road, ports and airports. It ensures full sufficiency of recharging and refuelling infrastructure and stands out compared to PO1 with the introduction of a distance based target for LDV recharging points along the TEN-T network, further specifying the fleet based approach. This is a key achievement in view of ensuring full coverage of dense fast recharging network and thereby ensuring full connectivity throughout the EU. It also ensures that urban nodes are sufficiently equipped with recharging and refuelling infrastructure to fully accommodate long distance freight and urban delivery transport. PO2 ensures the needed uptake of low- and zero-emission vehicles, which are key for making substantial deliveries on key citizens benefits (health, quality of life) and future growth and competitiveness of the automotive and energy sector. While PO3 also provides this feature, PO2 leaves greater autonomy and flexibility to Member States, while ensuring the same overall outcome, and provides sufficient lead time for the introduction of relevant waterborne and aviation alternative fuels infrastructure.

From the overall perspective of ensuring an effective and (cost-) efficient approach that also fully respects coherence aspects, PO2 fares best among the three POs. It strikes the best balance between the achieved objectives and the implementation cost. It addresses all needs for sufficient infrastructure for light- and heavy-duty road transport vehicles and vessels as well as aircraft, taking into account the maturity of different technologies and the evolving demand from the growing fleet of vehicles and vessels. Annex 5.2 includes a detailed description of the regulatory measures included under this policy option.

8.3. **REFIT** (simplification and improved efficiency)

This initiative has an important REFIT dimension in terms of updating and thereby increasing the level of ambition of the current requirements for rollout of public accessible recharging and refuelling infrastructure under the Alternative Fuels Infrastructure Directive.

Much more ambitious objectives under this Directive are necessary to ensure that there is sufficient and fully interoperable recharging and refuelling infrastructure in place to support the needed market take up of zero- and low-emission vehicles in line with the overall policy ambition of the "Fit for 55" package and its related policy initiatives. At the same time, while increasing the overall policy ambition, the review also includes some important simplification aspects.

Public authorities at national, regional and local authorities will face higher cost as the installation of a sufficient infrastructure for recharging and refuelling of vehicles and vessels will require public support, particularly in areas, where initial demand is low. Higher investment cost will also relate to charge point operators, grid operators or port operators.

Such higher investment cost have to be seen, however, also against the backdrop of significantly increased user demand and large-scale opportunities for creation of new markets and business models. The review of policies under the "Fit for 55" policy package, including initiatives such as the revision of the CO_2 standards for cars and vans, and other initiatives such as FuelEU maritime will enable the market take up of zero-emission vehicles as well as servicing the vessels equipped with OPS.

In addition, this initiative includes elements of simplification:

- Replacing the current system of domestic target setting by Member States under their national policy frameworks with a clear approach that sets common requirements to Member States to ensure that infrastructure rollout is in line with emerging fleet development, while at the same time fully equipping the TEN-T core and comprehensive network: this will simplify the business operations of charge-point operators and mobility service providers in the internal market. They will face similar minimum requirements in all Member States. At the same time, the trust of consumers into the robustness of a Pan-EU network of recharging and refuelling infrastructure is increased which will support the overall profitability of recharging and refuelling points and support a stable business case.
- Clear minimum requirements for transparent user information and ad-hoc payment services anywhere in the EU, while also ensuring a provisioning of all relevant data to national data access points of Member States will also benefit market actors. Those requirements will simplify the use of the infrastructure by private and corporate consumers, which currently face a plethora of use approaches, and enable better business service innovation.

This simplification affects primarily charge point operators and mobility service providers. The level of intervention is appropriate in relation to existing business practice (e.g. on providing prices more transparently will not induce substantively higher cost; providing static and dynamic data to national access points will not induce substantively higher cost; providing harmonised minimum conditions for ad-hoc payment provides some, but no intolerable cost), but create a better level-playing field in the internal market that will support both the scaling-up of business practice and the invention of new user services. Consumers and automotive manufacturers benefit from better availability of infrastructure and use services as well as greater certainty about user acceptance of alternative fuels vehicles respectively. All market actors and user groups will benefit from lower information cost and in the case of market actors lower legal compliance cost in the medium term, as the requirements for infrastructure provisioning under the Directive are better harmonised. The overall higher cost for Member States for the rollout of alternative fuels infrastructure are a consequence of the necessary transition to a sustainable mobility system, as backed by the overall political commitment of Member States to the long-term objective of climate neutrality. Such cost have to been put into the broader context of the transition to zero-emission mobility and the broader net savings of such approach, as outlined in the Impact Assessment for the revision of the CO_2 standards for cars and vans. Investment into public accessible infrastructure is a necessary condition to reach those overall net savings.

In addition to support market development, public authorities will also have to install a system of monitoring and compliance of national minimum targets, which could work against the simplification aspects initially. However, monitoring and reporting cost on the implementation of targets and other minimum requirements will be facilitated by a much more coherent approach to common data provisions by market actors and their accessibility through the national access points under the ITS Directive, which are expected to reduce cost for regulatory compliance for public authorities in the short-to-medium term.

In the end, public authorities can also benefit from the provisions of a coherent EU wide framework that will also simplify coordination with public and private market actors.

9. HOW WILL ACTUAL IMPACTS BE MONITORED AND EVALUATED?

The Commission will follow the progress, the impacts and results of this initiative through a set of regular monitoring tools as well as dedicated evaluations.

The deployment of alternative fuels infrastructure will be the main criterion to evaluate the impacts of the proposed revision of the Directive. Well established monitoring instrument will be used to follow the deployment. The existing planning and reporting mechanisms under the Directive, the National Policy Frameworks and National Implementation reports, will be further strengthened. This will ensure that Member States appropriately plan the infrastructure in line with the targets set in the Directive and report to the Commission on the implementation in a coherent manner. Data provision to the National Access Points of Member States will follow commonly agreed data quality standards. In addition, the European Alternative Fuels Observatory¹¹⁰ will continue to gather and frequently update vehicle uptake and infrastructure deployment in all Member States. Those instruments combined will enable the Commission to monitor and evaluate impacts.

With respect to ensuring interoperability, the Commission will issue standardisation requests to CEN-CENELEC and then follow up with the European Standardisation Organisations on the established timelines for their development. Dedicated working groups under the Sustainable Transport Forum (STF) established under the Directive will equally monitor the progress and identify further standardisation needs.

In the area of user information and payment systems, dedicated subgroups under the STF will monitor market developments. In addition the Commission may commission a study to analyse for each Member State the implementation of the provisions with regards to user information and market operations to identify possible shortcomings in the implementation of the Directive.

¹¹⁰ www.eafo.eu

The Commission will also initiate an evaluation to verify whether the objectives of the initiative have been reached, based on the data from the observatory, the NPFs/NIRs and the STF. A full review of the Directive is scheduled for end of 2026 to identify any possible shortcomings but also to identify future needs for legislative actions with respect to emerging technologies, e.g. electric/hydrogen infrastructure for aircrafts, rail and shipping and alternative fuels infrastructure for emerging fuels such as ammonia, methanol and electricity. The list of operational objectives, indicators and data sources is presented in Annex 9.

ANNEX 1: PROCEDURAL INFORMATION

1 Lead DG, DEcide Planning/CWP references

The lead DG is Directorate General for Mobility and Transport (MOVE), Unit B4: Sustainable & Intelligent Transport

DECIDE reference number: PLAN/2019/6184

The development of this initiative was announced under item 1i) in Annex 1 to the Commission Work Programme 2021¹¹¹. The Inception Impact Assessment was published on 6 April 2020¹¹².

2 Organisation and timing

The Inter Service Steering Group (ISSG) for the evaluation was set up in March 2019 and includes the following DGs and Services: SG, LS, CLIMA, ENV, ENER, RTD, GROW, MARE, COMP, TAXUD, ECFIN, EMPL, JUST and JRC. The ISG was later extended to cover also the Impact Assessment of the Directive.

The ISSG approved the Impact Assessment roadmap, the Terms of Reference for the External Support Study and the questionnaire for the Open Public Consultation and discussed the main milestones in the process, in particular the different deliverables of the support study. In total, 8 meetings of the ISSG were organised to discuss the evaluation, including virtual meetings, due to the COVID-19 crisis. These meetings took place on 11 September 2019, 31 January 2020, , 2 April 2020, 17 June 2020, 23 September 2020, 19 October 2020, 13 January 2021 and 26 March 2021. Further consultations with the ISSG were carried out by e-mails. When necessary bilateral discussions were also organised with the most concerned services.

3 Consultation of the RSB

The Regulatory Scrutiny Board received the draft version of the impact assessment report on 7 April 2021. The Board meeting took place on 5 May 2021. The board issued a positive opinion on 7 May 2021. The Board made several recommendations. Those were addressed in the revised impact assessment report as follows in the table below.

RSB recommendations for IA resubmission	Modification of the IA report
	Main considerations
1) The difference between the options and how they link to the identified problems is not always clear.	Section 5.2, including table 2, were updated to provide more detail and better explain the differences between the options and how they link to the problems
2) The report is not sufficiently nuanced on the extent to which the expected impacts stem from this specific initiative or from other policies, or a combination thereof.	More explanations have been added in sections 6.3.1 and 6.3.2 in order to address this point.
Ad	justment requirements
(1) The report should clarify the content of the options and be more explicit about	Section 5.2, including table 2, were updated to provide more detail and better explain the differences between the options

¹¹¹ https://ec.europa.eu/info/publications/2021-commission-work-programme-key-documents_en ¹¹² https://ec.europa.eu/info/law/better-regulation/have-your-say/initiatives/12251-Revision-of-Alternative-Fuels-Infrastructure-Directive

RSB recommendations for IA resubmission	Modification of the IA report
the differences between them. It should clarify which measures are part of which options. It should better link the options to the problems they are expected to address.	and how they link to the problems
(2) The report should better explain which climate and pollution impacts can reasonably be attributed to the Alternative Fuels Infrastructure initiative. It should take into account that climate impacts largely derive from other 'Fit for 55' initiatives. Qualitative analysis could indicate the kinds of impacts this initiative could have.	More explanations have been added in sections 6.3.1 and 6.3.2 in order to address this point.
(3) The report could better explain the assumptions and logic of the investment needed for the deployment of the infrastructure. It should show how and why public support is expected to decrease over time and where and when private sector investment is foreseen.	Additional explanations have been added on the required private and public investments in section 6.1.3.
(4) The report should better explain the coherence and interaction between the proposed options and the obligation from the FuelEU Maritime initiative for certain types of ships to use onshore power supply.	Explaniations on the interlinkages between the FuelEU maritime and AFID have been added in section 5.2.
(5) The report could make better use of stakeholder views when describing the problem and the options. It should provide a break down of views across different groups.	A breakdown of views has been added in annex 3 and stakeholder views are addressed throughout the document.

4 Evidence, sources and quality

The impact assessment is based on research/analyses done by the Commission. The Commission also contracted an external, independent consultant (Ricardo) to support this impact assessment. The external support study will be published alongside this report.

Qualitative and quantitative data supporting this impact assessment has been collected from Member States, operators of recharging and refuelling infrastructure, service providers in the area of electro-mobility, fuel producers and distributors, electricity suppliers, Distribution System Operators, technology producers, academia and nongovernmental organisations.

Modelling of the policy options in a consistent way with the scenarios prepared in support of the Climate Target Plan has been performed by E3Modelling with the PRIMES-TREMOVE transport model. This report also draws on the activities of the Sustainable Transport Forum, a Commission's expert groups with industry stakeholders and Member States representation, which was established under the directive.

ANNEX 2: STAKEHOLDER CONSULTATION

1. INTRODUCTION

This annex provides a summary of the outcomes of the consultation activities which have been carried out for the review of the Alternative Fuels Infrastructure Directive, including in the context of the external support study. It notes the range of stakeholders consulted, describes the main consultation activities and provides a succinct analysis of their views and the main issues they raised.

The objective of the consultation activities were to collect information and opinions of stakeholders on the key problem definitions and associated drivers, definition of relevant policy objectives linked to those problem areas and the identification, definition and screening of policy measures that could eventually be incorporated into policy options for this Impact Assessment as well as organise information and opinions on their likely impacts.

The main consultation activities included:

- An Open Public Consultation (OPC), organised by the European Commission that did run from 06 April 2020 to 29 June 2020. The OPC took account of both the Impact Assessment and the evaluation of this Directive.
- Exploratory interviews with EU level representatives of key stakeholders, particularly to support and refine the overall problem definition and possible policy options.
- A targeted stakeholder consultation organised by the consultant in charge of the external support study to the Impact Assessment running from December 2021 to February 2021 and including targeted surveys among key stakeholders as well as targeted interviews and data requests to fill specific information requests, particularly to support the assessment of impacts of possible policy measures

The Commission draw also strongly on the outcomes of a broad stakeholder consultation exercise on problems and future policy needs in the field of alternative fuels infrastructure that the Commission carried out among the member of the Sustainable Transport Forum, the key expert group of the Commission, in the time period of October 2018 to November 2019 and that led to the adoption of a comprehensive report by the plenary of the Sustainable Transport Forum in November 2019¹¹³. Findings of that exercise helped design the overall consultation activities carried out in the context of this Impact Assessment.

The information collected from stakeholders was key in allowing the Commission to refine the design of the POs as well as to assess their economic, social and environmental impacts, compare them and determine which PO is likely to maximize the benefits/costs ratio for the society and fully contribute to achieving the 2030 climate ambition and the 2050 long-term climate neutrality objective. Findings from those processes complemented the desk research carried out in the context of the external support study.

¹¹³ https://ec.europa.eu/transport/sites/transport/files/2019-stf-consultation-analysis.pdf

2. METHODOLOGY

The remainder of the annex presents the main findings from the analysis of stakeholder contributions to the consultation process. They are structured around the main elements of the intervention logic, namely problems and their drivers, key policy objectives as well as key needs and possible aspects of policy design. In general, the initiative as presented in the IIA received positive reactions. A broad majority of sector representatives underlined the strong relevance of providing sufficient alternative fuels infrastructure for the needed uptake of zero- and low-emission vehicles. A broad majority of respondents also agreed to the four main policy priority areas outlined in the IIA. Some contributions called for the need to exclude fossil alternative fuels from the scope of the Directive, while other contributions called for keeping a broad approach including all alternative fuels in view of overall technological neutrality. Many contributions stressed the need for replacing the current approach of national policy frameworks with more binding, quantified targets at European level. Moreover, a broad majority of contributions stressed the need for achieving full interoperability and simplifying the use conditions for customers, including full and transparent information and payment services.

2.1. Feedback on the Inception Impact Assessment

The Commission received 86 responses to the Inception Impact Assessment $(IIA)^{114}$ for this initiative during 06 April to 04 May 2020.

Most of the response were provided by companies and business associations (61 out of 86), including actors from both road and waterborne transport and across the entire value chain, also involving energy sector/fuel suppliers representatives., NGOs and citizens also replied to the IIA as well as one cities network. No Member State public authorities provided feedback.

2.2. Open Public Consultation

The Commission launched the 12-week OPC on 6 April and it closed on 29 June 2020. The OPC invited all citizens and organisations to provide input on both the Evaluation and the Impact Assessment of the AFID¹¹⁵. In total, **324 responses** were received. The breakdown by stakeholder type is shown in Table below.

¹¹⁴ https://ec.europa.eu/info/law/better-regulation/have-your-say/initiatives/12251-Revision-of-Alternative-Fuels-Infrastructure-Directive ¹¹⁵ The evaluation input was analysed in the stakeholder consultation report supporting the Evaluation Final Report.

Stakeholder group	Number of responses	% of responses
Company/business organisation	107	33%
Business association	80	24.7%
Public authority (national, regional and local authorities)	28	8.6%
Non-governmental organisation (including relevant industry associations)	22	6.8%
Consumer organisation	7	2.2%
Environmental organisation	1	0.3%
Academic/research institute	1	0.3%
EU citizen	70	21.6%
Non-EU citizen	1	0.3%
Other	7	2.2%

Table 42: Classification of stakeholders responding to the OPC

In terms of geographical/Member State distribution, the majority of respondents indicated that their country of origin was one of the EU Member States (315 respondents). Nine respondents were based outside of the EU. The number and percentage of respondents by country of origin is shown in the following table:

Country of origin	Number of responses	% of responses	Country of origin	Number of responses	% of responses
Belgium	60	18.5	Slovakia	2	0.6
France	53	16.4	Denmark	1	0.3
Italy	50	15.4	Estonia	1	0.3
Germany	49	15.1	Greece	1	0.3
Sweden	19	5.9	Luxembourg	1	0.3
Netherlands	17	5.2	Malta	1	0.3
Spain	11	3.4	Romania	1	0.3
Austria	10	3.1	Canada	1	0.3
Czech Republic	8	2.5	Grenada	1	0.3
Poland	8	2.5	Israel	1	0.3
Finland	6	1.9	Japan	1	0.3
Hungary	6	1.9	Norway	1	0.3
Ireland	5	1.5	Switzerland	1	0.3
Slovenia	3	0.9	United Kingdom	2	0.6
Latvia	2	0.6	United States	1	0.3

Table 43: Geographical distribution of responses received

2.3. Exploratory interviews and targeted consultations

Four exploratory interviews were undertaken with selected stakeholders during the inception phase of the study, including with AVERE, NGVA Europe, T&E and ACEA. Those interviews helped to refine the problem definition and the possible policy options. Furthermore, these interviews have contributed to the process of designing the draft survey questions and interview guides.

Further interviews were conducted and an online survey was distributed. Both the interviews and the survey were aimed at a range of relevant stakeholders representing public authorities and other public bodies (national, regional and local authorities, EU bodies) industry representatives (including relevant associations), and members of the civil society (NGOs, consumer groups).

The interviews and surveys focused on obtaining detailed input on the expected impacts (economic, social and environmental) of the measures under consideration in comparison to the baseline, the possible issues that may arise and identifying the level of support for specific measures. Where relevant, stakeholders were asked for input on the cost implications of each measure. Surveys and interviews commenced end October 2020 and concluded January 2021.

Type of stakeholder	Number of interviews conducted	Number of additional surveys received	Total
Public authorities and other public bodies	3	17	20
Industry and associations	16	25	41
Civic society	5	n/a	5
TOTAL	24	42	66

The full list of stakeholders interviewed is included in the external support study.

3. Analysis of the results of the stakeholder consultation

The remainder of the annex presents the main findings from the analysis of stakeholder contributions to the consultation process. They are structured around the main elements of the intervention logic, including the problem areas and their drivers, the policy objectives as well as the key aspects of the design of possible policy measures. The technical support study for this Impact Assessment contains the detailed presentation of findings from the OPC and the targeted consultation activities.


3.1. Problem areas and policy objectives

In the OPC, almost all OPC respondents (98%, or 296 out of 303) confimed the continued relevance of a clear policy framework for alternative fuels infrastructure.


Respondents to the OPC showed a large consensus about the relevance of the identified problem areas and their problem drivers (figure 5). When adding qualitative results from the stakeholder interviews, studies and position papers that were submitted as part of the OPC and analysed in the context of the technical support study alongside the replies to the OPC the conclusion is that there is a broad consensus among all relevant stakeholders

groups on the main problems as identified by the initiaitve, while they also support the underlying objectives of ensuring accelerated rollout of alternative fuels infrastrucutre, full interoperability and sufficient consumer information.


Figure 6: Stakeholder views on key problem drivers.




"There is uneven and insufficient deployment of alternative fuels infrastructure within a Member State because the Directive does not specify in sufficient detail the requirements for the roll out of alternative fuels infrastructure, with respect to the required number and technical requirements."



"There is uneven and insufficient deployment of alternative fuels infrastructure across Member States because the Directive does not ensure that Member States cooperate with stakeholders and with other Member States to deliver a sufficiently dense and interoperable network throughout the EU."




"Users cannot easily recharge or refuel their vehicles/vessels throughout the EU because the directive does not ensure a uniform approach towards the use of alternative fuel infrastructure and subsequent payments."



The OPC also showed a large consensus about the importance of revising the identified aspects of AFID (figure 6). Those aspects include particularly the provisions to ensure appropriate infrastructure coverage, to ensure interoperability and user information as well as technical specifications. The aspect identified in the OPC as being most important to revise was '*provisions on ensuring an appropriate infrastructure coverage*', with 267 (out of 299 respondents) indicating it was either very important or important. This was followed by '*provisions on interoperability and user information*' (251 out of 299

respondents) and '*provisions on monitoring and reporting*' (203 out of 292). The aspect considered to be least important in terms of revision was '*scope with respect to fuels addressed in the Directive*', with 58 out of 324 stating it was not important, and a further 45 stating is was less important.

Figure 7: stakeholder views on the importance on the revision of parts of the Alternative Fuels Infrastructure Directive



3.2. Potential policy measures

According to the OPC results, all of the envisaged policy measures are broadly regarded to be of importance at least to some extent.

Mandatory deployment targets

Respondents to the OPC considered the following areas to be the most useful (very useful or useful) with respect to mandatory infrastructure targets in road transport -


electricity for cars and vans (196 out of 279 respondents), electricity for heavy duty vehicles (177 out of 280), electricity for buses (166 out of 278) and hydrogen for heavy duty vehicles (141 out of 275). Those areas with a high number of responses stating that they were not useful included CNG for cars and vans (57 out of 280 respondents), hydrogen for cars and vans (55 out of 273), LNG for inland navigation (53 out of 278) and LNG for heavy duty vehicles (51 out of 273). A full listing for all the different targets in the different modes of transport is included in the technical support study. In waterborne transport, respondents to the OPC noted that in case of mandatory targets port service providers should offer in ports of the TEN-T network electricity with highest priority throughout all stakeholder groups (129 responses, multiple responses possible). This was followed by hydrogen (91 responses) and LNG (66 responses).


Moreover, the greatest number of stakeholders (129 out of 267 responses) agreed that deployment targets should address the entire transport network, while a smaller number (56 out of 267 responses) stated that they should be applicable to the TEN-T core and comprehensive network, and an even smaller number (48 out of 267) stating that they should be applicable only to the TEN-T core network, including the most important transport connections and nodes in EU represented by the core network corridors.

Stakeholders predominantly opted for European legislation to set binding targets for Member States following a common methodology (142 out of 268 respondents). Stakeholders majority (140 out of 261 responses) also stated that compliance could best monitored through the reporting of public authorities in Member States to the EU

Mandatory requirements for full interoperability

There was a large-scale agreement in the OPC about the need for further mandatory technical requirements/standards to ensure full interoperability of infrastructure and services across Europe. 222 out of 294 stakeholders across all groupings indicated that they did. Only 36 stakeholders did not agree.





The majority of follow-up responses to needs for technical interoperability concerned a range of different aspects of electric vehicle recharging, including for open standards and communication protocols. Those were corroborated by the feedback from the targeted consultations and the findings from a broad range of literature analysed in the context of the technical support study.

Minimum requirements for consumer information and payment services

Stakeholders through the OPC and the targeted consultations regarded all of the policy measures in this area to be relevant, at least to some extent.

- Stakeholders identified a clear need for making available *information on alternative fuels infrastructure to users by digital means* (e.g. an app). 244 out of 292 respondents to the OPC confirmed this as relevant. This view was corroborated by information from the targeted consultations about the need for digital connectivity of recharging and refuelling stations. Information to be particularly provided include location of recharging and refuelling points, operator information and opening hours as well as the type of recharging and refuelling point (e.g. power, installed capacity, available connector type etc.).
- Stakeholders, however, also pointed to the indispensable need for improving *physical signposting for recharging and refuelling points* and the need for common provisions. 180 out of 285 stakeholders agreed that such provisions are needed. This was the trend throughout all stakeholder groups.
- In relation to *payment service provisions*, the largest group of stakeholders noted that payment by bank cards should be the main mechanism (69 out 147), whereas a considerably smaller group noted that this should happen by smartphone/ banking app (36 out of 147).
- With regard to the need for *harmonisation of the display of recharging fees*, a clear majority of stakeholders (187 out of 278 respondents) agreed that there should be EU wide provisions. Only 32 stakeholders responded 'no'. The highest selected option (229 out of 277 responses) was that refuelling/recharging prices should be displayed in every digital app that provides information on charging infrastructure, while a slightly lower majority (214 out of 277) noted relevance of display at the refuelling/recharging station. The third highest selected answer was prices to be displayed in every vehicle information system with much fewer votes at 90 overall. These trends were consistent throughout all stakeholder groups. Stakeholders also provided feedback that there should be possible exemption possibilities to enable a more flexible handling of minimum requirements in view of diverging implementation conditions.
- With regard to *market access for service providers*, respondents to the OPC showed a mixed response, but the highest picked option was that all e-mobility service providers should be allowed to offer their services at any charge-point at a non-discriminatory price set by the charge-point providers. There was confirmation in the targeted consultation that prices should be set in separate negotiations between the charge point operator and the mobility service provider.

Figure 9: overview to responses about policy measures introduced at EU level regarding market access to services



25%

73

49

6

100%

10

3.3. Possible impacts

0%

In every case, the majority of respondents fully agreed or agreed with expected *positive* economic aspects of the review of the Directive. The areas with marked support from stakeholders include:

• Intended measures under the review of this Directive will contribute to a bigger market in the EU for alternative fuels (255 out of 286 responses);

50%

Responses

75%

- Intended measures under the review of this Directive will lead to growth and jobs in the production of vehicles/vessels and manufacturers of alternative fuels infrastructure (244 out of 284 responses);
- Intended measures under the review of this Directive will have a positive impact on research and innovation (243 out of 284 responses);
- Intended measures under the review of this Directive will improve international competitiveness of European industry (229 out of 283 responses).

In addition, a majority of stakeholders agreed to the *positive environmental impacts* of this policy initiative. 265 out 275 stakeholders agreed that the measures would lead to less emissions of CO_2 from vehicle/vessel fleets. Only 6 stakeholders from industry and 4 from citizens voted 'rather disagree'. 267 out of 274 stakeholders agreed that the measures would lead to less emissions of air pollutants from vehicle/vessel fleets. Only 7 votes disagreed, 1 from citizens and 6 from industry which also contained 1 'completely disagree'. 257 out of 261 stakeholders agreed that the measures would have positive effects on human health with the 4 negative votes spread between industry, citizens and authorities.

Stakeholders were split in their views on positive and negative impacts on the increase of administrative burden. 104 stakeholders agreed that there will be increase in administrative burden, while 122 disagreed. Industry and civic society had more votes

indicating disagreement with 73 disagreements compared to 56 agreements for industry and 17 disagreements compared to 8 agreements for civic society. Citizens only slightly favoured agreement with 30 votes compared to 28 whilst 10 authorities agreed compared to only 4 disagreeing.

3.4. Differences among stakeholder groups

Virtually all consulted stakeholders supported the main problems and objectives addressed in this report. As regards the fuels to be included in the scope of the Directive, environmental NGOs, a majority of stakeholders from the electric mobility community and from citizens objected the continued inclusion of LNG, in particular for road transport. In their opinion, only zero-emission powertrain technologies should be supported, politically and financially. Industry representatives, particularly from the natural gas industry and from the biofuels industry, strongly advocated for natural gas to remain within the scope of the Directive, as any infrastructure that is build today can also be used for sustainable biogas and synthetic gas in the future. Those fuels would be fully in line with the EU's ambition under the European Green Deal. For shipping a similar actor constellation can be found. Comparatively there was greater support to keep LNG in the scope of the Directive, as especially for the maritime sector there are currently no proven and economically viable alternatives to LNG available.

Regarding binding minimum targets set at EU level, there was quite a broad supportive call from automotive industry, electro mobility stakeholders, hydrogen industry and citizens for ambitious mandatory targets for electric recharging and hydrogen refuelling infrastructure. More mixed responses came from the energy sector, but still showing some support for targets that would be reflective of real vehicle uptake. Public authorities showed greater reservations. For shipping there were strong calls from environmental NGOs to introduce mandatory targets for on-shore power supply. The shipping industry and ports called for a more open goal based approach.

Throughout all stakeholder groups, the consultation showed broad support for continuing the norming of common technical specifications for all transport modes and all alternative fuels infrastructure on the basis of European standards. There was a similar support extending this approach of technical specification to communication protocols/interfaces in the electro mobility domain. There was equally wide stakeholder support for all measures improving consumer information. Operators of recharging points pointed to the potential costs that mandatory bank card payments through only terminal solutions would induce.

ANNEX 3: WHO IS AFFECTED AND HOW?

PRACTICAL IMPLICATIONS OF THE INITIATIVE

Summary of the preferred policy option implementation

The revision of the Alternative Fuels Infrastructure Directive aims at ensuring the availability and usability of a dense, wide-spread network of alternative fuel infrastructure throughout the EU. Ensuring such a network is critical to fully support the uptake of zero- and low-emission vehicles and vessels in the EU which is relevant for ensuring the contribution of the sector to the increased climate ambition by 2030 and to the European ambition of achieving climate-neutrality in the EU by 2050. All users of alternatively-fuelled vehicle/vessel/aircraft shall circulate at ease across the EU, enabled by key infrastructure such as motorways, ports and airports.

The preferred policy option identified in the context of this Impact Assessment, policy option 2, sets minimum targets for road transport infrastructure at national level, including a vehicle-fleet based minimum target for recharging infrastructure of light-duty electric vehicles and distance-based targets for recharging and refuelling infrastructure for light- and heavy-duty electric and hydrogen-fuel cell vehicles as well as LNG trucks. The preferred policy option further sets minimum requirements for installation of on-shore power supply (OPS) in maritime and inland waterway TEN-T core and comprehensive ports, while continuing the requirement of the current Directive for provisioning of LNG refuelling points in TEN-T core maritime ports to ensure to address infrastructure needs for emerging alternative fuels technologies in modes of rail, waterborne and aviation through their national policy frameworks under this Directive, which will be continued in a revised format.

The preferred policy option envisages further common minimum requirements for interoperability of alternative fuels infrastructure, including defining further common technical specifications, and common minimum requirements for adequate customer information and payment options. Here, the preferred policy options aims at providing consumers with a full understanding of location, accessibility and availability of recharging and refuelling points as well as a pricing conditions and modes of payment, where minimum conditions for effective and simplified ad-hoc payment on the basis of bank cards will apply. Infrastructure operators will be required to share static and dynamic data through the national or common access points of Member States, as established under the Intelligent Transport Systems Directive. This will assist the monitoring of compliance and enforcement as well as support scaling-up of innovative use services and thus support the creation of a full internal market (see also annex 5.3 for a detailed description of the preferred policy option).

Implications on consumers, market actors and public authorities

The revision has implications for different actors across modes of transport. The following key target groups of this initiative have been identified:

- Operators of recharging and refuelling infrastructure for road transport
- Mobility service providers for recharging and refuelling of road transport vehicles
- Port operators
- Airport operators

- Distribution system operators
- Public authorities a national, regional and local levels
- Vehicle and equipment manufacturers and suppliers
- Fuel producers and suppliers
- Private vehicle users
- Logistic operators, including road and ship operators
- Airlines
- Rail operators

The remainder of this annex indicates how these actors are affected by this policy initiative. It needs to be noted that some actors can fulfil different roles at the same time, e.g. quite a few distribution system operators (electricity grid) also operate recharging infrastructure and offer electric mobility services, for example. Quite a few vehicle and equipment manufacturers also have started to provide charging services or even run recharging infrastructure. Benefits and cost can hence not always be attributed clearly to individual actors.

In **road transport**, charge point operators, refuelling point operators and distribution system operators are the stakeholder category mostly impacted by the proposed intervention. Charge point operators and refuelling point operators have to put into place the sufficient electricity recharging and hydrogen refuelling infrastructure in accordance with the provisions of the revised Directive, including for interoperability, consumer information and payment services. The implications for LNG infrastructure are modest, as only a very limited number of refuelling stations will need to be constructed to fill remaining gaps in the TEN-T network. Distribution system operators will have to invest into grid stability and flexibility and – where necessary -into grid extensions, in particularly in view of HDV recharging needs. Overall cost are more limited in the early phase of the intervention and increase later on. Moreover, increased demand from a quickly growing fleet of zero- and low-emission vehicles will lead to quickly improving conditions for profitability of recharging and refuelling infrastructure in many instances, leading over time to a fully mature market development model, where revenue of operations will enable infrastructure deployment and maintenance.

Measures for interoperability, consumer information and data sharing also impact on mobility service providers that sell recharging and refuelling services to their customers, but do not operate the infrastructure themselves. Their costs are however relatively low; overall those actors will strongly benefit from increased vehicle demand and increased infrastructure availability.

Public authorities are affected in two ways: They have to continue public support in areas where market demand is initially low. However, while aid intensities may be high in the initial stages, the commercial profitability of recharging and refuelling infrastructure will increase, only requiring limited support for recharging and hydrogen refuelling stations post 2030 while no public support is expected post 2030 for natural gas infrastructure. Moreover, they face cost for reviewing and updating their national policy frameworks (NPFs) and subsequently report on the implementation, including the organisation of stakeholder exchange to identify emerging needs for alternative fuels in all modes of transport and setting up a framework for discussing how to best address those needs, including through, for example extended coordination of R&I and deployment efforts at national level and cross-border with other Member States. However, these costs are not expected to be different from the baseline scenario. Data reporting will make use of the existing provisions for national access points under the ITS directive and will draw on

requirements for data categories and data quality standards, that Commission and Member States authorities are already developing.¹¹⁶

All vehicle users (private and commercial) benefit from the provisions of this Directive, as the review provides certainty about the usability and use conditions of recharging and refuelling infrastructure in the Union. Automotive and equipment manufacturers and suppliers benefit from the review, as the revised provisions support the required market take up of zero and low-emission vehicles and ensure investment in the infrastructure. Indirectly, they will be in a position to strengthen their competitiveness position and growth paths in the quickly accelerating markets of zero-emission vehicles. Fuel suppliers are indirectly impacted, as they have to provide hydrogen to an increased network of hydrogen stations. They directly profit from increased demand for renewable and low carbon transport fuels through a largely extended transport infrastructure network.

In waterborne transport, ports are directly affected by the provisions of this policy initiative. Maritime and inland ports on the TEN-T core and comprehensive network have to invest into infrastructure for OPS connections for ships at berth (focussing on container ships, passenger ships and ro-pax vessels), which will also lead to an increase in support from public authorities. Ports will also have to plan their long-term fuel mix strategies, including planning for specific infrastructure dedicated to hydrogen or ammonia or recharging of battery-electric ships. But there is no direct impact from provisions under this review. While maritime ports face no change in investment cost for LNG infrastructure in relation to the baseline, as the requirement of the current Directive continues, inland ports are relieved from investment into LNG as there is no longer a requirement for LNG infrastructure compared to the baseline. Ports will also face compliance cost in terms of reporting on their infrastructure provisioning and in view of their participation to strategy formation under the national policy frameworks review.

Ship operators indirectly benefit from this initiative. Subject to requirements for emission savings under the FuelEU Maritime initiative, this policy initiative enables infrastructure provisions that will help ship operators to meet part of their emission saving obligation, particularly through the use of on-shore power supply. Moreover, ports will provide the infrastructure needed to use all sustainable alternative fuels supposed to be blended with conventional fuels, that will help meet overall FuelEU Maritime obligations.

In **aviation transport**, airport operators are directly affected by the provisions of this policy initiative. Main additional investment cost stem from the provisions for electricity supply at gates and outfield posts. Airports will also have to plan their long-term fuel mix strategies, including planning for specific infrastructure dedicated to hydrogen or ammonia or recharging of battery-electric ships. But there is no direct impact from provisions under this review.

Airlines indirectly benefit from this initiative. Subject to requirements for emission savings under the RefuelEU aviation initiative, airports will provide the infrastructure needed to use all sustainable alternative fuels supposed to be blended with conventional fuels, that will help meet overall RefuelEU aviation obligations, while ensuring electricity supply at all gates and outfield positions.

¹¹⁶ Both through a Programme Support Action under the Connecting Europe Facility of 15 Member States and through a subgroup in the context of the Sustainable Transport Forum of the European Commission.

SUMMARY OF COSTS AND BENEFITS

I. Overview of Benet		ns) – Preferred Option - PO2 (expressed relative to the baseline)
Description	Amount	Comments
	Dir	rect benefits
Consumer and business benefits		Consumers and businesses will directly benefit from a dense and fully interoperable recharging and refuelling infrastructure for their low and zero emission vehicles as well as from transparent information and better infrastructure use services (location, accessibility, pricing transparency, payments) which will simplify vehicle operation and save informational cost. These are equally important factors when it comes to purchase decisions and therefore a prerequisite for the widespread uptake of such vehicles.
	Indi	irect benefits
Reduction of external costs related to CO_2 emissions relative to the baseline (i.e. present value over 2021-2050)	€445 billion	Indirect benefit to society at large. It is the effect of the reduction in the CO_2 emissions resulting from the uptake of low- and zero-emission vehicles. The reduction in the external costs of CO_2 emissions is estimated at around ε 445 billion relative to the baseline over the 2021-2050 period, expressed as present value. These reductions are driven by other policies, but enabled by the uptake of infrastructure.
Reduction of external costs related to air pollution emissions relative to the baseline (i.e. present value over 2021-2050)	€75 billion	Indirect benefit to society at large. It is the effect of the reduction in the air pollution emissions resulting from the uptake of low- and zero-emission vehicles. The reduction in the external costs of air pollution emissions is estimated at around \notin 75 billion relative to the baseline over the 2021-2050 period, expressed as present value. These reductions are driven by other policies, but enabled by the uptake of infrastructure.
Innovation in the mobility sector		Provisions for static and dynamic data on recharging and refuelling infrastructure to national (and common) access points of Member States will create a commonly accessible database that will contribute to the development of new innovative services for using that infrastructure. Such common data infrastructure can particularly benefit service innovation and other innovation by SMEs. Moreover, standardisation of interoperability for smart recharging services will enable better innovative service development which will finally benefit electric vehicle users. This is particularly relevant for smart recharging services that will draw on such common technical specifications. They can bring benefits in terms of remuneration of recharging services, particularly for large-scale corporate fleet operators

II	. Overviev	w of cost	ts – Preferred op	ption - P(O2 (expressed relativ	ve to the	baseline)	
		Citize	ns/Consumers		Businesses	Administrations		
		One- off					Recurrent	
Investments and operation costs due to the requirements for infrastructure deployment (average annual costs relative to the baseline)	Direct costs				<i>Investments</i> €0.99 bn total average annual investments for 2021-2030 (€0.56 bn for road transport; €0.3648 bn for waterborne; €0.0672 bn for aviation); €3.96 bn total average annual investments for 2031-2050 for road transport. <i>Operation costs</i> €0.08871 bn total average annual operation costs for 2021-2030 (€0.07318 bn for road transport; €0.01553 bn for waterborne); €1.18107 bn total average annual operation costs for 2031-2050 (€1.16554 bn for road transport; €0.01553 bn for waterborne);		Investment support	
Administrativ e and monitoring costs	Direct costs						The costs to public authorities from the requirements to review and update the national policy frameworks (NPFs) and report on the implementation are the same as in the baseline. Monitoring costs may increase to some extent to report on compliance with the strict targets set. The additional costs	

				relative to the baseline can't be quantified; and the provision of standardised data formats, digitised data transfer and a common system of reporting to national access points of Member States will simplify overall reporting under the Directive.
--	--	--	--	---

ANNEX 4: ANALYTICAL METHODS

1. Description of the modelling tool used

The analytical framework used for the purpose of this impact assessment draws on the impact assessment support study¹¹⁷ and builds on the PRIMES and PRIMES-TREMOVE models, complemented by the assessment of the costs for public authorities, etc.

The main models used to produce the scenarios presented in this impact assessment (PRIMES and PRIMES-TREMOVE models) have a successful record of use in the Commission's energy, transport and climate policy assessments. In particular, they have been used for the impact assessment accompanying the 2030 Climate Target Plan¹¹⁸, the Staff Working Document accompanying the Sustainable and Smart Mobility Strategy¹¹⁹, the Commission's proposal for a Long Term Strategy¹²⁰ as well as for the 2020 and 2030 EU's climate and energy policy framework.

The PRIMES and PRIMES-TREMOVE models are the core elements of the modelling framework for energy, transport and CO_2 emission projections. In addition, the POLES-JRC¹²¹ model has been used for the world energy price projections and the GEM-E3 model¹²² for the macro-economic developments by sector of activity, the GAINS model has been used for non-CO₂ greenhouse gas emission projections, the GLOBIOM-G4M models for projections of LULUCF emissions and removals and the CAPRI model for agricultural activity projections in the baseline scenario.

The model suite thus covers:

- The entire energy system (energy demand, supply, prices and investments to the future) and all GHG emissions and removals from the EU economy.
- **Time horizon:** 1990 to 2070 (5-year time steps).
- **Geography:** individually all EU Member States, EU candidate countries and, where relevant the United Kingdom, Norway, Switzerland and Bosnia and Herzegovina.
- **Impacts:** energy system (PRIMES and its satellite model on biomass), transport (PRIMES-TREMOVE), agriculture, waste and other non-CO2 emissions (GAINS), forestry and land use (GLOBIOM-G4M), atmospheric dispersion, health and ecosystems (acidification, eutrophication) (GAINS).

The modelling suite has been continuously updated over the past decade. Updates include the addition of a new buildings module in PRIMES, improved representation of the electricity sector, more granular representation of hydrogen (including cross-border trade¹²³) and other innovative fuels, improved representation of the maritime transport sector, as well updated interlinkages of the models to improve land use and non-CO₂ modelling. Most recently a major update was done of the policy assumptions, technology

Ricardo et al (2021), Impact assessment on the revision of the Directive on the Deployment of Alternative Fuels Infrastructure (2014/94/EC)

¹¹⁸ SWD/2020/176 final.

¹¹⁹ https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A52020SC0331
¹²⁰ Source: https://europa.eu/lips/silog/disc/pages/sa

¹²⁰ Source: <u>https://ec.europa.eu/clima/sites/clima/files/docs/pages/com_2018_733_analysis_in_support_en_0.pdf</u>

¹²¹ The POLES-JRC model provides the global energy and climate policy context and is operated by the JRC. Source: <u>https://ec.europa.eu/inc/en/poles.</u>
2520 E320 (https://ec.europa.eu/inc/en/poles.

E3Modelling (<u>https://e3modelling.com/</u>) is a private consulting, established as a spin-off inheriting staff, knowledge and softwaremodelling innovation of the laboratory E3MLab from the National Technical University of Athens (NTUA).
 While cross-border trade is possible, the assumption is that there are no imports from outside EU as the opposite would require global

¹²³ While cross-border trade is possible, the assumption is that there are no imports from outside EU as the opposite would require global modelling of hydrogen trade.

costs and macro-economic assumptions in the context of the Reference scenario 2020 update.

The models are linked with each other in such a way to ensure consistency in the building of scenarios. These inter-linkages are necessary to provide the core of the analysis, which are interdependent energy, transport and GHG emissions trends.




Figure 10: Interlinkages between models

Energy: the PRIMES model

The PRIMES model (Price-Induced Market Equilibrium System)¹²⁴ is a large scale applied energy system model that provides detailed projections of energy demand, supply, prices and investment to the future, covering the entire energy system including emissions. The distinctive feature of PRIMES is the combination of behavioural modelling (following a micro-economic foundation) with engineering aspects, covering all energy sectors and markets.

The model has a detailed representation of policy instruments related to energy markets and climate, including market drivers, standards, and targets by sector or overall. It simulates the EU Emissions Trading System. It handles multiple policy objectives, such as GHG emissions reductions, energy efficiency, and renewable energy targets, and provides pan-European simulation of internal markets for electricity and gas.

The model covers the horizon up to 2070 in 5-year interval periods and includes all Member States of the EU individually, as well as neighbouring and candidate countries.

PRIMES offer the possibility of handling market distortions, barriers to rational decisions, behaviours and market coordination issues and it has full accounting of costs (CAPEX and OPEX) and investment on infrastructure needs.

PRIMES is designed to analyse complex interactions within the energy system in a multiple agent – multiple markets framework. Decisions by agents are formulated based on microeconomic foundation (utility maximization, cost minimization and market equilibrium) embedding engineering constraints and explicit representation of technologies and vintages, thus allowing for foresight for the modelling of investment in all sectors.

¹²⁴ More information and model documentation: <u>https://e3modelling.com/modelling-tools/primes/</u>

PRIMES allows simulating long-term transformations/transitions and includes non-linear formulation of potentials by type (resources, sites, acceptability etc.) and technology learning. The figure below shows a schematic representation of the PRIMES model.




Figure 11: Schematic representation of the PRIMES model

It includes a detailed numerical model on biomass supply, namely PRIMES-Biomass, which simulates the economics of current and future supply of biomass and waste for energy purposes. The model calculates the inputs in terms of primary feedstock of biomass and waste to satisfy a given demand for bio-energy and provides quantification of the required capacity to transform feedstock into bioenergy commodities. The resulting production costs and prices are quantified. The PRIMES-Biomass model is a key link of communication between the energy system projections obtained by the core PRIMES energy system model and the projections on agriculture, forestry and non-CO₂ emissions provided by other modelling tools participating in the scenario modelling suite (CAPRI, GLOBIOM/G4M, GAINS).

It also includes a simple module which projects industrial process GHG emissions.

PRIMES is a private model maintained by E3Modelling¹²⁵, originally developed in the context of a series of research programmes co-financed by the European Commission.

¹²⁵ E3Modelling (<u>https://e3modelling.com/</u>) is a private consulting, established as a spin-off inheriting staff, knowledge and softwaremodelling innovation of the laboratory E3MLab from the National Technical University of Athens (NTUA).

The model has been successfully peer-reviewed, last in 2011¹²⁶; team members regularly participate in international conferences and publish in scientific peer-reviewed journals.

Sources for data inputs

A summary of database sources, in the current version of PRIMES, is provided below:

- Eurostat and EEA: Energy Balance sheets, Energy prices (complemented by other sources, such IEA), macroeconomic and sectoral activity data (PRIMES sectors correspond to NACE 3-digit classification), population data and projections, physical activity data (complemented by other sources), CHP surveys, CO₂ emission factors (sectoral and reference approaches) and EU ETS registry for allocating emissions between ETS and non ETS
- Technology databases: ODYSSEE-MURE¹²⁷, ICARUS, Eco-design, VGB (power technology costs), TECHPOL supply sector technologies, NEMS model database¹²⁸, IPPC BAT Technologies¹²⁹
- Power Plant Inventory: ESAP SA and PLATTS
- RES capacities, potential and availability: JRC ENSPRESO¹³⁰, JRC EMHIRES¹³¹, RES ninja¹³², ECN, DLR and Observer, IRENA
- Network infrastructure: ENTSOE, GIE, other operators
- Other databases: EU GHG inventories, district heating surveys (e.g. from COGEN), buildings and houses statistics and surveys (various sources, including ENTRANZE project¹³³, INSPIRE archive, BPIE¹³⁴), JRC-IDEES¹³⁵, update to the EU Building stock Observatory¹³⁶

Transport: the PRIMES-TREMOVE model

The PRIMES-TREMOVE transport model projects the evolution of demand for passengers and freight transport, by transport mode, and transport vehicle/technology, following a formulation based on microeconomic foundation of decisions of multiple actors. Operation, investment and emission costs, various policy measures, utility factors and congestion are among the drivers that influence the projections of the model. The projections of activity, equipment (fleet), usage of equipment, energy consumption and emissions (and other externalities) constitute the set of model outputs.

The PRIMES-TREMOVE transport model can therefore provide the quantitative analysis for the transport sector in the EU, candidate and neighbouring countries covering activity, equipment, energy and emissions. The model accounts for each country separately which means that the detailed long-term outlooks are available both for each country and in aggregate forms (e.g. EU level).

In the transport field, PRIMES-TREMOVE is suitable for modelling *soft measures* (e.g. eco-driving, labelling); *economic measures* (e.g. subsidies and taxes on fuels, vehicles,

¹²⁶ SEC(2011)1569 : https://ec.europa.eu/energy/sites/ener/files/documents/sec_2011_1569_2.pdf

¹²⁷ https://www.odyssee-mure.eu/

¹²⁸ Source: https://www.eia.gov/outlooks/aeo/info_nems_archive.php ¹²⁹ Source: https://einpch.irc.ec.europa.eu/reference/

Source: <u>https://eippcb.jrc.ec.europa.eu/reference/</u>
 Source: <u>https://data.jrc.ec.europa.eu/collection/id-00138</u>

¹³¹ Source: <u>https://data.jrc.ec.europa.eu/dataset/jrc-emhires-wind-generation-time-series</u>

¹³² Source: <u>https://www.renewables.ninja/</u> ¹³³ Source: <u>https://www.renewables.ninja/</u>

¹³³ Source: <u>https://www.entranze.eu/</u> ¹³⁴ Source: <u>http://bpio.ou/</u>

Source: <u>http://bpie.eu/</u>
 Source: <u>https://ec.europa.eu/jrc/en/potencia/jrc-idees</u>

Source: <u>https://ec.europa.eu/energy/en/eubuildings</u>
 Source: <u>https://ec.europa.eu/energy/en/eubuildings</u>

emissions; ETS for transport when linked with PRIMES; pricing of congestion and other externalities such as air pollution, accidents and noise; measures supporting R&D); *regulatory measures* (e.g. CO₂ emission performance standards for new light duty vehicles and heavy duty vehicles; EURO standards on road transport vehicles; technology standards for non-road transport technologies, deployment of Intelligent Transport Systems) and *infrastructure policies for alternative fuels* (e.g. deployment of refuelling/recharging infrastructure for electricity, hydrogen, LNG, CNG). Used as a module that contributes to the PRIMES model energy system model, PRIMES-TREMOVE can show how policies and trends in the field of transport contribute to economy-wide trends in energy use and emissions. Using data disaggregated per Member State, the model can show differentiated trends across Member States.

The PRIMES-TREMOVE has been developed and is maintained by E3Modelling, based on, but extending features of, the open source TREMOVE model developed by the TREMOVE¹³⁷ modelling community. Part of the model (e.g. the utility nested tree) was built following the TREMOVE model.¹³⁸ Other parts, like the component on fuel consumption and emissions, follow the COPERT model.

<u>Data inputs</u>

The main data sources for inputs to the PRIMES-TREMOVE model, such as for activity and energy consumption, comes from EUROSTAT database and from the Statistical Pocketbook "EU transport in figures¹³⁹. Excise taxes are derived from DG TAXUD excise duty tables. Other data comes from different sources such as research projects (e.g. TRACCS project) and reports.

In the context of this exercise, the PRIMES-TREMOVE transport model is calibrated to 2005, 2010 and 2015 historical data. Available data on 2020 market shares of different powertrain types have also been taken into account.

2. Baseline scenario

In order to reflect the fundamental socio-economic, technological and policy developments, the Commission prepares periodically an EU Reference Scenario on energy, transport and GHG emissions. The scenarios assessment used for the "Fit for 55" policy package builds on the latest "EU Reference 2020 scenario" (REF2020).¹⁴⁰ This is also used as a baseline for this impact assessment.

The main assumptions related to economic development, international energy prices and technologies are described below. The same assumptions are used in the baseline and in the assessment of the policy options.

¹³⁷ Source: <u>https://www.tmleuven.be/en/navigation/TREMOVE</u>

¹³⁸ Several model enhancements were made compared to the standard TREMOVE model, as for example: for the number of vintages (allowing representation of the choice of second-hand cars); for the technology categories which include vehicle types using electricity from the grid and fuel cells. The model also incorporates additional fuel types, such as biofuels (when they differ from standard fossil fuel technologies), LPG, LNG, hydrogen and e-fuels. In addition, representation of infrastructure for refuelling and recharging are among the model refinements, influencing fuel choices. A major model enhancement concerns the inclusion of heterogeneity in the distances of stylised trips; the model considers that the trip distances follow a distribution function with different distances and frequencies. The inclusion of heterogeneity was found to be of significant influence in the choice of vehicle-fuels especially for vehicles-fuels with range limitations.

¹³⁹ Source: https://ec.europa.eu/transport/facts-fundings/statistics_en

¹⁴⁰ See the Reference scenario 2020 publication

Main assumptions of the Baseline scenario

The main assumptions related to economic development, international energy prices and technologies are described below.

Economic assumptions

The modelling work is based on socio-economic assumptions describing the expected evolution of the European society. Long-term projections on population dynamics and economic activity form part of the input to the energy model and are used to estimate final energy demand.

Population projections from Eurostat¹⁴¹ are used to estimate the evolution of the European population, which is expected to change little in total number in the coming decades. The GDP growth projections are from the Ageing Report 2021¹⁴² by the Directorate General for Economic and Financial Affairs, which are based on the same population growth assumptions.

		Population			growth
	2020	2025	2030	2020-'25	2026-'30
EU27	447.7	449.3	449.1	0.9%	1.1%
Austria	8.90	9.03	9.15	0.9%	1.2%
Belgium	11.51	11.66	11.76	0.8%	0.8%
Bulgaria	6.95	6.69	6.45	0.7%	1.3%
Croatia	4.06	3.94	3.83	0.2%	0.6%
Cyprus	0.89	0.93	0.96	0.7%	1.7%
Czechia	10.69	10.79	10.76	1.6%	2.0%
Denmark	5.81	5.88	5.96	2.0%	1.7%
Estonia	1.33	1.32	1.31	2.2%	2.6%
Finland	5.53	5.54	5.52	0.6%	1.2%
France	67.20	68.04	68.75	0.7%	1.0%
Germany	83.14	83.48	83.45	0.8%	0.7%
Greece	10.70	10.51	10.30	0.7%	0.6%
Hungary	9.77	9.70	9.62	1.8%	2.6%
Ireland	4.97	5.27	5.50	2.0%	1.7%
Italy	60.29	60.09	59.94	0.3%	0.3%
Latvia	1.91	1.82	1.71	1.4%	1.9%
Lithuania	2.79	2.71	2.58	1.7%	1.5%
Luxembourg	0.63	0.66	0.69	1.7%	2.0%
Malta	0.51	0.56	0.59	2.7%	4.1%

Table 45: Projected population and GDP growth per Member State

¹⁴¹ EUROPOP2019 population projections

https://ec.europa.eu/eurostat/web/population-demography-migration-projections/population-projections-data
 The 2021 Ageing Report : Underlying assumptions and projection methodologies https://ec.europa.eu/info/publications/2021-ageing-

¹⁴² The 2021 Ageing Report : Underlying assumptions and projection methodologies <u>https://ec.europa.eu/info/publications/2021-ageing-report-underlying-assumptions-and-projection-methodologies en</u>

		Population		GDP g	growth
	2020	2025	2030	2020-'25	2026-'30
Netherlands	17.40	17.75	17.97	0.7%	0.7%
Poland	37.94	37.57	37.02	2.1%	2.4%
Portugal	10.29	10.22	10.09	0.8%	0.8%
Romania	19.28	18.51	17.81	2.7%	3.0%
Slovakia	5.46	5.47	5.44	1.1%	1.7%
Slovenia	2.10	2.11	2.11	2.1%	2.4%
Spain	47.32	48.31	48.75	0.9%	1.6%
Sweden	10.32	10.75	11.10	1.4%	2.2%

Beyond the update of the population and growth assumptions, an update of the projections on the sectoral composition of GDP was also carried out using the GEM-E3 computable general equilibrium model. These projections take into account the potential medium- to long-term impacts of the COVID-19 crisis on the structure of the economy, even though there are inherent uncertainties related to its eventual impacts. Overall, conservative assumptions were made regarding the medium-term impacts of the pandemic on the re-localisation of global value chains, teleworking and teleconferencing and global tourism.

International energy prices assumptions

Alongside socio-economic projections, EU energy modelling requires projections of international fuel prices. The 2020 values are estimated from information available by mid-2020. The projections of the POLES-JRC model – elaborated by the Joint Research Centre and derived from the Global Energy and Climate Outlook (GECO¹⁴³) – are used to obtain long-term estimates of the international fuel prices.

The COVID crisis has had a major impact on international fuel prices¹⁴⁴. The lost demand cause an oversupply leading to decreasing prices. The effect on prices compared to pre-COVID estimates is expected to be still felt up to 2030. Actual development will depend on the recovery of global oil demand as well as supply side policies¹⁴⁵.

Table 46 shows the international fuel prices assumptions of the REF2020 and of the different scenarios and variants used in the "Fit for 55" policy package impact assessments, including the policy options of this impact assessment.

in \$'15 per boe	2000	<u>'05</u>	ʻ10	ʻ15	ʻ20	·25	' 30	' 35	'40	ʻ45	[•] 50
Oil	38.4	65.4	86.7	52.3	39.8	59.9	80.1	90.4	97.4	105.6	117.9
Gas (NCV)	26.5	35.8	45.8	43.7	20.1	30.5	40.9	44.9	52.6	57.0	57.8
Coal	11.2	16.9	23.2	13.1	9.5	13.6	17.6	19.1	20.3	21.3	22.3
in €'15 per boe	2000	2005	ʻ10	ʻ15	ʻ20	·25	' 30	·35	ʻ40	ʻ45	ʻ50

Table 46: International fuel prices assumptions

https://ec.europa.eu/irc/en/geco
 IEA, Global Energy Review 2020, June 2020

IEA, Global Energy Review 2020, June 2020
 IEA, Oil Market Report, June 2020 and US EIA, July 2020.

Oil	34.6	58.9	78.2	47.2	35.8	54.0	72.2	81.5	87.8	95.2	106.3
Gas (NCV)	23.4	31.7	40.6	38.7	17.8	27.0	36.2	39.7	46.6	50.5	51.2
Coal	9.9	15.0	20.6	11.6	8.4	12.0	15.6	16.9	18.0	18.9	19.7

Source: Derived from JRC, POLES-JRC model, Global Energy and Climate Outlook (GECO)

Technology assumptions

Modelling scenarios on the evolution of the energy system is highly dependent on the assumptions on the development of technologies - both in terms of performance and costs. For the purpose of the impact assessments related to the "Climate Target Plan" and the "Fit for 55" policy package, these assumptions have been updated based on a rigorous literature review carried out by external consultants in collaboration with the JRC¹⁴⁶.

Continuing the approach adopted in the long-term strategy in 2018, the Commission consulted on the technology assumption with stakeholders in 2019. In particular, the technology database of the main model suite (PRIMES, PRIMES-TREMOVE, GAINS, GLOBIOM, and CAPRI) benefited from a dedicated consultation workshop held on 11th November 2019. EU Member States representatives also had the opportunity to comment on the costs elements during a workshop held on 25th November 2019. The updated technology assumptions are published together with the EU Reference Scenario 2020.

Baseline scenario framework

The EU Reference Scenario 2020 as the common baseline

The EU Reference Scenario 2020 (REF2020) provides projections for energy demand and supply, as well as greenhouse gas emissions in all sectors of the European economy under the current EU and national policy framework. It embeds in particular the EU legislation in place to reach the 2030 climate target of at least 40% compared to 1990, as well as national contributions to reaching the EU 2030 energy targets on Energy efficiency and Renewables under the Governance of the Energy Union. It thus gives a detailed picture of where the EU economy and energy system in particular would stand in terms of GHG emission if the policy framework were not updated to enable reaching the revised 2030 climate target to at least -55% compared to 1990 proposed under the Climate Target Plan¹⁴⁷.

The Reference Scenario serves as the common baseline shared by the initiatives of the "Fit for 55" policy package to assess options in their impact assessments.

Difference with the Climate Target Plan "BSL" scenario

The REF2020 embeds some differences compared to the baseline used for the Climate Target Plan (CTP) impact assessment. While the technology assumptions (consulted in a workshop held on 11th November 2019) were not changed, the time between CTP publication and the publication of the "Fit for 55" package allowed updating some other important assumptions:

• GDP projections, population projections and fossil fuel prices were updated, in particular to take into account the impact of the COVID crisis through an alignment

¹⁴⁶ JRC118275 ¹⁴⁷ COM/2020/562 final

with the 2021 Ageing Report¹⁴⁸ and an update of international fossil fuel prices notably on the short run.

While the CTP baseline aimed at reaching the current EU 2030 energy targets (on energy efficiency and renewable energy), the Reference Scenario 2020, used as the baseline for the "Fit for 55" package, further improved the representation of the National Energy Climate Plans (NECP). In particular it aims at reaching the national contributions to the EU energy targets, and not at respecting these EU targets themselves.

Reference scenario process

The REF2020 scenario has been prepared by the European Commission services and consultants from E3Modelling, IIASA and EuroCare, in coordination with Member States experts through the Reference Scenario Experts Group.

It benefitted from a stakeholders consultation (on technologies) and is aligned with other outlooks from Commission services, notably DG ECFIN's Ageing Report 2021 (see section Error! Reference source not found.), as well as, to the extent possible, the 2020 edition of the EU Agricultural Outlook 2020-2030 published by DG AGRI in December 2020^{149} .

Policies in the Reference scenario

The REF2020 also takes into account the still-unfolding effects of the COVID-19 pandemic, to the extent possible at the time of the analysis. According to the GDP assumptions of the Ageing Report 2021, the pandemic is followed by an economic recovery resulting in moderately lower economic output in 2030 than pre-COVID estimates.

The scenario is based on existing policies adopted at national and EU level at the beginning of 2020. In particular, at EU level, the REF2020 takes into account the legislation adopted in the Clean Energy for All European Package¹⁵⁰. At national level, the scenario takes into account the policies and specific targets, in particular in relation with renewable energy and energy efficiency, described in the final National Energy and Climate Plans (NECPs) submitted by Member States at the end of 2019/beginning of 2020.

The REF2020 models the policies already adopted, but not the target of net-zero emissions by 2050. As a result, there are no additional policies introduced driving decarbonisation after 2030. However, climate and energy policies are not rolled back after 2030 and several of the measures in place today continue to deliver emissions reduction in the long term. This is the case, for example, for products standards and building codes and the ETS Directive (progressive reduction of ETS allowances is set to continue after 2030).

Details on policies and measures represented in the REF2020 can be found in the dedicated publication.


¹⁴⁸ The 2021 Ageing Report : Underlying assumptions and projection methodologies <u>https://ec.europa.eu/info/publications/2021-ageing-</u>


report-underlying-assumptions-and-projection-methodologies_en https://ec.europa.eu/info/news/eu-agricultural-outlook-2020-30-agri-food-sector-shown-resilience-still-covid-19-recovery-have-long-term-impacts-2020-dec-16_en 149

¹⁵⁰ COM(2016) 860 final.

Main transport-related results of the Baseline scenario

EU transport activity would continue to grow in the Baseline scenario, albeit at a slower pace than in the past. Freight transport activity for inland modes (expressed in tonne-kilometres) would increase by 31% between 2015 and 2030 (1.8% per year) and 55% for 2015-2050 (1.3% per year). Passenger traffic (expressed in passenger-kilometres) growth would be lower than for freight with a 16% increase by 2030 (1% per year) and 33% by 2050 (0.8% per year). The annual growth rates by mode, for passenger and freight transport, are provided in Figure 12.





Source: Baseline scenario, PRIMES-TREMOVE transport model (E3Modelling) Note: For aviation, domestic and international intra-EU activity is reported, to maintain the comparability with reported statistics. For freight, inland navigation transport covers inland waterways and national maritime.

Road transport would maintain its dominant role within the EU. The share of road transport in inland freight would remain relatively stable by 2030 at 71% and slightly decrease to 69% by 2050. For passenger transport, road modal share is projected to decrease by 2 percentage points between 2015 and 2030 and by additional 3 percentage points by 2050. Passenger cars would still contribute 71% of passenger traffic by 2030 and more than two thirds by 2050, despite growing at lower pace relative to other modes. Rail transport activity is projected to grow significantly faster than for road, driven in particular by the assumed completion of the TEN-T core network by 2030 and of the comprehensive network by 2050, supported by the CEF, Cohesion Fund and ERDF funding. Domestic and international intra-EU air transport would grow significantly (by 46% during 2015-2030 and 91% by 2050) following the recovery from the COVID-19 pandemics, although at lower pace than projected in the past. Transport activity of freight inland navigation¹⁵¹ also benefits from the completion of the TEN-T core and comprehensive network and the promotion of inland waterway transport and would grow by 19% during 2015-2030 and by 37% by 2050. The significant growth in freight inland navigation and rail freight activity is also supported by the implementation of electronic documentation for freight transport and the European Maritime Single Window environment. International maritime transport activity would grow strongly in the


¹⁵¹ Inland navigation covers inland waterways and national maritime.


Baseline (by 20% between 2015 and 2030 and 50% by 2050), due to rising demand for primary resources and container shipping.

Total energy use in transport, including international aviation and international maritime, is projected to decrease by 6% between 2015 and 2030 and by 15% by 2050, which in the context of growing activity shows the projected progress in terms of energy efficiency. These developments are mainly driven by the implementation of the CO_2 emission performance standards for new light duty and heavy duty vehicles post-2020, supported by the roll-out of recharging and refuelling infrastructure and also by the shift towards more energy efficient modes such as rail and waterborne transport. Road transport is responsible for more than 70% of total energy use in transport but this share is projected to significantly decline over time, to 68% by 2030 and 60% by 2050 thanks to the progressive electrification of the sector and greater use of more sustainable transport modes.

Alternative fuels¹⁵², including renewable and low carbon fuels, are projected to represent 13.3% of transport energy demand (including international aviation and maritime transport) in the Baseline scenario by 2030 and 24.8% by 2050. Around 6.6% of all transport fuels in 2030 would be of biological origin, as shown in Figure 13, driven by policy measures and notably the Renewable Energy Directive.

Electricity use in transport would steadily increase over time as a result of uptake of zero and low-emission powertrains in road transport and further electrification of rail. Its share in the total energy use in transport would go up from around 1.2% in 2015 to 3.3% in 2030 and 9% in 2050 (see Figure 13). The uptake of hydrogen would be facilitated by the increased availability of refuelling infrastructure, and is projected to represent 1.6% of energy use in transport by 2050.





Source: Baseline scenario, PRIMES-TREMOVE transport model (E3Modelling)

Battery electric vehicles would see faster growth beyond 2020, in particular in the segment of light duty vehicles, driven by the CO_2 emission performance standards,

¹⁵² According to the Directive 2014/94/EU, 'alternative fuels' refer to fuels or power sources which serve, at least partly, as a substitute for fossil oil sources in the energy supply to transport and which have the potential to contribute to its decarbonisation and enhance the environmental performance of the transport sector. They include, inter alia: electricity, hydrogen, biofuels, synthetic and paraffinic fuels, natural gas, including biomethane, in gaseous form (compressed natural gas (CNG)) and liquefied form (liquefied natural gas (LNG)), and liquefied petroleum gas (LPG).

supported by the rolling-out of recharging infrastructure. The share of battery electric vehicles in the total stock of passenger cars would reach around 11% by 2030 and 33% by 2050. The share of low and zero-emissions cars (including battery electric, fuel cells and plug-in hybrids) is projected to go up to 17% by 2030 and 54% by 2050. For the light commercial vehicles segment, the share of battery electric powertrains is projected at 4% by 2030 and 25% by 2050. Electric buses are projected to represent around 11% of the vehicle stock by 2030, driven by the implementation of the Clean Vehicles Directive and air quality concerns in many cities banning combustion engine buses, while the uptake of electric and fuel cell heavy goods vehicles is projected to be more limited in the Baseline scenario (3% of vehicle stock by 2050).

Liquefied Natural Gas (LNG) is projected to represent around 3.3% of the energy use in transport by 2030 and 8.2% by 2050 in the Baseline scenario, driven by the implementation of the Directive on the deployment of alternative fuels infrastructure and of the Regulation on non-road mobile machinery, the TEN-T Regulation and also by the MARPOL Annex VI rules as regards the reduction of nitrogen and sulphur oxides emissions in the maritime transport. In the Baseline scenario, the share of LNG use in heavy goods vehicles energy demand is projected to go up to 9% by 2030 (16% by 2050) and for inland navigation to 4% by 2030 (9% by 2050). LNG would provide about 5% of maritime bunker fuels by 2030 and 19% by 2050 – especially in the segment of short sea shipping.

Oil products would still represent about 87% of the EU transport sector needs in 2030 and 75% in 2050, despite the current renewables policies, CO_2 emission performance standards for new light duty and heavy goods vehicles, and the deployment of alternative fuels infrastructure which support some substitution effects towards alternative fuels such as biofuels and biomethane, electricity, hydrogen and natural gas.






Figure 14: Fuels use in transport (including international aviation and maritime) in the Baseline scenario

 CO_2 emissions from transport including international aviation but excluding international maritime, in line with the 2030 climate and energy policy framework, are projected to be 15% lower by 2030 compared to 2015, and 36% lower by 2050. Compared to 1990 however, this translates into 4% higher emissions by 2030 and only 22% lower emissions by 2050, due to high increases in transport emissions during the 1990s. When accounting the intra-EU aviation and intra-EU maritime in the transport emissions, the Baseline projections show reductions of 17% by 2030 and 39% by 2050

Source: Baseline scenario, PRIMES-TREMOVE transport model (E3Modelling)

relative to 2015. When all intra-EU and extra-EU aviation and maritime emissions are accounted in the transport emissions, the Baseline scenario results in 11% decrease in transport emissions by 2030 and 27% decrease by 2050 compared to 2015 levels. This illustrates the significant emissions reduction gap to be closed by 2030 and 2050, to contribute to the 2030 Climate Target Plan and the European Green Deal objectives.





Source: Baseline scenario, PRIMES-TREMOVE transport model (E3Modelling)

The largest contribution to the projected decline in transport emissions between 2005 and 2050 is due to increased fuel efficiency of passenger cars and light commercial vehicles. Conversely, aviation has been one of the fastest growing sectors in terms of CO_2 emissions over the past decades.

NOx emissions are projected to go down by 54% between 2015 and 2030 (69% by 2050), mainly driven by the electrification of the road transport and in particular of the light duty vehicles segment. The decline in **particulate matter** (PM2.5) would be slightly lower by 2030 at 49% relative to 2015 (72% by 2050). Air quality issues represent a particular concern in urban areas. In the Baseline scenario NOx and PM2.5 emissions are projected to decrease at higher pace in urban relative to inter-urban areas (69% reduction in NOx emissions by 2030 and 60% for PM2.5 emissions), thanks to the use of more sustainable alternative modes, including active modes, and cleaner vehicles. Overall, external costs related to air pollutants would decrease by about 60% by 2030 (78% by 2050)¹⁵³.

3. Modelling framework for the policy options

From the Climate Target Plan scenarios to "Fit for 55" core scenarios

In the Climate Target Plan (CTP) impact assessment, the increase of efforts needed for the GHG 55% target was illustrated by policy scenarios (developed with the same modelling suite as the scenarios done for the "Fit for 55" package) showing increased ambition (or stringency) of climate, energy and transport policies and, consequently, leading to a significant investment challenge.

The first key lesson from the CTP exercise was that while the tools are numerous and have a number of interactions (or even sometimes trade-offs) a **complete toolbox of**

¹⁵³ Covering NOx and PM; excluding international maritime.

climate, energy and transport policies is needed for the increased climate target as all sectors would need to contribute effectively towards the GHG 55% target.

The second key lesson was that even though policy tools chosen in the CTP scenarios were different - illustrating in particular the fundamental interplay between the strength of the carbon pricing and intensity of regulatory measures - **the results achieved were convergent**. All CTP policy scenarios that achieved a 55% GHG target¹⁵⁴ showed very similar levels of ambition for energy efficiency, renewables (overall and on sectoral level) and GHG reductions across the sectors indicating also the cost-effective pathways.

The third lesson was that carbon pricing working hand in hand with regulatory measures helps avoid "extreme" scenarios of either:

- a very high carbon price (in absence of regulatory measures) that will translate into increased energy prices for all consumers,
- very ambitious policies that might be difficult to be implemented (e.g. very high energy savings or renewables obligations) because they would be costly for economic operators or represent very significant investment challenge.

With the 55% GHG target confirmed by EU leaders in the December 2020 EUCO Conclusions¹⁵⁵ and the 2021 Commission Work Programme¹⁵⁶ (CWP 2021) that puts forward the complete toolbox to achieve the increased climate target (so-called "Fit for 55" proposals), the fundamental set-up of the CTP analysis was confirmed. This set-up is still about the interplay between carbon pricing and regulatory measures as illustrated above, and the extension of the ETS is the central policy question.

As described above, the policy scenarios of the CTP assessment are cost-effective pathways that capture all policies needed to achieve the increased climate target of 55% GHG reductions. This fundamental design remains robust and the CTP scenarios were thus used as the basis to define the "Fit for 55" policy scenarios.

In the context of the agreed increased climate target of a net reduction of 55% GHG compared to 1990, the 50% GHG scenario (CTP MIX-50) explored in the CTP has been discarded since no longer relevant. The contribution of extra EU aviation and maritime emissions in the CTP ALLBNK scenario was assessed in the respective sector specific impact assessments and was not retained as a core scenario. This leaves the following CTP scenarios in need of further revisions and updates in the context of preparing input in a coherent manner for the set of IAs supporting the "Fit for 55" package, ensuring the achievement of the overall net 55% GHG reduction ambition with similar levels of renewable energy and energy efficiency deployment as in CTP:

- CTP REG (relying only on intensification of energy and transport policies in absence of carbon pricing beyond the current ETS sectors);
- CTP MIX (relying on both carbon price signal extension to road transport and buildings and intensification of energy and transport policies);
- CTP CPRICE (relying chiefly on carbon price signal extension, and more limited additional sectoral policies).

¹⁵⁴ A 50% GHG target was also analysed

https://www.consilium.europa.eu/media/47328/1011-12-20-euco-conclusions-fr.pdf

¹⁵⁶ COM(2020) 690 final

Scenarios for the "Fit for 55" package

Based on the Climate Target Plan analysis, some **updates were needed** though for the purpose of the "Fit for 55" assessment, in terms of:

• Baseline:

- $\circ\,$ to reflect the most recent statistical data available, notably in terms of COVID impacts,
- to capture the objectives and policies put forward by Member States in the NECPs, which were not all available at the time of the CTP analysis,

The baseline used in the Fit for 55 package is thus the "Reference Scenario 2020".

• Scenario design in order to align better with policy options as put forward in the CWP 2021 and respective Inception Impact Assessments¹⁵⁷.

As a consequence, the three following core policy scenarios were defined to serve as common policy package analysis across the various initiatives of the "Fit for 55" policy assessments:

- **REG**: an update of the CTP REG case (relying only on very strong intensification of energy and transport policies in absence of carbon pricing beyond the current ETS sectors).
- MIX: reflecting an update of the CTP MIX case (relying on both carbon price signal extension to road transport and buildings and strong intensification of energy and transport policies). With its uniform carbon price (as of 2025), it reflects either an extended and fully integrated EU ETS or an existing EU ETS and new ETS established for road transport and buildings with emission caps set in line with cost-effective contributions of the respective sectors.
- **MIX-CP**: representing a more carbon price driven policy mix, combining thus the general philosophy of the CTP CPRICE scenario with key drivers of the MIX scenario albeit at a lower intensity. It illustrates a revision of the EED and RED but limited to a lower intensification of current policies in addition to the carbon price signal applied to new sectors. Unlike MIX, this scenario allows to separate carbon price signals of "current" and "new" ETS. The relative split of ambition in GHG reductions between "current" ETS and "new ETS" remains, however, close in MIX-CP to the MIX scenario leading to differentiated carbon prices between "current" ETS and "new" ETS¹⁵⁸.

These three "Fit for 55" core policy scenarios have been produced starting from the Reference Scenario 2020 and thus use the same updated assumptions on post-COVID economics and international fuel prices.

¹⁵⁷ Importantly, all "Fit for 55" core scenarios reflect the Commission Work Programme (CWP) 2021 in terms of elements foreseen. This is why assumptions are made about legislative proposals to be made later on - by Quarter 4 2021. On the energy side, the subsequent proposals are: the revision of the EPBD, the proposal for Decarbonised Gas Markets and the proposal for reducing methane emissions in the energy sector. For transport they refer to the revision of the TEN-T Regulation and the revision of the ITS Directive. In addition, other policies that are planned for 2022 are also represented in a stylised way in these scenarios, similar to the CTP scenarios. In this way, core scenarios represent all key policies needed to deliver the increased climate target.

¹⁵⁸ This is a feature not implemented in the CTP CPRICE scenario.

Scenarios used for this impact assessment

The policy options of this impact assessment focus on the design of the policy instrument. As explained in section 1.3, of particular relevance is to ensure coherence with the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles. For this reason, the assessment of the policy options build on MIX scenario that follows a combined approach of carbon pricing instruments and regulatory-based measures. The MIX scenario corresponds to the option TL_Med of the impact assessment accompanying the revision of the emission performance standards for vehicles, and provides the vehicle fleet relevant for the design of the policy options. In addition, as explained in section 5, to ensure consistency with the impact assessment accompanying the revision of the emission performance standards for vehicles, an assessment of the costs of infrastructure is provided for all options assessing the target levels (including TL Low and TL High, in addition to TL_Med). It should be noted that the target levels for CO₂ standards for light duty vehicles in TL_High is the same as the one in the REG scenario, while the target levels for CO₂ standards for light duty vehicles in TL Low is the same as in the MIX-CP scenario.

The policy measures reflected in the MIX scenario, relevant for the transport sector, are summarised below:

- Extension of the EU ETS to the maritime sector, as well as to the road transport and buildings sectors;
- Revision of the Renewable Energy Directive;
- ReFuel aviation and FuelEU maritime initiatives;
- Initiatives to increase and better manage the capacity of railways, inland waterways and short sea shipping, supported by the TEN-T infrastructure and CEF funding;
- Gradual internalisation of external costs ("smart" pricing);
- Incentives to improve the performance of air navigation service providers in terms of efficiency and to improve the utilisation of air traffic management capacity;
- Incentives to improve the functioning of the transport system: support to multimodal mobility and intermodal freight transport by rail, inland waterways and short sea shipping;
- Deployment of the necessary infrastructure, smart traffic management systems, transport digitalisation and fostering connected and automated mobility;
- Further actions on clean airports and ports to drive reductions in energy use and emissions;
- Measures to reduce emissions and air pollution in urban areas;
- Pricing measures such as in relation to energy taxation and infrastructure charging;
- Revision of roadworthiness checks;
- Other measures incentivising behavioural change;
- Medium intensification of the CO_2 emission standards for cars, vans, trucks and buses (as of 2030), supported by large scale roll-out of recharging and refuelling

infrastructure. This corresponds to a reduction in 2030 compared to the 2021 target of around 50% for cars and around 40% for vans.

As all policy options of these impact assessment build on the MIX scenario framework, this ensure consistency with other initiatives part of the 'Fit for 55' package and in particular with the impact assessment accompanying the revision of the emission performance standards for new passenger cars and for new light commercial vehicles.

4. Costs assumptions for road transport refuelling/recharging infrastructure

This section presents the assumptions related to the unit costs of the refuelling/recharging infrastructure used in this impact assessment, drawing on the study supporting the evaluation of the Directive on alternative fuels infrastructure¹⁵⁹ and the Reference scenario 2020. The unit costs are assumed to be the same in the baseline and the policy options.

Electricity recharging infrastructure

The assumed costs for the electricity chargers cover capital expenditures (CAPEX) and installation costs (Table 47). Network upgrade costs are not included.

Three different categories of charging points based on recharging power are considered. The slow charging points, which are appropriate for use when the electric vehicle is parked for prolonged time, include public AC chargers with 7 KW power and public semi-fast AC chargers with 22 KW power. The second category of charging points considers rapid DC chargers of power output 50 KW and 150 KW. The third category of charging points includes ultra-rapid DC chargers, with typical power 350KW. These public chargers are placed in key nodes of the road network and are associated with the need for a quick recharge during a trip. Their use is likely to be restricted to premium and commercial vehicles, due to the larger battery sizes and ability to charge at these power levels.

Capital costs (EUR/point)	2020	2025	2030	2040	2050
Slow charging points					
public on-street (7KW AC)	1,500	1,340	1,253	1,171	1,139
public spaces (22KW AC)	6,280	5,423	4,974	4,561	4,403
Rapid charging points					
public spaces (50KW DC)	45,000	37,728	34,019	30,687	29,422
public spaces (150KW DC)	90,000	72,510	63,757	56,016	53,114
Ultra-rapid charging points					
public spaces (350 KW DC) ¹⁶⁰	230,000	186,614	164,836	145,532	138,282

Table 47: Electricity recharging infrastructure costs

Source: Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure

The breakdown of the charging point capital costs for 2020 into CAPEX and installation costs is provided in Table 48. The installation costs do not include costs related to grid

¹⁵⁹ Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure.
¹⁶⁰ For electric chargers of 350 kW or higher a unit cost is used that ranges from 470 EUR/kW in 2030 to 395 EUR/kW in 2050.

reinforcement. The latter costs are accounted and reflected in the electricity prices and are provided by the PRIMES energy systems model.

Charging point type (EUR/point)	Capex	Installation	Total
Slow charging points			
public on-street (7KW AC)	667	833	1,500
public spaces (22KW AC)	3,280	3,000	6,280
Rapid charging points			
public spaces (50KW DC)	28,125	16,875	45,000
public spaces (150KW DC)	70,000	20,000	90,000
Ultra-Rapid fast charging points			
public spaces (350 KW DC)	170,000	60,000	230,000

 Table 48: CAPEX and installation costs of chargers in 2020

Source: Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure

The learning rates that were used to estimate the CAPEX reduction over time are around -9% for rapid and ultra-rapid charging points, -8% for public semi-fast charging points (22 KW AC) and -7% for slow on-street public charging points (7 KW AC). For the installation costs, the learning rate is assumed to be -2%.

The operation and maintenance costs (O&M) are estimated as a fraction of the capital costs per charging point per year, over the lifetime of the infrastructure (see Table 49). Additional lifetime extension costs of 25% are assumed, in order to extend the operation of charging points that have been installed for more than 15 years (e.g. replacement of aged components such as power electronics).

 Table 49: Assumed O&M costs per year for electric vehicle recharging infrastructure (as a percentage of capital costs)

O&M costs (% capital costs/point per year)	2020-2050
Slow charging points	
public on-street charging (7KW AC)	1.6%
public spaces (22KW AC)	1.2%
Rapid charging points	
public spaces (50KW DC)	1.2%
public spaces (150KW DC)	1.2%
Ultra-rapid charging points	
public spaces (350 KW DC)	1.2%
Lifetime extension for charging points with > 15 years lifetime (% investment cost)	25%

Source: Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure

Hydrogen

The assumed costs for hydrogen refuelling stations (HRS) consider the total cost of the installation (Table 50). The components of an HRS that are covered by the assumed costs include the cost of the H_2 storage tank, the cost of the compressor and the cost of the dispensers. The cost for hydrogen generation, which can be either centralized or decentralized, is not included in the abovementioned total cost. The PRIMES model

considers that the hydrogen production cost is included in the hydrogen fuel prices as a means for investors to recuperate their costs.

Three categories of HRS are considered based on the daily refuelling capacity in tons H_2 per day: a small station of 0.4 tons H_2 /day capacity, a medium station of 1 ton H_2 /day capacity, and a large station of 2.5 tons H_2 /day capacity. Table 50 presents the assumed evolution of the HRS capital costs over time. In the case of HRS of 2 tons H_2 /day capacity, a linear interpolation was used.

Capital costs (EUR/Station)	2020	2025	2030	2040	2050
Small (0.4 tons H ₂ /day)	2,500,000	2,324,083	2,148,167	2,069,252	1,990,337
Medium (1 tons H ₂ /day)	3,800,000	3,344,280	2,888,561	2,801,448	2,714,336
Large (2.5 tons H ₂ /day)	5,700,000	5,016,000	4,332,000	4,024,200	3,716,400

Table 50: Hydrogen refuelling station costs

Source: Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure

O&M costs of hydrogen refuelling infrastructure are assumed to be 4% of the investment costs per year (over the lifetime of the infrastructure) of a refuelling station. Additional costs (e.g. refurbishment, lifetime extension) of 40% are assumed in order to extend the operation of vintage charging points with a lifetime higher than 20 years.

Furthermore, in the case of liquid hydrogen stations (capacity of 2 tons/day), a cost of 2 million EUR is added in addition to the cost of gas H_2 stations.

CNG/LNG

The capital costs for CNG and LNG stations for road transport (Table 51) cover the total costs for the installation of the station. These costs are assumed to remain unchanged over time and they include the cost of the compressor, the storage tank and the metered dispenser. For road CNG/LNG stations three different representative station sizes are considered, namely a small 500 kg/day station, a medium 2,000 kg/day station and a large 5,000 kg/day station. O&M costs of CNG and LNG refuelling stations are assumed to be 4% of the capital costs per year (over the lifetime of the infrastructure) of a refuelling station. Additional O&M costs (e.g. refurbishment, lifetime extension) of 40% are also estimated separately, applied only to those stations installed for more than 20 years.

Table 51: Road CNG/LNG refuelling station costs

Capital costs (EUR)	2020-2050
Small station (500 kg/day)	450,000
Medium station (200 0kg/day)	720,000
Large station (5000 kg/day)	1,330,000

Source: Ricardo et al. (2021), Evaluation of the Directive on the Deployment of Alternative Fuels Infrastructure

ANNEX 5: METHODOLOGY FOR THE DEFINITION OF POLICY OPTIONS AND MEASURES

5.1 Methodology

This annex presents the comprehensive list of policy measures that was established for this initiative after extensive consultations with stakeholders, expert meetings, independent research and the Commission's own analysis.

This list also includes all policy measures that could address the roll out of alternative fuels infrastructure and quality aspects of infrastructure. In addition, measures were considered to further strengthen the development of competitive markets, in particular with respect to the recharging market. Their likely effectiveness in increasing the deployment of alternative fuels infrastructure, in increasing user friendliness and ensuring competitive markets was assessed qualitatively. Based on this initial screening, a number of policy measures were not considered to directly address the SOs or were identified as complementary measures included in the "basket of measures".

Based on this assessment, the Commission also refined the general policy approach to narrow down the proposed intervention to a limited number of characteristics allowing to effectively address the problem drivers in a coherent manner.

Two principal characteristics were identified for the policy measure to fulfil the given objectives:

- They should provide clear guidance and targets to Member States to plan for alternative fuels infrastructure in the context of the required low and zero emission vehicle uptake under the EGD for all transport modes. Such targets should preferably be mandatory and enforceable, thus providing legal certainty.
- They should address the market and user aspects of infrastructure ensuring technical interoperability and full user information as well as access for users to services. This is essential to create a positive user experience and thereby remove obstacles for the purchase of low and zero emission vehicles.

In the next step, the retained policy measures were classified according to their approach and characteristics in relation to three areas of policy intervention: i) increase the number of refuelling and recharging points to support the required vehicle fleet under the EGD, ii) stimulate full technical interoperability in terms of physical interfaces across the transport modes and for communication protocols in the area of electric mobility, and iii) ensure user friendliness.

5.2 Full list of Policy Measures

Table 52 presents the full list of policy measures identified in the preparation of the revision of the directive. It indicates if the policy measure has been retained (R) in the detailed assessment in this Impact Assessment, discarded (D) or is considered to be only a complementary measure (C) not assessed in the framework of this impact assessment but possibly to be address in other EU legislation. The table below presents the initial long list of measures by problem areas together with a summary of last round of screening.

Macaura	Status	Commonte
Measure	Status	Comments
General measures and reporting	D	
Change of legal instrument: Replace the Directive	R	
with Regulation	D	
MS reporting through NIRs. Detailed binding	R	
requirements set in the legislation on the data to be		
reported. Target year: 2025, then every two years		
Central EU monitoring of deployment of	D	Very high administrative burden that
infrastructure. Market actors to report directly to the		would likely require monitoring
Commission. A central monitoring platform would be		through a specific agency to follow all
created. Target year: 2025, then every three years		developments in all Member States
Revise the scope of the AFID by including new re-	R	
fuelling / re-charging infrastructure		
Introduce common provisions to accelerate the	D	Discarded. Interfering in Member States
approval of new infrastructure and to harmonise		planning procedures is outside the
concession practises. Target year: 2025		scope of the AFID
Measures related to Road		*
Introduce obligations to MS to ensure that consumers	D	
have the right to request that a publicly accessible		This is a measure that is best introduced
recharging point is installed within a specific distance		on local level to respect the subsidiarity
from their home		principle
Electricity, Cars / LCV in private buildings: Grant	С	
owners of parking places in condominiums /	C	This is covered under EPBD (see also
apartment blocks the right to install recharging points		chapter 5, discarded measures for
s in their parking without agreement of co-owners		detailed explanation)
("right to plug").		detailed explanation)
	D	This is a measure that is best introduced
Set minimum target for the share of public chargers in	D	on local level to respect the subsidiarity
urban areas in disadvantaged neighbourhoods.		principle
	D	Due to the very specific local
Set target for the minimum number of chargers in	D	conditions within each urban area, this
relation to number of vehicles of Transport Network		is a measure that is best introduced on
Companies (i.e. ride sharing/taxis/ride hailing) in		
urban areas		local level to respect the subsidiarity
Davias the surrout definition of "muhlial- accessible"	D	principle This options was not retained because
Revise the current definition of "publicly accessible"	D	This options was not retained because
infrastructure to include an additional category of		of practical problems to define semi
"Semi-public" infrastructure (located on private		public and the little added benefit from
premises that are accessible during specific hours, e.g.		an ev-user perspective (see also chapter
supermarket car-parks)	D	5 for detailed explanation)
Electricity for Cars / LCV publicly accessible on	R	
private properties, e.g. petrol stations		
Mandatory targets for recharging infrastructure for	R	
electric LDV on TEN-T network including its urban		
nodes		

Table 52: Policy	measures and	l final screening
------------------	--------------	-------------------

Measure	Status	Comments
Mandatory fleet based national targets for recharging	R	
infrastructure for electric LDV	K	
Mandatory fleet based national targets for recharging	R	
infrastructure for electric LDV and complemented by	K	
a minimum share target		
Mandatory targets for recharging infrastructure for	R	
electric LDV on TEN-T network including its urban	ĸ	Assessed
nodes		Assessed
Electricity for HDVs: Mandatory targets on TEN-T	R	
	к	Assessed
core, comprehensive and urban nodes, with differentiated power requirements		Assessed
differentiated power requirements	D	The directive addresses publicly
Electricity for UDVs in not publicly accessible areas	D	
Electricity for HDVs in not publicly accessible areas:		accessible infrastructure but not private
Mandatory targets for logistic hubs		infrastructure on private properties
Electricity for two wheelers. Mandatary targets on	D	serving captive fleets
Electricity for two wheelers: Mandatory targets on	D	Discarded after analysis, see chapter 5
TEN-T core	D	for details
	D	The technology is not yet sufficiently
		mature and uptake of vehicles
Electric Road Systems for HDVs: Mandatory targets		uncertain. However, a definition will be
		introduced in the directive to recognise
		ERS as an alternative fuels
CNC Martine TENT	D	infrastructure
CNG: Mandatory quantitative targets on TEN-T core	R	
Hydrogen for cars and LCVs: Mandatory targets on	R	
TEN-T core, comprehensive and urban nodes	D	
Hydrogen for trucks: Mandatory targets on TEN-T	R	
core, comprehensive and urban nodes	D	
Biofuels, synthetic and paraffinic fuels, e-fuels (other	D	Discarded as there is no demand for
than hydrogen): Possible mandatory infrastructure		dedicated infrastructure throughout the
targets on TEN-T core for the fuels in this category IF		EU (see also chapter 5 for more detailed
dedicated infrastructure was required.		assessment)
Problem area A – Waterborne	D	
Shore side electricity supply in maritime ports: Set	R	
mandatory targets for provision of shore side		
electricity for TEN-T core/comprehensive sea ports		
for cruise ships, RoPax and container ships	D	
Shore side electricity supply for inland ports: Set	R	A 4
mandatory targets for provision of shore side		Assessed
electricity for all TEN-T inland ports	D	
Mandatory upgrading of existing infrastructure for the	D	Discarded as there is- no need for
use of biofuels, biogas/methane and power-to-gas		specific infrastructure for high biofuel
fuels (e-gas) if specific infrastructure was required in		blends
specific or all ports.	D	
LNG in inland ports: Mandatory refuelling points in	D	Discarded - no demand expected
TEN-T ports.	D	*
LNG in inland ports: deletion of exiting provision to	R	
ensure circulation along TEN-T core network	D	
Electric recharging in inland ports: mandatory electric recharging in TEN T agree ports.	R	
recharging in TEN-T core ports	D	
LNG in maritime ports: Mandatory refuelling points at	R	
TEN-T core ports.	D	Disconded on these is an end of the
Hadronen information to an end of the internet	D	Discarded as there is no certain uptake
Hydrogen infrastructure targets for maritime and		of hydrogen in shipping by 2030.
inland TEN-T core ports		However, review clause for 2026 is
		introduced to look at those aspects

Moorne	States	Commonta
Measure	Status	Comments again when the markets are expected to
		be more mature
Aviation		be more mature
Targets for AF or AFI for ground operations at	C	Discarded option as private infrastructure for captive fleets is not
airports		within AFID scope
Mandatory upgrading of refuelling infrastructure for	D	Discarded as there is no requirement for
aircrafts for the use of biofuels or renewable e-fuels IF		specific infrastructure for blended
specific infrastructure was required at TEN-T core		kerosen
airports.		
Targets for electricity supply for stationary	R	Assessed
commercial passenger aircraft at gates and outfield positions.		Assessed
positions.	D	There is no clear demand yet for such
		alternative fuels (e.g. electricity or
Targets for AFI for supply of aircrafts		hydrogen). However, it will be assessed
		under AFD review scheduled for 2026.
Rail		
	D	Discarded as demand for alternative
Targets for hydrogen or battery electric recharging		fuels on railway lines that can't be
infrastructure based on rail traffic needs.		electrified depends entirely on local
		condtions and general EU rule risk to
		interfere with subsidiarity principle.
Interoperability Aspects	П	
Prescribe mandatory communication protocols currently in the market (i.e., OCPP, OCPI)	R	
Prescribe mandatory communication standards	R	
developed by official standardization organizations	IX .	
through delegated acts		
Prescribe mandatory physical interfaces (standards)	R	
developed by official standardization organizations		
through delegated acts;		
Make third party bank card payment (with no	R	
registration requirements) mandatory on all new		
publicly accessible charging points		
Partial harmonisation of technical requirements for	R	
recharging points (to be specified; e.g. provision of cables, no requirement for shutters).		
User Information		
	D	Roaming platform facilitate the
	-	handling of transactions between CPOs
Introduce minimum requirements for roaming		and EMSPs. No problem was identified
platforms,		that would justify interference in the
		contractual relations between roaming
		platforms, CPOs and EMSPs
Make roaming mandatory on all publicly accessible	D	Discarded as it would lead to restricting
recharging points.		contractual freedom of both CPOs and
	р	EMSPPs (see also chapter 5)
Mandatory signposting on TEN-T network	R	
Mandatory signposting within rest areas along the TEN-T network	R	
For ad-hoc recharging: clear	R	
specification/harmonisation of price components	IX.	
(allowing only time fee $+$ kWh fee) to the customer,		
clearly displayed at station.		
For ad-hoc recharging: mandatory information	R	
	I	

Measure	Status	Comments
through electronic means (e.g. app) of all price		
components and expected recharging price.		
For contract based recharging: mandatory information	R	
through electronic means (e.g. app) of all price		
components and expected recharging price (incl.		
roaming fees)	~	
Oblige operators of recharging/refuelling	R	
infrastructure to provide (through NAPs) static and		
real-time data on location, availability and		
accessibility, Introduce provisions for common categories and	С	
formats of data on availability and accessibility and	C	
their provision through the national and/or common		Data format and transfer of data will be
access points (through development of delegated		addressed in ITS directive
regulations under ITS Directive 2010/40/EC)		
Strengthening of fuel labelling requirements,	R	Discarded as the evaluation and OPC
including overall price comparison and fuel		has not hinted at the need to introduce
compatibility		further strengthening of the provisions
Smart Recharging		
	D	Discarded as no EU wide beneit can be
Make smart charging functionalities mandatory		expected (see chapter 5 for more
	-	details)
Provide for guaranteed access to battery data to any	C	To be addressed in legislation on in
service provider following EV-user consent	D	vehicle data access
	D	Discarded as there is no EU wide
		benefit expected and it risks not to be
Severe meters to be installed at multiply approxible AC		coherent with the revised electricity directive where MS decide on the roll
Smart meters to be installed at publicly accessible AC and DC recharging points		out of smart recharging points and final
and DC reenarging points		customers (e.g. the operator of
		recharging points) can choose if they
		want a smart meter or not.
	1	

5.3 Preferred policy option

Legal Form

• The legislative instrument can remain a Directive but the provisions would also allow to change the legislation into a Regulation.

The legislation contains a variety of measures including targets to be met by Member States with respect to the deployment of alternative fuels infrastructure, reporting requirements for Member States, standardisation mandates, and market rules to support the development of the internal market in transport.

Planning and Reporting

• National Policy Frameworks (NPF) and National Implementation Reports (NIR) remain

National Policy Frameworks (NPF) remain a key instrument to ensure coherent Member States planning of infrastructure while the National Implementation Reports (NIR) remain an important panning and reporting tool allowing the European Commission to assess progress. NPFs are required to provide a clear staregy including a clear description of supporting measures for meeting the mandatory deployment targets set in the legislation. As such, the NPFs and NIRs remain a key instrument to monitor Member States policy towards achieving the targets.

The NPFs have to be presented a year after the transposition of the directive while reporting under the NIRs is due every three years. The Commission will issue detailed guidance on the planning and reporting requirements. In order to ensure consistency and quality across the national planning and reporting and that targets are met by Member States, the NPFs and NIRs will need to be developed in an iterative process with the Commission.

The National Policy Frameworks will not only contain detailed specifications on the roll out of infrastructure but, in particular for waterborne transport and aviation, will also require Member States to develop decarbonisation strategies for those transport modes by setting out clear pathways for the use of sustainable fuels in those sectors. This planning will inform the Commission in its scheduled review of the directive, envisaged for around 2026, when more detailed provisions and binding targets on sustainable fuel infrastructure for these modes could be introduced.

Target Setting Road

<u>Electricity LDV</u>

• Member States have to ensure that there is always sufficient recharging capacity installed at publicly accessible infrastructure for the electric LDV fleet registered in that Member State. That capacity is prescribed by the Directive as installed capacity per registered electric vehicle, resulting in approx. 1.0 kW per BEV and 0.66 kW per PHEV. The compliance will be reported every two years through the national implementation reporting by Member States, instead of every three years as in the current Directive.

- For recharging infrastructure of LDV Member States have to ensure that a minimum amount of recharging infrastructure is deployed at national level by 2025 and 2030 respectively. For 2025, this amount is calculated on the basis of all electric vehicles, as expected under the central "Fit for 55" policy scenario (MIX). For 2030, this amounts to infrastructure that is sufficient for 10% of electric vehicles in the total projected vehicle fleet, adjusted to individual Member States (which represents 54% of the overall projected recharging infrastructure need collectively, but also for each Member State individually.
- Member States must ensure at least 300 kw installed capacity, including at least one 150kW recharging point, every 60 km in each direction on the TEN-T core network by 2025 and 600kW installed capacity, including at least two 150kW in each direction on the TEN-T core network by 2030. In addition, Member States must ensure every 60km on the TEN-T comprehensive network 300 kW installed capacity, including at least one 150kW, by 2030 and 600kW installed capacity, including at least two 150kW recharging points, by 2035.

The combination of a fleet based and distance based targets ensures both, sufficient infrastructure for the uptake of the national electric vehicle fleet and full connectivity across the TEN-T network. A fleet based approach based on capacity installed, grants Member States flexibility with regards to the composition of the recharging infrastructure, e.g. the share of fast recharging points. Introducing additional locations based targets on EU level would have limited Member States flexibility without yielding any clear EU wide benefit. A safeguard mechanism of an absolute minimum share targets helps ensure sufficiency of infrastructure roll out to overcome the "chicken&egg" problem in vehicle and infrastructure rollout; this will only come into effect if real world fleet deployment is really behind expected development.

Electricity HDV

- Member States must ensure at least 700kW installed capacity, with 350kW (or higher) charging points, every 60 km in each direction on TEN-T core network by 2025 and 1400 kW installed capacity with 350kW (or higher) charging points by 2030. In addition, MS must ensure at least 700kW installed capacity, with 350kW (or higher) charging points every 100 km on the TEN-T comprehensive network by 2030 and 1400 kW installed capacity with 350kW (or higher) charging points by 2035.
- Member States must ensure that safe and secure overnight parking area for heavy-duty vehicles has at least one recharging station of 100kW minimum by 2030.
- In addition, Member States have to ensure a minimum of electric recharging capacity (600 kW installed in 2025 ans 1.2 kW installed in 2030 through recharging points of at least 150 kW each) in every urban node of the TEN-T network as defined in the Regulation on TEN-T guidelines, in particular to serve urban delivery trucks.

The combined approach of mandating distance based targets along the TEN-T network and mandating charging at safe a secure parkings will provide a sufficient infrastructure coverage along the TEN-T network across the whole EU to support the expected market uptake of battery electric HDV by 2035. The recharging points in urban nodes will ensure that urban delivery trucks – that charge overnight in private depots - will have access to opportunity charging in case needed during their delivery trips.

<u>Hydrogen</u>

- Member States must ensure every 150 km on the TEN-T core network at least one station serving both directions for heavy-duty vehicles at 700 bar (while 350 bar is optional) by 2030. Light-duty vehicles should be enabled to fuel at all stations. Stations have to provide a minimum daily output capacity of 2t.
- Member States must ensure that at least one hydrogen refuelling station is deployed per urban node of the TEN-T network with a capacity of 2t hydrogen per day by 2030.
- In addition, Member State have to ensure that every 450 km on the TEN-T network a hydrogen refuelling station serves liquid hydrogen to trucks and that liquid hydrogen is served in at least one third of urban nodes.

This approach will ensure that fuel cell electric trucks can circulate freely along the TEN-T core network by 2030 and that refuelling stations are equally provided within urban nodes, the most frequent destination of long haul road transport. Within the urban node, Member States should consider to deploy the stations within multimodal freight centres as those are not only the typical destination for HDV but - in such locations - they could also serve hydrogen to other transport modes, e.g. rail and inland shipping. In addition, the requirement on liquid hydrogen is introduced to ensure that emerging technologies in the HDV sector are taking into account when the infrastructure is deployed.

Because of the low number of fuel cell LDV expected in the coming decade, no specific hydrogen refuelling infrastructure is envisaged. However, fuel cell LDV should always have access to all hydrogen refuelling stations.

LNG HDV

• Member States have to ensure an appropriate number of LNG refuelling points accessible to the public by 2025, at least on the TEN-T core network, to ensure circulation of TEN-T heavy-goods vehicles, as it stipulated by the current Directive.

The analysis has shown that current Member State planning and market forces will ensure that a sufficiently dense network will develop along the TEN-T network. However, there is a risk that small gaps in some Member States (AT, RO, IE, LV, EL) may persist. This is why the current requirement of the Directive is continued so that full circulation along the TEN-T network will be possible. In order to be compliant with the long-term objective of climate neutrality, the use of LNG in road transport is dependant on the increasing blending with biogas and the increased use of renewable synthetic gas (e-gas), so that use of natural gas becomes increasingly decarbonised.

CNG

No specific requirements are foreseen for CNG refuelling infrastructure as the infrastructure is already driven by market forces, the market for CNG vehicles is heavily concentrated in a few Member States and the number of CNG vehicles is expected to drastically decrease post 2035.

Target Setting Waterborne

OPS in maritime ports

• Member States have to ensure that OPS is installed to cover at least 90%¹⁶¹ of demand for all TEN-T core and comprehensive ports at for terminals receiving: cruise, container, Ro-Pax above 5000GT by 2030. Ports whose average annual traffic volume during the past 3 years is less than 25 cruise ship calls, 50 container ship calls, 40 ferry calls, are exempted from this obligation.

This obligation is fully aligned with the requirements under the fuelEU maritime initiative. It ensures that the sector finds sufficient OPS supply in TEN-T core and comprehensive ports to comply with those requirements without creating a risk that ships need to be diverted because of a lack of OPS infrastructure in some ports.

OPS in inland waterway ports

• For inland waterway ports, Member States have to ensure that 1 OPS is installed in all TEN-T core and comprehensive ports by 2030.

This obligation should further push the sector towards zero emission technologies. However, in the absence of demand side measures only an initial coverage with OPS is foreseen that will be subject to further scrutiny within the review process envisaged for 2027.

LNG refuelling points in maritime ports

• For inland waterway ports, the exiting provision of the directive remains in force that Member States have to ensure that by 2025 circulation along the TEN-T core network shall be possible by 2025.

The assessment as shown that it is likely that 71 out of 90 TEN-T core ports will have LNG bunkering available by 2025 which ensures that the objective is met. However, in order to be compliant with the EGD, biogas and e-gas should be used for the operations.

LNG refuelling points in inland waterway ports

• The policy option removes the requirement under the current Directive for LNG bunkering in TEN-T core ports that foresees that vessels must be able to circulate along the TEN-core network.

The provision is removed as there is great uncertainty on the decarbonisation pathway of inland waterway shipping. Instead, an obligation is introduced on Member States to

¹⁶¹ Exact percentage to be determined. Variation of the percentage can be envisaged for each ship type. For technical reasons use of OPS may not be opportune for ship calls of less than 2hr stay at berth. If such calls are excluded the requirements for OPS for RoPax may reduce significantly.

develop such decarbonisation concepts along the TEN-T corridors in their NPFs to inform the review of the directive in around 2026.

Target Setting Aviation

• For TEN-T core and comprehensive airports, Member States must ensure electricity supply to stationary commercial passenger aircrafts at all gates and outfield positions by 2030.

This is considered the first step towards greening of airports. In addition, Member States are required in their NPFs to develop further concepts for the use of sustainable alternative fuels for aircrafts and airport operations. This will inform the Commission on possible targets in the 2026 review process.

Interoperability

Physical Standards

• A new Annex to the directive is introduced addressing technical specifications to be developed/completed by official standardization organizations and subsequently adopted via secondary legislation through delegated acts. Operators of recharging and refuelling infrastructure would then be obliged to meet the technical requirements. Such new standards for road transport would meet new and emerging needs / use cases in road transport (e.g., ultra-fast recharging for trucks, supplementary standards for hydrogen). Technical specifications will also be included for maritime transport and inland navigation (e.g., a single solution for shore-side battery recharging points for maritime and inland waterways vessels; hydrogen, methanol and ammonia refuelling points and bunkering for maritime and inland waterways vessels) as well as for aviation (e.g. hydrogen refuelling).

Under the directive standards have already been developed for a wide range of physical interfaces in particular for electric recharging. Those standards have been proven to be essential for the development of the European market and - in order to create the same security for investors - such standardisation work need to continue also for new and emerging technologies across all transport modes.

Communication Standards for recharging points

- A new Annex to the directive is introduced addressing technical specifications to be developed/completed by official standardization organizations and subsequently adopted via secondary legislation through delegated acts. CPOs would be required to support those standards:
 - Communication between vehicle and the recharging point
 - Communication between recharging point and CPO back-end
 - Communication between recharging point and roaming platforms
 - Communication between recharging points and the grid

Those standards would cover the different communication areas of the EV charging ecosystem fully allowing for competitive recharging and recharging service markets to develop across the EU. In particular, it would allow for the full integration of electric recharging points into the electric system allowing for smart and bidirectional recharging to develop.

Physical specification of infrastructure

• Member States will no longer be allowed to require shutters or any other specific technical requirements to ensure that recharging points can be sold without modifications throughout the EU.

In order to ensure a common market, specific national requirements – that are explicitly allowed under the existing directive - have led to additional costs on the manufacturer side that risk to make the roll out of recharging infrastructure unnecessary costly. Such specific national requires will no longer be allowed under the directive.

User Information

Data provision by operators of recharging and refuelling points

- Member States shall ensure that operators of recharging and refuelling points make the following data available to National Access Points in DATEX II format (the process of the provision of data will be further specified in the revision of the ITS directive¹⁶²):
 - Location (Elec, H2, CNG, LNG, LPG, biofuels), which will be specified by: longitude, latitude, country, city, street name and postal code
 - Opening time (Elec, H2, CNG, LNG, LPG, biofuels)
 - Operator information (Elec, H2, CNG, LNG, LPG, biofuels), which will be specified by: operator name, charging point ID code, telephone (helpdesk)
 - Vehicle type compatibility (Elec, H2, CNG, LNG, LPG, biofuels)
 - Charging station characteristics (Elec), which will be specified by: number of connectors, identification methods, payment methods, roaming options, installed power capacity, number of vehicles that can charge simultaneously.
 - Charging point characteristics (Elec), which will be specified by: type of connector, type of current (AC/DC), power phases (single or three phases), ISO 15118 capable (Plug & Charge)
 - Storage tank pressure (H2)
- Member States shall ensure that operators of recharging and refuelling points make the following data available to National Access Points DATEX II format

¹⁶² Directive 2010/40/EU

(the process of the provision of data will be further specified in the revision of the ITS directive):

- Operational status (Elec, H2)
- Availability (Elec, H2)
- Price ad-hoc (Elec, H2)
- Energy source (Elec, H2: specification if 100% renewable electricity/hydrogen is provided. LNG/CNG: share of biofuel or e-fuel)

Price Transparency

- Member States must ensure that CPOs and EMSPs clearly communicate all existing price components (incl. in the case of EMSPs, possibly applying roaming fees) to consumers prior to the recharging session via a dedicated application (except for EMSPs if only fixed subscription fees apply).
- CPOs cannot unduly differentiate (or discriminate) between the prices charged to B2B customers (EMSPs) and the prices charged to B2C customers (i.e. the ad hoc price charged directly to EV-drivers). Price charged to different EMSPs must equally be non-discriminatory

This shall ensure that all users are fully informed about the price of a recharging session before the charge, including roaming fees that are charged by the EMSP. The directive will establish which price components need to be reflected in the displayed price (e.g. kwh price, time component, fixed component). Provisions on non-discriminatory practises towards EMSPs and consumers shall avoid undue preferential treatment to EMSPs associated to the CPO.

Payment options at recharging and refuelling points

- Member States must ensure that all publicly accessible electric recharging and hydrogen refueling points accept bank card payments. Easy bank card payment must be ensured by either terminal or NFC reader for all fast recharging points (>50kW) and hydrogen refueling stations. Payment by smartphone though a unique QR code is allowed at normal chargers (<50 kW) instead of NFC reader/terminal.
- Moreover, at every charge point, the customer must have the right to choose the payment method before initiating the charge. If automatic authentication under contract-based charging is offered by the charge-point operator, the user must have the right to choose either an ad hoc payment option or pay through another EMSP supported by the CPO.

To avoid the continuation of multiple different approaches with respect to ad hoc payment, one common payment method is made mandatory for all recharging and hydrogen refuelling points. Bank card (incl. credit card) payment is the most commonly used payment method across the EU. In order to keep costs for the roll out low, CPOs are allowed to allow for payments through a QR code and smartphone on normal chargers. However, for more expensive fast recharging points and hydrogen stations where the

additional investment costs for terminal or readers are less relevant, those more user friendly payment methods are made mandatory. At the same time consumer choice must be maintained. Even when the recharging point and the vehicle allow for automatic authentication and automatic start of the recharging session, the ev-user shall always have the choice to use a different payment option.

Physical Signposting

• It sets a requirement to install signposting of recharging points and hydrogen refuelling stations within parking and recharging/refuelling areas along the TEN-T core and comprehensive network.

According to ev-users, it is often difficult to find the exact location of a recharging point within a larger parking area along the TEN-T network. To avoid this, clear signposting within those areas is required.



EUROPEAN COMMISSION

> Brussels, 14.7.2021 SWD(2021) 631 final

PART 2/2

COMMISSION STAFF WORKING DOCUMENT

IMPACT ASSESSMENT

Accompanying the

Proposal for a Regulation of the European Parliament and of the Council

on the deployment of alternative fuels infrastructure, and repealing Directive 2014/94/EU of the European Parliament and of the Council

 $\{ COM(2021) \ 559 \ final \} - \{ SEC(2021) \ 560 \ final \} - \{ SWD(2021) \ 632 \ final \} - \{ SWD(2021) \ 637 \ final \} - \{ SWD(2021) \ 638 \ final \} \}$

Table of contents

ANNEX 6: MARKET DEVELOPMENTS	146
ANNEX 7: METHODOLOGY FOR DETERMINING SUFFICIENT INFRASTRUCTURE	158
ANNEX 8: EFFECTIVENESS OF POLICY OPTIONS	174
ANNEX 9: OVERVIEW OF THE MONITORING AND EVALUATION FRAMEWORK	180

ANNEX 6: MARKET DEVELOPMENTS

Market development for alternative fuels vehicle fleets

- Since 2014, the **electric vehicles market** has strongly matured. Especially electric cars have seen a rapid increase in terms of total vehicle registrations in the period 2010-2019. In 2020, sales of electric cars accounted for 10.5% of all new vehicle registrations, compared to 3% in the year before (www.acea.be). Model availability for cars and vans has widely increased and user acceptance is strongly improving. For trucks, maturity has developed at much slower pace since 2014. The stock of vehicles (including retrofitted ones) is still at a very low level. Electric trucks are now starting to enter the market for distribution trucking, and new models with longer ranges will come into the market over the coming years. Electric buses for public transport have seen a significant uptake. The number of registered buses has more than doubled in 2019. Further acceleration of cars, vans and trucks uptake is expected, driven by policies such as the CO₂ emission performance standards for light- and heavy-duty vehicles and the Clean Vehicles Directive.
- Since 2014, the market of **hydrogen fuel cell vehicles** has remains at market niche level, although the technology is mature. The total EU vehicle stock is around 2000 cars. In 2020, only four fuel cell car models were on offer in the EU, but not in all Member States. European original equipment manufacturers (OEMs) have not announced significant investment meanwhile. The situation is slightly better for buses: different European manufacturers have started production and a number of cities and regions have started to deploy hydrogen fuel cell bus fleets. Following the adoption of CO₂ emissions standards for HDVs, different OEMs are now starting to invest strongly into hydrogen fuel cell truck solutions, in view of series production for long-distance road haul post 2025.
- Since 2014, the market of **natural gas vehicles** has developed differently per segment. The technology for natural gas vehicles and components is fully mature for both compressed natural gas (CNG) and liquefied natural gas (LNG). The fleet of passenger cars in 2019 was approx. 1.2 million cars. Vehicle models are for sale in the EU market in all segments. However, the number of brands providing CNG vehicles has contracted in recent years. Natural gas trucks have shown a more steady growth, in particular in the LNG segment.
- Already before the adoption of the Directive, a fleet of around 7 million LPG vehicles existed in the market. Since the adoption of the Directive, vehicle uptake increased slowly. Three quarters of those vehicles were registered in just two Member States (Italy and Poland); hence, a strong geographic concentration of those vehicles persists in the EU. Fleets of LPG buses exist in several cities. However, the number of new acquisitions or replacements of LPG buses are decreasing.

The evaluation showed significant growth rates for electric recharging infrastructure for cars of almost 40% between 2018 and 2019 alone. However, this growth was concentrated in very few member States and approx. 70% of all recharging infrastructure is today located in Germany, France and the Netherlands. The indicative fleet based

targets of 1 recharging point per 10 vehicle is met in most Member States while the indicative target of having one recharging point every 60 km along the TEN-T network has not been met (see also chapter 2.3.1 for detail). Some growth in infrastructure deployment can be noted in the areas of CNG and LPG reflecting the much smaller growth in vehicle uptake. However, there is no distinct publicly accessible electric recharging and hydrogen refuelling infrastructure deployed yet for heavy duty vehicles while the LNG infrastructure developed along the TEN-T network is largely sufficient for the number of LNG trucks currently in the market.


Туре	Indicator	2014	2015	2016	2017	2018	2019
	Battery electric vehicles	75,067	119,222	164,681	244,231	376,534	616,644
	Plug in hybrids	56,758	126,032	191,561	254,249	349,181	474,724
	Number of Normal chargers (≤22kW)	24,917	44,786	93,721	97,287	107,502	148,035
Electricity	Number of Fast chargers (>22kW)	1,331	3,396	8,124	8,784	11,155	17,071
Licentry	Total number of chargers	26,248	48,182	101,845	106,071	118,657	165,106
	% of fast chargers in total	5.1%	7.0%	8.0%	8.3%	9.4%	10.3%
	Fast chargers per 100 km highway	2	5	7	12	15	20
	Vehicle per charging point (average)	5.1	5.7	4.0	5.4	7.2	7.5
	Number of vehicles	6,906,769	7,089,523	7,232,050	7,264,111	7,628,053	7,714,409
LPG	Number of filling stations	29,343	29,733	29,969	31,174	32,196	33,724
	Vehicle per filling station (average)	248.2	255.9	258.2	251.7	246.5	237.6
	Number of vehicles	999,044	1,058,992	1,089,701	1,113,714	1,161,118	1,193,806
	Number of CNG filling stations	-	2,957	3,091	3,111	3,216	3,519
CNG	per 100 km highway	-	3.9	4.1	4.1	4.2	4.6
	Vehicle per filling station (average)	-	408.9	405.3	409.6	411.0	391.6
	Number of HDV	190	331	496	1,425	2,923	4,179
	Number of LNG filling stations		63	80	110	133	242
LNG	per 100 km highway		0.08	0.11	0.15	0.17	0.32
	Vehicle per filling station (average)	-	95.4	79.6	57.5	11.8	10.1
	Number of vehicles	53	192	362	531	714	1,187
	Number of filling stations	-		35	39	39	127
H2	per 100 km highway	-	-	0.05	0.05	0.05	0.15
	Vehicle per filling station (average)	-	-	12.3	16.2	20.9	9.5


Table 1: Evolution of publicly accessible alternative fuel infrastructure and alternatively
fuelled cars for road transport in EU27 by type

Source: EAFO and own elaboration

Market development for alternative fuels infrastructure

With respect to recharging points, the development is not coherent across the EU with 70% of all recharging points in the EU located in Germany, France and the Netherland as described in chapter 2.





EU Normal + High-Power Public Recharging Points (1-1-2021)

Source: EAFO and own elaboration

Those findings are also confirmed by other assessments. For example a recent analysis by Transport & Environment¹ points to the significant differences among MS in terms of the share of high power recharging points. Fast chargers (with a power capacity of > 50kW) are mostly located in the Northern and Western Europe. The map below illustrates the gaps in the EU's high power recharging network, especially in Central and Eastern Europe and in Southern Europe. A sufficiently dense network of high power recharging

¹ https://www.transportenvironment.org/sites/te/files/publications/01%202020%20Draft%20TE%20Infrastructure%20Report%20Final.pdf

points is particularly important to enable cross border travel throughout the EU for cars and heavy duty vehicles. For the latter, no distinct infrastructure is yet available.




Figure 2: High power recharging points (blue >22 kW, red > 50 kW)

Source: (Tranport and Environment, 2020)

Those findings are equally true for the specific case of the TEN-T network. At the end of 2020, only 7% of the TEN-T network were equipped with at least one 150 kW charger at every 60 km. A sufficiently dense network only exists in the urban corridor stretching from the Netherlands, through German Rhineland and from there to Northern and Southern Germany. Outside that corridors only some stretches around agglomerations in Northern and Western Europe are currently equipped while in most Member States in Southern, Easter and South East Europe very little ultra fast recharging points are located on the TEN-T network making seamless travel across the EU difficult if not impossible.





Figure 3: Coverage of 150 kW chargers on the TEN-T network

In terms of number of registered electric vehicles per recharging point, in 2020, Member States had ratios between the number of registered electric vehicles per recharging point ranging from 3.6 and 20.7. Those ratios are considered to be sufficient to accommodate the electric vehicle fleets in 2020. However, this assessment is only true for the existing vehicle fleets that need to increase rapidly under the EGD objectives. If recharging infrastructure does not keep pace with the increase of vehicles, there is a great risk that there won't be sufficient infrastructure in the future.

Figure 4: Number of electric vehicles per recharging point per Member State in 2020



EU Plug-in Electric Vehicle (BEV + PHEV) per public recharging point (1-1-2021)

Source: European Alternative Fuels Observatory Created with LocalFocus

With respect to Hydrogen refuelling stations, only ten Member States provided a total of 103 refuelling stations serving hydrogen at a pressure of 700 bar and 19 refuelling stations serving hydrogen at 350 bar. Almost 70% of all stations are located in Germany. Network connectivity across the EU is therefore not ensured.




Figure 5: Number of hydrogen refuelling stations (700 bar) per Member State in 2020


EU Hydrogen High Pressure Refuelling Stations (1-1-2021)

Source: European Alternative Fuels Observatory Created with LocalFocus

Figure 6: Number of hydrogen refuelling stations (350 bar) per Member State in 2020

EU Hydrogen Low Pressure Refuelling Stations (1-1-2021)

Low Pressure: 350 bar, suitable for passenger cars, trucks and busses



Source: European Alternative Fuels Observatory Created with LocalFocus

With respect to natural gas, in total 332 LNG stations were deployed in 2020 in a total of 17 Member States. Considering that the distance between refuelling stations should be around 400 km across the TEN-T network, those figure suggest that already today travel with an LNG truck is feasible across most of the EU. However, gaps persist in particular in South-East Europe where full network connectivity is not ensured.




Figure 7: Number of LNG refuelling points per Member State in 2020

Source: European Alternative Fuels Observatory Created with LocalFocus

In contrast, CNG refuelling stations are available throughout the EU with the exception of Malta and Cyprus where also no CNG vehicles are registered. IN total 3642 CNG refuelling stations were deployed in the EU. Around 38% of those stations were deployed in Italy reflecting the great concentration of vehicles in only some EU Member States. The CNG market seems to be mature with refuelling stations ensuring network connectivity across the EU and developing by market forces following the demand from vehicles in the respective Member States.




Figure 8: Number of CNG refuelling points per Member State in 2020 EU CNG Refuelling Stations (1-1-2021)

Source: European Alternative Fuels Observatory Created with LocalFocus

Market development for alternative fuels in shipping

Progress in the shipping sector has been much slower than in the road sector. Data provided by Member States in their NPFs and NIRs on maritime and inland waterway vessels and infrastructure deployment is scarce. The evaluation could not draw a coherent assessment of the current and planned development of LNG bunkering and Onshore Power Supply across the EU. For maritime ports, however, data from the European Alternative Fuels Observatory (EAFO) shows that in early 2020, 33 EU maritime ports provided LNG bunkering – either through fixed terminals or vessels - of which 25 are located inside the TEN-T. Hence, less than 50% of all TEN-T ports are equipped with LNG bunkering facilities. Data on inland waterway ports is scarce. Information provided through the consultation exercise points out that almost no port in the EU currently provides such facilities.

What concerns On Shore Power Supply (OPS), in December 2020, 41 maritime and inland waterway EU ports had at least one berth equipped with OPS. However, depending on the location within the port and the power provided at each OPS, only specific vessels can be supplied with power while at berth. For example, an OPS located at a container terminal can only supply container vessels but not passenger vessels.

EAFO	TEN-T Seaports & LNG Bunkering for LNG fueled vessels					
2020-Q1		Total	Core		Comprehensive	
	Ports	LNG facilities	Ports	LNG facilities	Ports	LNG facilities
Belgium	4	2	4	2	0	
Bulgaria	2	0	1		1	
Croatia	7	0	1		6	
Cyprus	1	0	1		0	
Denmark	22	1	2		20	1
Estonia	8	2	1	1	7	1
Finland	17	1	5		12	1
France	28	2	9	2	19	
Germany	21	3	6	2	15	1
Greece	25	0	5		20	
Ireland	5	0	3		2	
Italy	39	1	14		25	1
Latvia	3	0	2		1	
Lithuania	1	1	1	1	0	
Malte	4	0	2		2	
Netherlands	13	3	5	3	8	
Poland	5	0	4		1	
Portugal	13	1	3	1	10	
Romania	5	0	2		3	
Slovenia	1	0	1		0	
Spain	37	14	13	11	24	3
Sweden	25	2	5	2	20	
United Kingdom	42	0	16		26	
Total	328	33	106	25	222	8

Table 2: LNG bunkering in TEN-T maritime ports

Source: EAFO for LNG Bunkering, MoS Study EU Cie (2018)

Country	Port	Latitude	Longitude	Berths with OPS	Tupor of vorcal	Voltage (kV)	Category HV/LV	Power (MW)	TEN-T	Year installed	Location details
Austria	Ennshafen	48,23	14,51	30	Inland vessels	0,4	Low Voltage	1.4 (total)	Core	1995-2010	Inland Port
elgium	Zeebrugge	51.33	3.2	1	RoRo	6.6	High Voltage	1.25	Core	2006	
enmark	Frederikshavn	57.43	10.55		Navy vessels		High Voltage	4.48	Comprehensive	2016	Navy port
enmark	Helsingor	56.03	12.62	1	Ferry	11	High Voltage	4.5	Comprehensive	2018	Ferry Terminal
enmark	Kalundborg	55.68	11.1	22		0.4	Low Voltage	0.065	Comprehensive		
stonia	Tallinn	59.45 59.46	24.77 24.70	10	RoPax	0.4	Low Voltage	0.350-0.600	Core	-	Old City Harbour
stonia stonia	Tallinn Paljarsaare Harb Tallinn Paljarsaare Harb	59.46	24.70	8	Oil & Product tankers Barges	0.4	Low Voltage Low Voltage	0.140	Core		Paljarsaare Harbour Paljarsaare Harbour
inland	Helsinki	60.15	24.92	8	Ferry, Roro	0.4	High Voltage	0.210-0.800	Core	2020	Paljarsaare Harbour
inland	Helsinki	60.17	24.97	4	Ferries	0.4	Low Voltage	0,175	Core	1010	
inland	Helsinki	60.17	24.97	6	other	0.4	Low Voltage	0,175	Core		
inland	Kemi	65.73	24.56	1	RoPax	6.6	High Voltage		Comprehensive	2006	
inland	Oulu	65.02	25.47	1	RoPax	6.6	High Voltage		Comprehensive	2008	
rance	Antibes	43.58	7.13	1	Maxi Yacht	6,6	High Voltage	1.2		2015	Quai des Milliardaires
rance	Dunkerque	51.05	2.38	1	Container	6,6	High Voltage	6	Core	2019	Quai des Flandres
rance	Le Havre (Inland)	49.27	0.29	2	Barges	0,41 / 0,23	Low voltage	0,05	Core	2018	Terminal Multimodal
rance	Le Havre (Inland)	49.28	0.27	1	Barges	0,41 / 0,23	Low voltage	0,05	Core	2018	Tancarville ancienne écluse
rance	Marseille Port do Paris (Inland)	43.32	5.37	3	Ferry , RoRo	11	High Voltage	1.44	Core	2015	La Joliette Darro 2 Port de Gennevillier
rance rance	Port de Paris (Inland) Rouen (Inland)	48.9 49,4	2.27	1	Barges Barges	0,41 / 0,25 0,41 / 0,24	Low voltage Low voltage	0,05	Core	2018 2018	Darse 3 Port de Gennevillier Quai Emile Duchemin
rance ermany	Hamburg	49,4	9,93	2	cruiseship	0,41/0,24	Low voitage High Voltage	9.8	Core	2010	quar cinile Duchemiñ
iermany	Kiel	54.33	10.13	1	ferry Oslo-Kiel ,Cruise	10	High Voltage	4,5	Comprehensive	2019	
iermany	Lübeck	53.96	10.88	2	ROPAX	10	High Voltage	3.5	Core	2010	1
ermany	Lübeck	53.955	10.88	2	Container <140m	6.6	High Voltage	2	Core		
iermany	Lübeck	53.955	10.875		Cruise	11	High Voltage	9.8	Core		
ermany	Lübeck	53.88	10.7	2	RoRo and vehicle vessels	11	High Voltage	3.5	Core		
reece	Ancona	43.62	13.51	2	Shipyard	0,44 / 0,69	High Voltage	1.6		2016	
atvia	Liepaja	56.52	21.02	2	RoRO and vehicle vessels	10	High Voltage	0.5	Comprehensive		
atvia	Riga	56.95	24.1	2	Container	6,6	High Voltage	1.6	Core	2014	FreePort
atvia	Riga	56.96	24.1	5		0.4	Low Voltage	0.25	Core		
atvia	Ventspils	57.4	21.53	23	Oll B. Deaduct to allow	0.4	Low Voltage	0,05	Core		
ithuania ithuania	Klaipeda Klaipeda	55.72 55.71	21.12	5	Oil & Product tankers Barges	0.4	Low Voltage Low Voltage	0.015	Core		
ithuania	Klaipeda	55.70	21.12	1	Ferries	0.4	Low Voltage	0.4	Core		
Aalta	Delimara	35.83	14.56	1	LNG to Power Floating Storage	6,6	High Voltage	2.4	core	2016	
letherlands	Hoek van Holland	51.98	4.13	-	Ro-ro/Ferry	-,-	High Voltage	4.8		2012	
letherlands	Rotterdam	51.9	4.48	2	RoPax	11	High Voltage	2.8	Core	2012	
lorway	Bergen	60.4	5.33	3	3 cruiseships	11 / 6,6	High Voltage	12.8		2020	Skolten / Montelabo
lorway	Bergen	60.4	5.31	1	OSV	0,4	Low Voltage	0,8		2015	Skolten
lorway	Floro	61.6	5.03	3	OSV	0,44 / 0,69	Low Voltage	0,8		2017	Fjordbase
lorway	Larvik	59.04	10.05	1	Ro-ro/Ferry	11	High Voltage	1.8		2015	
lorway	Oslo	59.90	10.74	1	Cruise ship	11	High Voltage	4.5		2018	
lorway	Sandefjord	59.12 41.18	-8.70	9	Ro-ro/Ferry Tugs and other vessels	0.4	High Voltage	2.75 0,0825 / CP	Core	2017 1980-2020	
ortugal Iovakia	Leixões Bratislava (Inland)	48.08.13.6	17.08.47.1	3	unspecified/ river	0,4	Low Voltage Low Voltage	40 (connection poi	Core	2009	Cargo Port
pain	Barcelona	41.373	2.187	1	Yachts	6	High Voltage	3.4	Core	2014	Marina 92
pain	Barcelona	41.364	2.185	1	Yachts	6	High Voltage	3.0	Core	2020	Marina 92
pain	Melilla	35.291389	-2.931372	1	Ferry	0,4	Low Voltage	0.8	Comprehensive	2014	Terminal de ferries
pain	Motril	36.723133	-3.523067	1	Ferry	0,42	Low Voltage	0.8	Comprehensive	2018	Muelle de Costa
pain	Motril	36.722547	-3.522778	1	Ferry	0,42	Low Voltage	0.8	Comprehensive		Muelle de Levante
pain	Palma de Mallorca	39.552722	2.627161	1	Ferry	11	High Voltage	1.6	Core	2020	Muelles Paraires - Norte
pain	Palma de Mallorca	39.550672	2.624514	1	Ferry	0,4	Low Voltage		Core		Muelles Paraires - Sur
pain	SC de La Palma	28.677581	-17.765861	1	Ferry	0,4	Low Voltage	0.5	Comprehensive	2019	Dique Este
pain	SC de La Palma	28.677989	-17.76665	1	Ferry	0,4	Low Voltage		Comprehensive		Pantalán
pain	SC de Tenerife SC de Tenerife	28.469778	-16.244472 -16.244711	1	Ferry	0,4	Low Voltage	1.44	Core	-	Pantalán Anaga - Ribera
pain pain	SC de Tenerife	28.469833 28.469594	-16.244711 -16.246339	1	Ferry Ferry	0.4	Low Voltage Low Voltage	0.2	Core		Pantalán Anaga - Dique Este Ribera I
pain pain	SC de Tenentre SS de La Gomera	28.469594 28.084803	-16.246339	1	Ferry	0,4	Low Voltage	0.2	Comprehensive	1	Dique del Este (Ro-pax)
pain	SS de La Gomera	28.086358	-17.1084	1	Ferry	0,4	Low Voltage	0.140	Comprehensive	1	Dique del Este (Ro-pax)
weden	Gothenburg	57.70	11.95	6	RoRo, RoPax	6.6 & 11	High Voltage	1.25-2.5	Core	2000	bique del core (i aperento)
weden	Helsingborg	56.04673	12.69437	1	Ferry	11	High Voltage	4.5	Comprehensive	2018	Ferry Terminal
weden	Stockholm	59.35250	18.1144444	2	RoPax	11	High voltage	6 (2*3)	Core	2019	Port of Värtahamnen
weden	Stockholm	58.904	17.956	1	RoPax	6,6	High voltage	2	Core	2017	Port of Nynäshamn
weden	Stockholm	59.3450	18.1300	2	RoPax	0,69	Low voltage	4 (2*2)	Core	1990's	Port of Frihamnen
weden	Stockholm	59.316667	18.09611	2	RoPax	0,69	Low voltage	4 (2*2)	Core	1980's	Port of Stadsgården
weden	Trelleborg	55.37	13.15	6	Ferry	10.5	High Voltage	0-3.2	Core	2017	
weden	Ystad	55.43	13.83	1	Cruise ship	11	High Voltage	6.25-10	Comprehensive	2013	
veden	Visby	57.64	18.28	4	Ferry	11	High Voltage	5	Comprehensive	2019	Ferry Terminal
vitzerland K	Basel (Inland) Fraserburgh	47.562135 57.62	7.586467	6	River Cruiseships	5,8 Multiple	High Voltage	< 0.5		2015	Dreilaendereck / St. Johann
N	ir raserpurgh	57.62	-2	6	Fishing vessel	wurtiple	Low Voltage	< 0,5	1	2015	1

Table 3: On Shore Power supply at European ports

Sources: EAFO Research, ESPO, EFIP, NPF of MS, Ministry of Transport Spain, Individual Ports, CLEANSHIP final report, T&D Europe communication package SSE

The Directive required Member States to consider the need to install electricity supply at airports for use by stationary airplanes but reporting by Member States is scarce, not allowing for getting a complete overview on the availability.

ANNEX 7: METHODOLOGY FOR DETERMINING SUFFICIENT INFRASTRUCTURE

This annex presents the methodology for determining the sufficiency of infrastructure as it has been developed under the support study for this impact assessment² and described in detail in that document.

7.1 Approach for developing the methodology to determine sufficient infrastructure requirements

There is no unified consensus with respect to which methodology or criteria can most accurately represent sufficient AFI provision. Partly, this is due to there being very limited historic data and relatively small current market size that would help to establish what "sufficient" infrastructure looks like, especially in light of technology developments and changes in user behaviour, and related changes in business cases.

The approach drew on an analysis that was divided into three different sub-tasks:

- Assessment of the suitability of metrics and criteria for the assessment of sufficiency of AFI provision.
- Assessment whether specific criteria need to be developed for HDV AFI coverage that differ from the criteria for LDVs.
- Exploration of different types of electric charging points and a possible need for a differential assessment for targets for charging infrastructure provision.

The methodology comprised of a combination of desk-based research and stakeholder engagement which informed the identification of the metrics and criteria most well-suited to measure sufficient AFI provision. Three overarching metrics were explored in greater detail:

- Distance-based: maximum distance between recharging or refuelling stations (km).
- Fleet-based: number of vehicles per recharging or refuelling station.
- Traffic volume-based: vehicle kilometres per recharging or refuelling station.

The results of the analysis informed the most suitable metrics to be used for assessing sufficient infrastructure requirements for different types of alternative fuels infrstructure.

7.2 – Specification of sufficient infrastructure requirements

This section presents the numerical targets for the various types of road transport alternative fuels infrastructure, using the results of the assessment of the metrics and criteria identified in Annex 7.1 for each category of alternative fuels infrastructure. The presented numerical targets should be interpreted as an avaerage <u>sufficient level of infrastructure</u> for all Member States rather than the optimum level of infrastructure. As such Member States would be free and encouraged to go beyond these minimum figures, should demand exist in a Member State. The specific numerical targets identified in this

² Ricardo et al (2021), impact assessment support study

annex have been incorporated into the policy options within the overall AFID Impact Assessment.

Electricity

LDV targets for TEN-T networks

On the basis of desk research, stakeholder engagement and the expected uptake of electric vehicles it is considered that the following infrastructure should be deployed on the **Core TEN-T network:**

- 300kW installed charging capacity every 60km in each direction by **2025**, including at least one 150kW charging point per direction.
- 600kW installed charging capacity every 60km in each direction by **2030** (1.2MW total), including at least two 150kW charging points per direction.

And on the **Comprehensive TEN-T network:**

- 300kW installed charging capacity every 60km in each direction by **2030**, including at least one 150kW charging point per direction.
- 600kW installed charging capacity every 60km in each direction by **2035** (1.2MW total), including at least two 150kW charging points per direction.

The justification for these figures is based on a synthesis of the desk-based and field research. In particular, some points can be drawn out:

Fast and ultra-fast charging is seen as the preferred charging solution on the Core and Comprehensive TEN-T networks, with a sufficient provision defined using a distance-based metric

For the **Core TEN-T Network**, an original target of one ultra-fast (150kW+) charge point every 60km was developed based on desk-based research and initial feedback from stakeholders during the targeted interviews. In summary, this initial "indicative" target was chosen in response to commuting patterns on the Core network and distances achievable by EVs. In response to this element of the survey, stakeholders supported a higher target to the one proposed. Stakeholders in the survey also strongly supported prioritising fast and ultra-fast charging on the Core and Comprehensive networks (19 of 21 respondents); and also strongly supported the usage of a distance-based metric on these networks (20 out of 22 respondents). Responses to the questionnaire showed that the preferred distance between charging points on the Core TEN-T was 30-70km.

For the **Comprehensive TEN-T network**, an original target of one ultra-fast (150kW+) charge point every 100km was developed based on desk-based research and initial feedback from stakeholders during the targeted interviews. Stakeholders supported either for the target to stay the same as proposed or an increased target to the one proposed. As noted in the section above, stakeholders were strongly supportive of a distance-based metric for both the Core and Comprehensive TEN-T networks. In terms of the distance between recharging points suggested by stakeholders, the preferred range amongst stakeholders was 50-100km. In addition, the consensus from literature is that sufficient level of infrastructure is 150kW per 60-100km, adding that this should be in two directions or that each site should have two recharging points. In consideration of the expected distances achievable by EV batteries, and the necessity for frequent public recharging, it was concluded that keeping the 60km distance the same as for the Core

network is the most logical target to implement, but that this should be implemented in 2030 due to the lower volumes of traffic on the Comprehensive network.

Stakeholders were strongly supportive of having flexibility to achieving targets

From the survey analysis and based on stakeholder feedback during targeted interviews, there was an overall desire to have flexibility within targets to avoid being too prescriptive on the types of charging. At the same time, there is clear consensus in literature and amongst stakeholders that ultra-fast should be prioritised for the Core network, and fast or ultra-fast for the Comprehensive network, to serve the travel patterns of users on these more heavily utilised and crucially located networks (i.e. users require a shorter time to recharge in order to continue their journey). As such, the recommended approach is based on specifying a required charging power per charging site, using a distance-based metric, which allows for a certain degree of flexibility to achieving the target. In addition to this, chargers need to be deployed in both directions to ensure travel in either direction is supported with accessible charging infrastructure to the road network; as such the recommended target is on a per-direction basis.

The approach of having an allocation of stated power requirement at a site along the TEN-T networks, along with a specification of a minimum power requirement of 150kW for at least one charger, is recommended as it satisfies the strong support for fast and ultra-fast charging along the TEN-T networks whilst also allowing a degree of flexibility for Member States in achieving targets.

What do these targets mean in practice?

In practice, the power requirement per site can be fulfilled by different combinations of recharging points of different power ratings, thereby influencing the total number of recharging points deployed on the network. For example, for the 2025 target on the Core TEN-T network, two possible combinations to fulfil the sufficient requirement can be considered, ensuring that at least one recharging point has a power rating of 150kW:

- 2 x 150kW recharging points; or
- 1 x 150kW and 3 x 50kW recharging points.

The table below presents the total number of recharging points along the Core and Comprehensive networks for each of the years 2025 and 2030 for an example low and high scenario, where low refers to fewer recharging points deployed and high refers to a greater number of recharging points deployed.

Table 4: Number of chargers depl	loved for recommended I DV	targets on TFN_T networks
Table 4: Number of chargers depi	loyed for recommended LD v	targets on TEN-T networks

Scenario	Combination of recharging points	Distance between RP	Total number of RP along Core network
2025		1	
Core TEN-T	Network		
Low	2 x 150kW recharging points	60km	3,124
High	gh 1 x 150kW and 3 x 50kW recharging points		6,250
2030	•	1	
Core TEN-T	Network		
Low	4 x 150kW recharging points	60km	6,250
High2 x 150kW and 6 x 50kW recharging points		60km	12,500
Comprehens	ive TEN-T Network	-	
Low	2 x 150kW recharging points	60km	3,982
High 1 x 150kW and 3 x 50kW recharging points		60km	7,964

Assuming a national fleet-based vehicle to charger ratio of 12:1 (see Section below), the total number of recharging points on the Core and Comprehensive TEN-T network will constitute a relatively small proportion of the **total** recharging network (i.e. not just the fast / ultra-fast charging networks), the targets will account for approximately 3.5% of the total installed power in 2030 and a considerable smaller share in the number of recharging points because of the great power of each recharging point along the TEN-T network.

The specification of 300kW per 60km in each direction is considered to be a minimum infrastructure provision. Where the charging demand is shown to exceed this capacity, it is expected that the market will deploy additional chargers due to a positive business cases, as a result of proven high demand.

LDV national-level targets

On the basis of desk research, stakeholder engagement and the expected uptake of electric vehicles it is considered that infrastrucure deployment could be considered sufficient if for each battery electric vehicle a total of 1 kW recharging power was installed and for each plug in hybrid a total of 0.66 kW recharging power was installed. Assuming an average power output of 11 kW per recharging point, this would correspond to a an infrastrucure – electric vehicle ratio of 1-12.

The desk-based research and field research has indicated that the previous 10:1 ratio of EVs to charge points in the cuurent directive is no longer fit-for-purpose, and that an updated national level ratio would be necessary to deterine the sufficient infrastructure needed to cater for a growing EU electric LDV fleet. This is due to aspects such as changing utilisation rates of chargers, higher-powered chargers being deployed, and battery sizes within vehicles getting larger, with accompanying longer ranges.

In order to determine an updated sufficient national-level target for electric LDVs, an energy-based approach was utilised, whereby the sufficient level of charging

infrastructure was determined by assessing the energy requirements of EVs, the proportion of energy delivered by public chargers, and the utilisation of charging infrastructure. All values used as data inputs are based on a combination of a comprehensive literature review and the assumptions made under the baseline scenario used for this Impact Assessment. The resulting output is the power required per electric vehicle (separately for BEVs and PHEVs) on which basis further assumptions on the ratio between infrastructure and vehicles and between normal and fast recharging points can be made.

To determine the energy requirements of EVs for the year 2030 for both BEVs and PHEVs, the total number of vehicles in the EU was multiplied by the average distance driven in a year and the efficiency factor (electric energy per distance in kWh/km). For PHEVs, an additional utility factor was applied in the PHEV calculation to account for the proportion of distance travelled using electricity (as opposed to conventional fuel). The number of EVs and distance driven per year were both derived from the baseline The efficiency factor are also in line with those used in the baseline.

Field (Green text = input data; red text = calculation)	Value
Number of BEVs	34,322,000
Number of PHEVs	13,716,000
Average km / year (assume same for BEV / PHEV)	13,141
Electric energy per km BEV (kWh/km)	0.127
Electric energy per km PHEV (kWh/km)	0.165
Uplift for more recent data on efficiencies from Ricardo	16.5%
2030 electric energy per km BEV (kWh/km)	0.148
2030 electric energy per km PHEV (kWh/km)	0.192
UF for PHEVS (% of km in EV)	52%
Total energy consumed per year BEV (kWh)	68,138,505,584
Total energy consumed per year PHEV (kWh)	18,369,204,572

 Table 5: Calculation of total energy consumed per year for EVs for 2030

It is necessary to determine the proportion of energy delivered by public recharging infrastructure (as opposed to private home or workplace recharging infrastructure). Although a significant majority of recharging occurs in private locations currently and will continue to do so in the future, the proportion of energy delivered by public recharging infrastructure is expected to increase by 2030 as the number of EV users living in urban areas that do not have access to private parking (e.g. living in apartment blocks) is expected to increase. In addition electric vehicles will perform longer journeys, that will require access to public charging. Thus, it is also expected that the usage of high-powered recharging points will increase. It is therefore assumed that around 40% of all recharging events for battery electric vehicles will take place at publicly accessible recharging points towards 2030.

PHEVs will only charge at normal publicly accessible recharging points due to the smaller battery and technical limitations to use fast recharging points. The respective proportions of public charging were estimated based on latest available research and expert opinion on how this is likely to evolve in the future, taking into account anticipated greater EV ownership by people with no off-street parking. On that basis, the

total energy to be delivered by each type of public recharging point for each year was calculated and is presented in the table below.

Field (Green text = input data; red text = calculation)	Value
Total energy consumed per year BEV (kWh)	68,138,505,584
Total energy consumed per year PHEV (kWh)	18,369,204,572
Proportion of energy delivered via public normal BEV	20%
Proportion of energy delivered via public normal PHEV	33%
Proportion of energy via public fast BEV	20%
Total energy delivered via public normal chargers per year BEV (kWh)	13,627,701,117
Total energy delivered via public normal chargers per year PHEV (kWh)	6,061,837,509
Total energy delivered via public fast chargers per year BEV (kWh)	13,627,701,117
Power Output required per BEV in kW	1
Power Output required per PHEV in kW	0.66

Table 6: Calculation of total energy to be delivered by each type of recharging point per year for 2030

To translate this to the total number of each type of recharging point, it is first necessary to determine the energy delivered per year for an individual recharging point. This requires an assessment of the average power output and utilisation of recharging points. As an example, it is unrealistic for an 11kW recharging point to be used 24 hours per day and supply 11kW of power for the whole duration. Furthermore, the distribution of 'normal chargers' needed to be accounted for which includes a range of types from 3.4kW to 22kW chargers (noting that the use of on-board chargers that accept a 3-phase AC supply will likely remain limited, especially at the 22kW AC power rating). The same logic applies for 'fast' chargers. As such, the average power of normal recharging was determined to be 7.7kW, as calculated in the energy-based model. Similarly, on the basis of the existing and expected range of fast chargers, an average rate of 130kW was assumed for fast chargers, that can deliver an average epower of 104 kW.

Based on assumptions based on expert knowledge of the industry, a realistic daily utilisation of each charging point type was derived, based on a combination of practical average usage time and availability. For normal chargers this was determined to be around 2 hours per day on average, and for fast chargers it was determined to be 3 hours per day on average. From this, the energy that could be delivered by each charger per year was calculated and the power required per electric vechles established.

By dividing the total amount of energy that needs to be delivered by each public charger type per year for the fleet by the respective energy delivered by individual recharging points per year, the number of normal recharging points and fast charging points needed to support the EV fleet was derived. The values are presented in the table below.

Table 7: Total number of normal and fast chargers derived from the energy-based calculation

Field	Value
Number of normal chargers BEV	2,693,000
Number of normal chargers PHEV	120,000
Number of fast chargers BEV	1,108,316

These values have been compared with the number of AFVs under the baseline to determine a ratio of vehicles to each type of recharging point and ultimately a combined fleet-based ratio. A fleet-based ratio of **12:1** was calculated with the average power per recharging point to be approx. 11 kW.

However, the chosen energy-based approach to estimating required minimum infrastructure is very sensitive to the assumptions used (e.g. a change in utilisation rate and share of private recharging has a notable impact on the ratio of charging infrastructure to EVs). Furthermore, the ratio also assumes an ideal geographical distribution of the recharging points.

The energy-based calculation shows the assumed split between normal and fast chargers, but a fleet-based should not suggest a relative split between these types of chargers as this depnds on local conditions and user preferences that can vary greatly between Member States and even within regions. The fleet based sufficiency index includes all publicly accessible recharging points. Therefore, the recharging points on the Core and Comprehensive TEN-T networks contribute to this fleet based target.

HDV targets for TEN-T networks

The analysis of recharging infrastrucre needs was carried out throughout 2020. However, in view of the upcoming revision of the Regulation on CO2 emission performace standards for new heavy-duty vehciles, a much higher uptake of heavy duty vehciles as anticipated by stakeholders in 2020 can be expected. This would then require also more infrastructure. While the main analysis in the Impact assessment was carried out on the basis of stakeholder views and assumptions in 2020, a sensitivity analysis was added in chapter 7.8 of this Impact Assessment to analyse the impacts of a higher HDV uptake.

On the basis of the 2020 desk research, stakeholder engagement and the expected uptake of electric vehicles it is considered that the following infrastructure should be deployed on the Core TEN-T network:

- 700kW installed charging capacity every 60km in each direction by **2025**, consisting of 350kW (or higher) charge points.
- 1.4MW installed charging capacity every 60km in each direction by **2030**, consisting of 350kW (or higher) charge points.

And on the Comprehensive TEN-T network:

• 700kW installed charging capacity every 100km (maximum) in each direction by 2030, consisting of 350kW (or higher) charge points.

• 1.4MW installed charging capacity every 100km (maximum) in each direction by 2035, consisting of 350kW (or higher) charge points.

The justification for these figures is based on a synthesis of the desk-based and field research. In particular, some points can be drawn out:

HDVs have different recharging patterns than LDVs

It is essential that the infrastructure supporting electric HDVs fits in with the duty cycles of HDVs. In general, HDVs are used more frequently than LDVs and have busier duty cycles than LDVs, requiring higher-powered charging due to their larger batteries. In general, smaller HDVs and vans may be able to utilise infrastructure for LDVs, but the larger categories of HDVs will require dedicated charging infrastructure.

15 out of 23 respondents to the survey agreed that HDV and LDV recharging targets should be differentiated (with 2 out of 23 disagreeing). Additionally, the survey investigated whether charging targets should be segmented by category of HDV (with the recommended categories being small rigid HDVs (up to 3.5t); large rigid HDVs (greater than 3.5t); and long haul HDVs / coaches). 13 out of 23 respondents supported this segmentation, with 4 out of 23 disagreeing with this segmentation – resistance to this suggested segmentation was either based on the segmentation not being detailed enough, or the segmentation being too detailed, with different stakeholders voicing different opinions. In consideration of the above, it was considered necessary to distinguish targets for LDV and HDV recharging. Whilst the targets above are not segmented into specific HDV categories, HDV segmentation is implicitly considered within the specification of targets (as outlined below).

Market readiness of electric HDVs

With respect to technological readiness of electric HDVs, desk and field research has noted that long haul (i.e. articulated) HDVs are at a lower technology readiness level than small rigid and large rigid HDVs. Long haul HDVs will require infrastructure in the future, but not within the current timescales being considered within the AFID as volumes of long haul electric HDVs are expected to be very low up until 2030. As such, the infrastructure should be prioritised for small rigid and large rigid HDVs, though infrastructure for long haul trucks will become important in future and needs to be in place to support the uptake.

Suitability of charging infrastructure for electric HDVs

Prior work has determined that 350kW charge points would be required for small rigid HDVs in public locations; and that at least 700kW charge points would be needed for large rigid HDVs in public locations. This analysis was based on a combination of expected market development of electric HDVs (in particular battery sizes in electric HDVs) along with the specification of EU regulations that state that drivers have to take breaks every 4 hours for 45 minutes – as such, drivers can utilise these rest breaks to charge their vehicles in the allocated time using suitably high-powered charge points.

This analysis contributed to the specification of the stated power to be available at charging sites along the TEN-T networks and the associated years for implementation, where the dedicated infrastructure would need to be at least 350kW in order to serve the duty cycles of electric HDVs coming to the market. In consideration of the distances between chargers for the targets, the distance for the Comprehensive network target was increased from 60km to 100km – this is due to the fact that HDVs more heavily utilise the Core network in comparison to the Comprehensive network, and as such a greater

amount of infrastructure would be required on the Core network – stakeholder feedback agreed with this, where a majority of respondents recommended a distance between 100-150km for the Comprehensive network target.

What do these targets mean in practice?

Similar to the LDV targets, the power requirement per site can be fulfilled by different combinations of different recharging point powers, thereby influencing the total number of recharging points deployed on the network for HDVs. For example, for the 2025 target on the Core network, Member States can adopt two possible combinations to fulfil the obligation:

- 1 x 700kW recharging point; or
- 2 x 350kW recharging points.

The table below presents the total number of recharging points along the Core and Comprehensive TEN-T networks for each of the years 2025 and 2030 for example low and high scenarios, where low refers to fewer recharging points deployed and high refers to a greater number of recharging points deployed.

Table 80: Number of chargers deployed for recommended HDV targets on TEN-T networks

Scenario	Combination of recharging points	Distance between RP (per direction)	Total number of RP along Core network (both directions)		
2025		l			
Core TEN-	T Network				
Low	1 x 700kW	60km	1,562		
High	2 x 350kW recharging points	60km	3,124		
2030					
Core TEN-	T Network				
Low	2 x 700kW	60km	3,124		
High	4 x 350kW recharging points	60km	6,248		
Comprehensive TEN-T Network					
Low	1 x 700kW	100km	1,194		
High	2 x 350kW recharging points	100km	2,388		

HDV national-level targets

No national targets can be reasonably defined for electric charging infrastructure for HDVs on the basis of the the registered electric HDV due to the early stage of the market. At this stage, it is not possible to determine what exctly the evolution of demand for different HDV technologies will be and how exactly this will affect the demand for publicly accessible recharging, that would go beyond providing for a minimum level of infrastructure to allow the markets to develop. As such, the Core and Comprehensive TEN-T networks should be the primary focus of targets (rather than a national target) until the market develops further to assess whether another target is required.

HDV targets at safe overnight parking areas

On the basis of desk research and stakeholder engagement it was confirmed that to cater for long haul truck journeys, overnigh recharging would be required in addition to fast recharging as addressed in the previous chapter. Therefore each of the certified **safe and secure parking areas for HDVs** should have at least one 100kW recharging station by 2030.

In consideration of the power of charging infrastructure that should be considered in safe and secure areas, analysis has indicated that 100kW charging stations are suitable to charge HDVs overnight, based on the expected evolution of battery capacities of electric HDVs and based on the fact that HDVs expected to use these sites will be there for at least a number of hours or overnight.

HDV targets for urban nodes

TEN-T Urban Nodes play a crucial role as intersection between the large European transport networks and uran areas. For electric recharging they are relevant in terms of destination charging for long haul trucks and charging for urban delivery trucks. However, most of such recharging needs are expected to be satisfied by depot-based charging. To ensure that basic recharging needs are met where no private charging is possible, the following minimum infrastructure should be at least available:

- 600kW installed charging power per urban node should be deployed with at least 150kW per charging point, by 2025.
- 1.2MW installed charging power per urban node should be deployed with at least 150kW per charging point, by 2030.

The provision of targets for AFI in urban areas generally received mixed opinions from stakeholders in both the targeted interviews and the survey – the characteristics of urban areas vary considerably depending on a large number of characteristics (e.g. population, vehicle characteristics, parking characteristics), and as such a single target for urban areas is seen to be not fit-for-purpose. However, the role and importance of TEN-T Urban Nodes in connecting the TEN-T Core and Comprehensive networks has been highlighted in separate stakeholder discussions, in particular to serve urban delivery trucks which are expected to transition to electric before other categories of HDV. Stakeholders noting that the importance of TEN-T Urban Nodes needed to be recognised. The importance of deployment of charging infrastructure in urban areas to serve urban delivery trucks has also been highlighted in previous literature.

Hydrogen

LDV and HDV targets for TEN-T networks

The recommendation is for the **Core and Comprehensive TEN-T networks** to have

- one hydrogen refuelling station serving both directions every 150km for HDVs at 700 bar by 2030;
- LDVs should also be able to refuel at all hydrogen refuelling stations.
- The sufficient daily capacity for all stations should be 2 tonnes.
- Every 450 km, liquid hydrogen should be available

The justification for these figures is based on a synthesis of the desk-based and field research. In particular, some points can be drawn out:

Ranges of hydrogen LDVs and HDVs coming to the market

The results of the survey showed that stakeholders were supportive of a distance-based target on the Core and Comprehensive TEN-T networks for hydrogen refuelling infrastructure for both LDVs and HDVs. For LDVs, 20 out of 22 respondents recommended a distance-based metric for LDVs for both networks; and for HDVs, 14 out of 17 and 13 out of 16 respondents recommended distance-based metrics for the Core and Comprehensive networks, respectively.

Within the survey, stakeholders were asked to provide feedback on an indicative target of one hydrogen refuelling station every 300km, with this indicative target based on the expected ranges of hydrogen LDVs and HDVs coming to the market, along with findings from a survey conducted the Sustainable Transport Forum³. Feedback from stakeholders indicated that this distance is too large and is approaching the distances achievable for both LDVs and HDVs, and as such a shorter distance would be required to give confidence to the ability to refuel hydrogen powered vehicles. Based on stakeholder feedback and expected ranges of hydrogen vehicles, the recommended distance is one HRS every 150km along the Core and Comprehensive TEN-T networks.

The same distance is recommended for both the Core and Comprehensive networks to allow for a sufficient level of infrastructure for hydrogen powered vehicles to move around the EU. The recommended target year is 2030, as hydrogen vehicles are unlikely to start entering the market in significant numbers until the late 2020s at the earliest.

Combined location for LDV and HDV refuelling

As outlined in the analysis of survey responses, and from engagement with stakeholders during targeted interviews, along with general industry knowledge, hydrogen LDVs are unlikely to be deployed in large quantities due to the growing prominence of electromobility, and as such hydrogen infrastructure is more likely to be deployed to serve hydrogen HDVs. Numerous stakeholders commented on the efficiency of supplying and storing hydrogen in one facility / location for both LDVs and HDVs; as such, the recommendation is to combine the locations for both LDV and HDV hydrogen refuelling.⁴ Such an approach will also minimise the risk of stranded assets in case hydrogen vehicles will only be deployed in one of the two market segments.

Characteristics of hydrogen refuelling stations

A sufficient level of hydrogen infrastructure is dependent on the number of stations, the distance between stations, the capacity of each station and the technology used (e.g. pressure). The latter characteristic can be treated independently, whereas the number of stations, distance between each station and the capacity of each station are all dependent on one another when determining targets for the TEN-T networks at an EU level. The distance between HRS must not exceed a maximum value to ensure that there are no issues with vehicle range and ability to refuel, and the capacity of each HRS must not fall below a minimum to ensure that it can support the expected demand for hydrogen. This is particularly important for HDVs, which require a significant mass of hydrogen at each refuelling session.

³ https://ec.europa.eu/transport/sites/transport/files/2019-stf-consultation-analysis.pdf

⁴ Of note, additional stakeholders commented on the possibility of combining refuelling locations for hydrogen, CNG and LNG, pending the continued inclusion of CNG and LNG refuelling in the AFID.

In order to determine a suitable target for hydrogen refuelling stations, a capacity-based approach was utilised, whereby the sufficient level of refuelling infrastructure was determined by assessing the capacity requirements of hydrogen vehicles, the proportion of energy delivered by public refuelling station and the distribution of HRS along the Core and Comprehensive TEN-T networks. Similar to the electricity calculations, all values used as data inputs are based on a combination of a comprehensive literature review, the baseline scenario (where relevant) and expert opinions. The resulting output is the total number of refuelling stations, the distance between each station and the required capacity of each station.

To determine the energy requirements of hydrogen vehicles for the year 2030 for both LDVs and HDVs, the total number of vehicles in the EU was multiplied by the average distance driven in a year and an efficiency factor (hydrogen consumption per distance in kg/km). The number of vehicles and distance driven per year were both derived from the baseline.

Field (Green text = input data; red text = calculation)	Value
Number of passenger cars	251,598
Number of LCVs	22,496
Number of Small Rigid	272
Number of Large Rigid	4,991
Number of Articulated	36,701
Passenger Car average km/year	13,344
LCV average km/year	20,332
LDV average km/day	37
LCV average km/day	56
Small rigid average km/day	96
Large Rigid average km/day	265
Articulated average km/day	597
LDV efficiency (kg/km)	0.0087
LCV efficiency (kg/km)	0.0137
Small rigid efficiency (kg/km)	0.0367
Large Rigid efficiency (kg/km)	0.0593
Articulated efficiency (kg/km)	0.0881
Fuel consumed per day passenger car	80,117
Fuel consumed per day LCV	17,193
Fuel consumed per day small rigid	958
Fuel consumed per day large rigid	78,375
Fuel consumed per day articulated	1,930,641

Table 619: Calculation of hydrogen fuel requirements for ex	pected fleet evolution (2030)
Field (Green text – input data: red text – calculation)	Value

Similar to the calculations for charging infrastructure, it is necessary to determine the proportion of energy delivered by public refuelling infrastructure (as opposed to private (e.g. depot) refuelling infrastructure). The current level of private infrastructure is negligible and given the high CAPEX of hydrogen refuelling stations and challenges in

terms of fuel distribution, it is expected that the proportion of energy to be delivered via private refuelling infrastructure in 2030 will continue to be small. The respective proportions of public charging were estimated based on expert opinions on how this is likely to evolve in the future, considering greater uptake of hydrogen within the freight industry. By multiplying the required capacity to support hydrogen vehicles by the proportion to be delivered via public refuelling infrastructure, a final (public) capacity is calculated.

Field (Green text = input data; red text = calculation)	Value
Proportion of fuel delivered by public HRS passenger cars	100%
Proportion of fuel delivered by public HRS LCV	80%
Proportion of fuel delivered by public HRS small rigid	80%
Proportion of fuel delivered by public HRS large rigid	80%
Proportion of fuel delivered by public HRS articulated	80%
Total fuel delivered via public HRS per day passenger car	80,117
Total fuel delivered via public HRS per day LCV	13,754
Total fuel delivered via public HRS per day small rigid	766
Total fuel delivered via public HRS per day large rigid	62,700
Total fuel delivered via public HRS per day articulated	1,544,513
Total fuel delivered via public HRS per day (kg)	1,701,850
Total fuel delivered via public HRS per day (t)	1,702

Table 10: Calculation of required public hydrogen refuelling capacity

To develop the daily capacity into a target for Member States, the length of the TEN-T network was divided by the distance between HRS (recommended by stakeholder input and literature) to determine the number of HRS that will be distributed on the TEN-T network. Given that the traffic flow on the TEN-T network will be much greater than that for urban areas for hydrogen vehicles (due to the uptake in freight vehicles), it was assumed that 90% of the total capacity would be delivered on the TEN-T network. Thus, the capacity of each HRS could be calculated. The calculation is presented in Table 10 above.

The calculation results in a capacity of 2t for each HRS on the TEN-T network – this was determined to be the required capacity to satisfy the refuelling for the expected number of hydrogen vehicles for the MIX scenario. As outlined previously, and supported by the desk and field research, the trajectory of the hydrogen market is very unclear, with uncertainty around the numbers of vehicles and the technology that will be used. Furthermore, from stakeholder input, it is clear that a priority at this stage is to ensure a sufficient network of infrastructure and that in areas where there is greater demand, the market will increase the capacity of the infrastructure.

Field (Green text = input data; red text = calculation)	Value
TEN-T Network	
TEN-T network length	106,605
Distance between HRS	150
Number of refuelling stations	710
Percentage of energy from comprehensive	0.9
Total capacity delivered (t)	1,531.665
Required capacity of each HRS (t)	2.155.142
TEN-T Urban Nodes	
Number of nodes	88
HRS per node	1
Number of HRS in nodes	88
Percentage of energy from nodes	0.1
Total capacity delivered (t)	170.185
Required capacity of each HRS (t)	1.93

 Table 11: Calculation of required targets along TEN-T networks and TEN-T Urban Nodes

 Field (Green text = input data; red text = calculation)
 Value

LDV and HDV national-level targets

No national targets can be reasonably defined for hydrogen infrastructure on the basis of the the registered hydrogen vehcles HDV due to the early stage of the market. At this stage, it is not possible to determine what exctly the evolution of demand in particular for different HDV technologies will be and how exactly this will affect the demand for publicly accessible recharging, that would go beyond providing for a minimum level of infrastructure to allow the markets to develop. As such, the Core and Comprehensive TEN-T networks should be the primary focus of targets (rather than a national target) until the market develops further to assess whether another target is required.

HDV targets for urban nodes

The recommendation is for TEN-T Urban Nodes to have at least

- one hydrogen refuelling station for HDVs by 2030,
- at 700 bar (and 350 bar optionally),
- The minimum daily capacity for all stations should be 2 tonnes.
- One out of three urban nodes should provide liquid hydrogen in particular relevant for locations within intermodal terminals

Similar to the specification of targets for electric infrastructure in urban areas for HDVs, the provision of targets in urban areas for HDVs received mixed opinions, with many considering targets for urban areas as being unnecessary as hydrogen infrastructure is mainly intended to serve HDVs. However, the role of TEN-T Urban Nodes in connecting the Core and Comprehensive TEN-T Networks has been highlighted several times in stakeholder discussions, and as such it is desirable to the hydrogen industry to have HRS

infrastructure at TEN-T Urban Nodes in particular – and in the absence of private refuelling opportunities - for destination charging.

The recommendation is for each of the TEN-T Urban Nodes to have at least one hydrogen refuelling station installed by 2030, to coincide with the targets for the Core and Comprehensive TEN-T networks, which will assist in ensuring a sufficient network of hydrogen refuelling stations is deployed across the EU to allow the market to develop. Stakeholder feedback has indicated that the market is expected to respond with further locations once the infrastructure requirements are more understood. It is not considered necessary to provide infrastructure for hydrogen powered LDVs in urban areas, but this can be deployed as an optional consideration should the market respond. In particular, it could be an option to install stations in intermodal terminals that are very often the destination or source of long haul road transport. Furthermore – and with a long term perspective – such location could also used to supply hydrogen to the shipping or rail sector.

Liquid hydrogen

There were no suggestions or questions within the surveys related to provision of targets for liquid hydrogen refuelling stations (rather than gaseous hydrogen). However, subsequent discussions with stakeholders, particularly with HDV manufacturers, have indicated that some truck manufacturers are developing liquid hydrogen trucks. As such, a target was developed for liquid hydrogen refuelling to ensure that the infrastrucure also caters for emerging technologies.

The recommendation is for deployment of liquid hydrogen infrastructure every 450km along the Core TEN-T network. This is expected to be a suitable level of infrastructure provision to allow for the potential liquid hydrogen market to develop.

CNG

LDV and HDV targets for TEN-T networks

The recommendation is for the **Core TEN-T network** to have one CNG refuelling station every 150km by 2025, serving both LDVs and HDVs. However due to the maturity of the market, th established infrastructure and the expected evoluation of market uptake of CNG vehciles under the baseline, there is no need for strict adherence to that recommendation.

The recommendation for the target for CNG infrastructure along the Core TEN-T network is based on the targeted interviews with stakeholders and the responses to the survey, which largely indicated that the proposed (and existing indicative) target was appropriate. Several stakeholders indicated that CNG refuelling sites should serve both HDVs and LDVs, noting that the criteria for CNG HDVs can follow the same as for LDVs, ensuring stations are designed for heavy duty requirements (e.g. considering flow rate and nozzle design). Alignment with CNG LDV infrastructure criteria with HDV infrastructure criteria would simplify the implementation of stations.

Of note, according to EAFO, there are more CNG LDVs (1,240,540) than HDVs (41,667), but the LDVs are mainly located in Italy (around 80%). The expected vehicle uptake for both vehicle categories is not expected to be that high, and as such it is not considered necessary to have separate infrastructure for LDVs and HDVs. As such, to avoid having too much infrastructure and to save on implementation costs, the same refuelling points should be used for both LDVs and HDVs.

There was very little support from stakeholders for CNG recommendations going beyond the Core TEN-T network. Additionally, it is worth noting that many stakeholders question the continued consideration of CNG in the AFID, with numerous stakeholders supporting the removal of CNG – and also LNG - from the Directive.

LNG

HDV targets for TEN-T networks

The recommendation is for the **Core TEN-T network** to have one LNG refuelling station every 400km by 2025, with a 5,000 t capacity, to serve HDVs.

The recommendation for the target for LNG infrastructure for HDVs along the Core TEN-T network is based on the targeted interviews with stakeholders and the responses to the survey. There is limited information in literature in terms of specifying a target for LNG infrastructure, or why it should change from what is currently specified in the AFID. In general, stakeholders were in support of using the same target that is currently within the Directive's non-binding recommendation. There was very little support from stakeholders to expand the scope of targets for LNG infrastructure beyond the Core TEN-T network.

Similar to CNG infrastructure, many stakeholders also question the continued inclusion of LNG in the AFID for road transport, with numerous stakeholders supporting its removal. However, some stakeholders noted the potential benefits LNG can provide for modes of transport separate to road transport and the potential of biogas and e-gases to replace natural gas without the need for modifications to the LNG infrastructure.

The suggested year for the target is 2025, based on the expected fleet evolution and to ensure full connectivity on the TEN-T network. It is not considered necessary to provide a different recommendation or target for 2030 for LNG infrastructure due to the expected vehicle fleet development.

ANNEX 8: EFFECTIVENESS OF POLICY OPTIONS

 Table 12: Effectiveness of the different policy options

xx	×	0	\checkmark	$\checkmark \checkmark$	
Strongly negative	negative	No or negligible impact	positive	Strongly positive	Unclear
	PO1		PO2		PO3
Specific policy obje	ective 1: Ensuring suffi	cient infrastructure to support t	he required uptake of al	ternatively fuelled vehicles	across all modes and in all MS
Increase of number of public accessible recharging	Positive effect on road transport recharging infrastructure: increase to 3.501 million public accessible chargers by 2030, 11.4 million by 2040 and 16.3 million by 2050, fully addressing overall needs of the LDV fleet. Some shortcomings in cross-border connectivity for 2030 as some parts may not be fully equipped due to lack of provision. PO leads to a steady increase in public accessible recharging points for HDV, including 6,173 chargers in 2030, 10,340 by 2040 and 12,694 in 2050 along the TEN-T.		Positive effect on road transport recharging infrastructure: increase to 3.512 million public accessible chargers by 2030, 11.4 million by 2040 and 16.3 million by 2050, fully addressing overall needs of the LDV fleet and ensuring full cross-border connectivity in the TEN-T. PO leads to a steady increase in public accessible recharging points for HDV, including 6,493 chargers in 2030, 10,660 by 2040 and 13,014 in 2050 along the TEN-T.		Positive effect on road transport recharging infrastructure: increase to 3.574 million public accessible chargers by 2030, 11.5 million by 2040 and 16.3 million by 2050, fully addressing overall needs of the LDV fleet and ensuring full cross-border connectivity in the TEN-T. PO leads to a steady increase in public accessible recharging points for HDV, including 7,612 chargers in 2030, 11,779 by 2040 and 14,134 in 2050 along the TEN-T.
Increase of number of refuelling points on roads	Positive effect also for road transport refuelling infrastructure: hydrogen refuelling points to increase to 1,852 by 2030, 8,222 by 2040 and 20,153 by 2050; the number of LNG refuelling points would be 2,904 in 2030 ensuring minimum connectivity, while in 2050 slight decrease to 2,896.		infrastructure: hydrog increase to 1,993 by 2 20,154 by 2050 but w capacity than in PO1. refuelling points would	The number of LNG ld be 2,904 in 2030 nnectivity, while in 2050	Positive effect also for road transport refuelling infrastructure: hydrogen refuelling points to increase to 1,990 by 2030, 8,337 by 2040 and 20,104 by 2050 with the same capacity as in PO2. The number of LNG refuelling points would be 2,904 in 2030 ensuring minimum connectivity, while in 2050 slightly decrease to 2,896.

Increase of number of OPS and other alternative fuels infrastructure in ports	PO also has a moderate positive effect on OPS provisioning in ports, leading to a total installed capacity of 856 MW in maritime ports and equipping 85 TEN-T core inland ports with OPS (net of 18). No impact on LNG provisioning		PO has a strongly positive effect on OPS provisioning in ports, leading to a total installed capacity of 3,676 MW in maritime ports and equipping 85 TEN-T core inland ports (net of 18) and additional 160 TEN-T comprehensive inland ports with OPS (net of 88). No impact on LNG provisioning.		PO has a strongly positive effect on OPS provisioning in ports, leading to a total installed capacity of 3,676 MW in maritime ports and equipping 85 TEN-T core inland ports (net of 18) and additional 160 TEN-T comprehensive inland ports with OPS (net of 88). All 91 TEN-T ports will be equipped with LNG bunkering.
Increase of number of electricity supply to stationary aircraft	Positive impact also on electricity sup stationary aircraft, equipping 11,051 gates and outfield position (net of 1,0	passenger	Strong positive impact on electricity supply to stationary aircraft, equipping 14,729 passenger gates and outfield position (net of 4,756)		Strong positive impact on electricity supply to stationary aircraft, equipping 14,729 passenger gates and outfield position (net of 4,756)
Specific policy obje	ective 2 Ensuring full interoperability o	f the infrastruct	ure		
Increase in the directional alignment of the EV charging backend	The option has a positive effect on the directional alignment on the EV charging backend through requiring a set of open communication interfaces and protocols that will prevent technological lock in of proprietary solutions.	The option has a positive impact on the alignment of the EV charging backend, as it prescribes		the EV charge relevant stam protocols and delegated ac specification common con recharging in	has a positive impact on the alignment of ging backend, as it prescribes transfer of idards (when finalised) for communication d interfaces into EU law by means of tion, securing common technical as in the internal market. It will ensure mmunication standards between the infrastructure and the grid and thereby art recharging

Extent to which outstanding technology developments are standardised	The option also has a positive impact on standardisation of technology developments by addressing additional charging standards for trucks, supplementary standards for hydrogen	outstanding technology standardisation needs, as it addresses requirements for maritime transport and inland navigation in addition to the roadoutsta addresses inland		outstanding addresses re- inland navig	option has a strongly positive impact on tanding technology standardisation needs, as it esses requirements for maritime transport and and navigation in addition to the road transport dards in PO1.	
Specific policy objective Increase in the extent of customer information available	bjective 3: Ensuring full user information and adequate p The option has a positive impact as it increases consumer information on location, opening time and certain charging stations characteristics, hence increasing certainty of consumers.		The option has a strong positive impact on consumer information available as it extends to the relevant information on operational status, availability, price ad-hoc, which will strongly improve user experience. Physical signposting will complement the extent of consumer information		The option has a strong positive impact on consumer information available as it extends to the relevant information on operational status, availability, price ad- hoc, which will strongly improve user experience. It has the most comprehensive requirement for physical signposting for customers.	
Increase in the provision of data to national access points	It also positively impacts the provision reporting to national access points of States. The requirement to share stati enable better user services development	Member ic data will	Through this requirement for static data, PO2 will also have a strong po impact on the increase in provision national access points	ositive	PO3 will also have a strong positive impact on the increase in provision of data to national access points.	

Availability of one common ad- hoc payment option at all recharging points	The option improves minimum requirements for consumers to pay with bank card at every recharging point (NFC, terminal or QR code), thus reducing the approaches to payment and ease travelling especially across borders	The option also has a strong positive impact on user payment experience. Not only requires it consistent application of the two most user- friendly payment options (NFC, terminal payment), but it also ensures that users can always choose between the ad-hoc price and contract price in case of automatic	Moreover, PO3 has the same strong positive impact on user payment experience as PO2, by mandating terminal payment at all new fast chargers.
		authentication. Moreover, PO2 secures customer satisfaction by preventing unduly differentiation	
		of business-to-business and business-to- consumer pricing.	

ANNEX 9: OVERVIEW OF THE MONITORING AND EVALUATION FRAMEWORK

The detailed list of operational objectives, indicators and data sources is presented in the table below. Some of these monitoring arrangements will be established more in detail only after thorough discussion with Member States and key stakeholders, in particular when the planning and reporting provisions under NPFs and NIRs are being established.

Table 13: Proposed monitoring and evaluation framework

General objective	Specific objectives	Operational objectives	Indicators	Data source
Support the uptake of low and zero emission vehicles and vessels and thereby contribute to achieving climate neutrality by 2050 (i.e. achieve net zero GHG emissions by 2050) and to contribute to the reduction of air pollution by	Ensuring sufficient infrastructure to support the required uptake of alternatively fuelled vehicles across all modes and in all MS.	Establish clear short and long tern targets on the number or capacity and the location of alternative fuels infrastructure for all transport modes	 Number of low and zero emission vehicles/vessels per MS Number of recharging and refuelling stations and installed capacity per MS Location and installed capacity of recharging and refuelling stations along TEN-T core, TEN-T comprehensive and urban nodes Location and installed capacity of OPS in inland and maritime ports Location of LNG bunkering in maritime ports Location and number of gates/outfield positions equipped with electricity supply for stationary aircrafts 	 Member State planning through NPFs and reporting through NIRs The European Alternative Fuels Observatory (www.EAFO.eu) Monitoring under TEN-T regulation Evaluation in the context of the Review of the Directive envisaged for 2026
	Ensuring full interoperability of the infrastructure.	Ensure that standardisation mandates issued to the ESOs cover all standardisation needs and are taken up by the ESOs	- Adopted standards by ESOs vis a vis the standardisation mandates issued to them	 ESOs reporting Stakeholder contacts through the already established dedicated working groups on data and standards under the Sustainable Transport Forum
	Ensuring full user information and adequate payment options.	Creating user friendly recharging and refuelling infrastructure	 User access to all relevant static and dynamic data Full price transparency Easy to use ad hoc payment options 	 Sustainable Transport Forum Dedicated study on recharging markets envisaged for 2022 Evaluation in the context of the Review of the Directive envisaged for 2026